



STATE OF WASHINGTON

STATE BUILDING CODE COUNCIL

Washington State Energy Code Development Standard Energy Code Proposal Form

Jan 2022

Log No. _____

Code being amended: ☐ Commercial Provisions ☒ Residential Provisions

Code Section #:

Brief Description:

Proposed code change text: (Copy the existing text from the Integrated Draft, linked above, and then use underline for new text and ~~strikeout~~ for text to be deleted.)

Add Options 3.7 and Option 3.8 for air-to-water heat pump systems for 1.0 credits and 1.5 credits, respectively, for “All Other” occupancies to read:

Option 3.7: Air-to-water heat pump with minimum COP of 2.8 at 47°F

Option 3.8: Air-to-water heat pump with minimum COP of 3.2 at 47°F

Purpose of code change:

Your amendment must meet one of the following criteria. Select at least one:

- | | |
|--|---|
| ☐ Addresses a critical life/safety need. | ☐ Consistency with state or federal regulations. |
| ☐ The amendment clarifies the intent or application of the code. | ☐ Addresses a unique character of the state. |
| ☒ Addresses a specific state policy or statute.
(Note that energy conservation is a state policy) | ☐ Corrects errors and omissions. |

Check the building types that would be impacted by your code change:

- | | | |
|---|---|--|
| ☒ Single family/duplex/townhome | ☐ Multi-family 4 + stories | ☐ Institutional |
| ☒ Multi-family 1 – 3 stories | ☐ Commercial / Retail | ☐ Industrial |

Your name	Carolyn Roos	Email address	roosc@energy.wsu.edu
Your organization	WSU Energy Program	Phone number	360-956-2056
Other contact name	Jonathan Jones		

Economic Impact Data Sheet

Is there an economic impact: ☐ Yes ☒ No

Briefly summarize your proposal's primary economic impacts and benefits to building owners, tenants, and businesses. If you answered "No" above, explain your reasoning.

Energy savings could be achieved regionally by removing the current barrier to high efficiency cold climate air-to-water heat pumps (reverse chillers) in residential sizes. These units are currently excluded from achieving Option 3 credits despite their high efficiency by the requirement for an HSPF rating. This provides a high efficiency electric option for homeowners wanting a hydronic, radiant system when natural gas is not available.

Examples of air-to-water heat pumps in sizes less than 65,000 Btu/h that do not have HSPF ratings, but do have COP ratings are:

- <https://www.arcticheatpumps.com/arctic-heat-pump-020a-29-000-btu.html>
- <https://www.arcticheatpumps.com/arctic-heat-pump-040a-48-000-btu.html>
- <https://www.arcticheatpumps.com/arctic-heat-pump-060a.html>
- <https://www.chiltrix.com/>
- https://hvac.place/SpacePak--LAHP48--4-Ton-Low-Ambient-Heat-Pump-Chiller_p_28.html

Provide your best estimate of the **construction cost** (or cost savings) of your code change proposal? (See OFM Life Cycle Cost [Analysis tool](#) and [Instructions](#); use these [Inputs](#). **Webinars on the tool can be found [Here](#) and [Here](#)**)

\$01.9/square foot (For residential projects, also provide \$4,100/ dwelling unit)

Show calculations here, and list sources for costs/savings, or attach backup data pages

Unit cost for a 4 ton cold climate air-to-water heat pump with stand per Arctic Energy site is approximately \$6,100. <https://www.arcticheatpumps.com/buy-cold-climate-heat-pump/heat-pumps-evi-low-temp.html>

Assumed unit cost for baseline electric resistance boiler is \$2,000.

Provide your best estimate of the **annual energy savings** (or additional energy use) for your code change proposal?

5.8 KWH/ square foot (or) [Click here to enter text](#).KBTU/ square foot

(For residential projects, also provide [Click here to enter text](#).KWH/KBTU / dwelling unit)

Show calculations here, and list sources for energy savings estimates, or attach backup data pages

The UA including envelope and infiltration losses for the C2200 medium dwelling unit prototype meeting Option 1.3 is 536 Btu/h/ft². The COP as a function of OSA for Arctic Energy 050ZA/BE, 4 ton air-to-water heat pump is shown in Table 2 and Figure 1. The building heating load was calculated for each hour using hourly temperature data for Spokane, WA assuming:

- Baseline is similar hydronic radiant system with electric resistance boiler.
- COP is calculated as linear interpolation between COP data points in Table 2 as shown in Figure 1. COP of this unit is 3.2 at 47°F with average during heating season of 3.18 using Spokane hourly data.
- Heating load is calculated as $Q=UA*(T-T_{out})$ where T is either the assumed balance point of 60°F or the setback temperature of 55°F from 10 pm to 6 am and 11 am to 4 pm.
- Heating energy is calculated as $E=Q/COP$. It is assumed parasitic loads are equal in the two cases.

Instructions: Send this form as an email attachment, along with any other documentation available, to: sbcc@des.wa.gov. For further information, call the State Building Code Council at 360-407-9255.

All questions must be answered to be considered complete. Incomplete proposals will not be accepted.

- In life cycle cost analysis, electricity unit cost of \$0.12/kWh is used.

Table 1. Estimated heating energy savings for ATW heat pump compared to baseline of electric resistance


	Annual Energy Use		Savings (kWh/yr)
	ER Baseline (kWh/yr)	ATW Heat Pump (kWh/yr)	
CZ4C - Seattle, WA	9,857	3,090	6,767
CZ5B -Spokane, WA	18,581	5,898	12,683

Table 2. COP of Arctic Energy 050ZA/(BE), 4 ton

Temperature (deg F)	COP
44.6	3.2
19.4	3.1
-4	1.8

Source: <https://www.arcticheatpumps.com/specifications.html>

Figure 1. COP of Arctic Energy 050ZA/(BE), 4 ton



The baseline for comparison is radiant heat with electric resistance boiler.

Table 3. Life cycle cost analysis results for Spokane with baseline of

Life Cycle Cost Analysis		BEST
Alternative	Baseline	Alt. 1
Energy Use Intensity (kBtu/sq.ft)	28.8	19.7
1st Construction Costs	\$ 2,000	\$ 6,100
PV of Capital Costs	\$ 5,944	\$ 18,130
PV of Maintenance Costs	\$ -	\$ -
PV of Utility Costs	\$ 94,895	\$ 64,773
Total Life Cycle Cost (LCC)	\$ 100,839	\$ 82,903
Net Present Savings (NPS)	N/A	\$ 17,936

Instructions: Send this form as an email attachment, along with any other documentation available, to: sbcc@des.wa.gov. For further information, call the State Building Code Council at 360-407-9255.

All questions must be answered to be considered complete. Incomplete proposals will not be accepted.

List any **code enforcement** time for additional plan review or inspections that your proposal will require, in hours per permit application:

Code enforcement time for plan review or inspection would not be increased. Code enforcement time may be reduced by eliminating what is perceived by the public to be an arbitrary barrier to high efficiency systems.

Small Business Impact. Describe economic impacts to small businesses:

None

Housing Affordability. Describe economic impacts on housing affordability:

None. These are optional alternatives for homeowners wanting efficient hydronic radiant heating in locations where natural gas is not available.

Other. Describe other qualitative cost and benefits to owners, to occupants, to the public, to the environment, and to other stakeholders that have not yet been discussed:

Instructions: Send this form as an email attachment, along with any other documentation available, to: sbcc@des.wa.gov. For further information, call the State Building Code Council at 360-407-9255.

All questions must be answered to be considered complete. Incomplete proposals will not be accepted.

2147	3	31	11	51.8	55.0	3.2	1.175	1.715	531	1.221
2148	3	31	12	51.8	55.0	1.4	902	950	532	1.221
2149	3	31	13	51.8	55.0	0.4	-	-	-	1.221
2150	3	31	14	51.8	55.0	2.2	-	-	-	1.221
2151	3	31	15	51.8	55.0	2.2	-	-	-	1.221
2152	3	31	16	51.8	55.0	2.2	-	-	-	1.221
2153	3	31	17	48.3	48.0	15.4	8,254	8,254	2,580	1.328
2154	3	31	18	48.3	48.0	17.2	9,219	9,219	2,587	1.328
2155	3	31	19	39.2	48.0	20.8	11,549	11,549	1,907	1.151
2156	3	31	20	39.2	48.0	20.8	11,549	11,549	1,907	1.151
2157	3	31	21	37.4	48.0	22.6	12,114	12,114	1,850	1.111
2158	3	31	22	35.6	48.0	25.4	13,388	13,388	1,386	1.151
2159	3	31	23	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2160	3	31	24	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2161	4	1	1	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2162	4	1	2	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2163	4	1	3	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2164	4	1	4	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2165	4	1	5	32.0	55.0	23.0	12,128	12,128	1,614	1.111
2166	4	1	6	32.0	55.0	23.0	12,128	12,128	1,614	1.111
2167	4	1	7	37.4	48.0	22.6	12,114	12,114	1,850	1.111
2168	4	1	8	41.0	48.0	19.0	10,184	10,184	1,197	1.151
2169	4	1	9	48.3	48.0	13.6	6,325	6,325	1,064	1.221
2170	4	1	10	48.3	48.0	15.4	6,325	6,325	1,064	1.221
2171	4	1	11	51.8	55.0	3.2	1.175	1.715	531	1.221
2172	4	1	12	51.8	55.0	1.4	902	950	532	1.221
2173	4	1	13	51.8	55.0	1.4	902	950	532	1.221
2174	4	1	14	51.8	55.0	1.4	902	950	532	1.221
2175	4	1	15	51.8	55.0	1.4	902	950	532	1.221
2176	4	1	16	51.8	55.0	1.4	902	950	532	1.221
2177	4	1	17	48.3	48.0	15.4	6,325	6,325	1,064	1.221
2178	4	1	18	48.3	48.0	17.2	6,325	6,325	1,064	1.221
2179	4	1	19	41.0	48.0	20.8	10,998	10,998	1,386	1.151
2180	4	1	20	41.0	48.0	20.8	10,998	10,998	1,386	1.151
2181	4	1	21	39.2	48.0	22.6	11,549	11,549	1,907	1.151
2182	4	1	22	37.4	48.0	25.4	13,388	13,388	1,386	1.151
2183	4	1	23	37.4	55.0	17.6	8,434	8,434	2,075	1.111
2184	4	1	24	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2185	4	2	1	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2186	4	2	2	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2187	4	2	3	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2188	4	2	4	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2189	4	2	5	32.0	55.0	23.0	12,128	12,128	1,614	1.111
2190	4	2	6	32.0	55.0	23.0	12,128	12,128	1,614	1.111
2191	4	2	7	37.4	48.0	22.6	12,114	12,114	1,850	1.111
2192	4	2	8	41.0	48.0	19.0	10,184	10,184	1,197	1.151
2193	4	2	9	48.3	48.0	13.6	7,280	7,280	2,173	1.221
2194	4	2	10	48.3	48.0	15.4	7,280	7,280	2,173	1.221
2195	4	2	11	51.8	55.0	3.2	1.175	1.715	531	1.221
2196	4	2	12	51.8	55.0	1.4	902	950	532	1.221
2197	4	2	13	51.8	55.0	1.4	902	950	532	1.221
2198	4	2	14	51.8	55.0	1.4	902	950	532	1.221
2199	4	2	15	51.8	55.0	3.2	1.175	1.715	531	1.221
2200	4	2	16	51.8	55.0	1.4	902	950	532	1.221
2201	4	2	17	48.3	48.0	13.6	6,325	6,325	1,064	1.221
2202	4	2	18	48.3	48.0	15.4	6,325	6,325	1,064	1.221
2203	4	2	19	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2204	4	2	20	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2205	4	2	21	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2206	4	2	22	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2207	4	2	23	41.0	55.0	14.0	7,504	7,504	2,356	1.151
2208	4	2	24	41.0	55.0	14.0	7,504	7,504	2,356	1.151
2209	4	3	1	41.0	55.0	14.0	7,504	7,504	2,356	1.151
2210	4	3	2	39.2	55.0	15.8	8,480	8,480	2,064	1.151
2211	4	3	3	37.4	55.0	17.6	8,434	8,434	2,075	1.111
2212	4	3	4	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2213	4	3	5	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2214	4	3	6	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2215	4	3	7	39.2	48.0	20.8	11,549	11,549	1,907	1.151
2216	4	3	8	41.0	48.0	19.0	10,184	10,184	1,197	1.151
2217	4	3	9	48.3	48.0	13.6	7,280	7,280	2,173	1.221
2218	4	3	10	48.3	48.0	15.4	7,280	7,280	2,173	1.221
2219	4	3	11	51.8	55.0	3.2	1.175	1.715	531	1.221
2220	4	3	12	51.8	55.0	1.4	902	950	532	1.221
2221	4	3	13	51.8	55.0	1.4	902	950	532	1.221
2222	4	3	14	51.8	55.0	1.4	902	950	532	1.221
2223	4	3	15	51.8	55.0	3.2	1.175	1.715	531	1.221
2224	4	3	16	51.8	55.0	1.4	902	950	532	1.221
2225	4	3	17	48.3	48.0	15.4	6,325	6,325	1,064	1.221
2226	4	3	18	48.3	48.0	17.2	6,325	6,325	1,064	1.221
2227	4	3	19	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2228	4	3	20	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2229	4	3	21	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2230	4	3	22	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2231	4	3	23	41.0	55.0	14.0	7,504	7,504	2,356	1.151
2232	4	3	24	39.2	55.0	15.8	8,480	8,480	2,064	1.151
2233	4	4	1	39.2	55.0	15.8	8,480	8,480	2,064	1.151
2234	4	4	2	37.4	55.0	17.6	8,434	8,434	2,075	1.111
2235	4	4	3	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2236	4	4	4	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2237	4	4	5	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2238	4	4	6	39.2	48.0	20.8	11,549	11,549	1,907	1.151
2239	4	4	7	41.0	48.0	19.0	10,184	10,184	1,197	1.151
2240	4	4	8	41.0	48.0	19.0	10,184	10,184	1,197	1.151
2241	4	4	9	48.3	48.0	13.6	7,280	7,280	2,173	1.221
2242	4	4	10	48.3	48.0	15.4	7,280	7,280	2,173	1.221
2243	4	4	11	51.8	55.0	3.2	1.175	1.715	531	1.221
2244	4	4	12	51.8	55.0	1.4	902	950	532	1.221
2245	4	4	13	51.8	55.0	1.4	902	950	532	1.221
2246	4	4	14	51.8	55.0	1.4	902	950	532	1.221
2247	4	4	15	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2248	4	4	16	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2249	4	4	17	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2250	4	4	18	41.0	48.0	20.8	9,219	9,219	2,087	1.151
2251	4	4	19	39.2	48.0	22.6	11,549	11,549	1,907	1.151
2252	4	4	20	39.2	48.0	22.6	11,549	11,549	1,907	1.151
2253	4	4	21	37.4	48.0	25.4	13,388	13,388	1,386	1.151
2254	4	4	22	37.4	55.0	17.6	8,434	8,434	2,075	1.111
2255	4	4	23	37.4	55.0	17.6	8,434	8,434	2,075	1.111
2256	4	4	24	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2257	4	5	1	37.4	55.0	17.6	8,434	8,434	2,075	1.111
2258	4	5	2	35.6	55.0	19.4	10,998	10,998	1,386	1.151
2259	4	5	3	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2260	4	5	4	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2261	4	5	5	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2262	4	5	6	33.8	55.0	21.2	11,803	11,803	1,369	1.151
2263	4	5	7	37.4	48.0	22.6	12,114	12,114	1,850	1.111
2264	4	5	8	41.0	48.0	19.0	10,184	10,184	1,197	1.151
2265	4	5	9	48.3	48.0	13.6	6,325	6,325	1,064	1.221
2266	4	5	10	48.3	48.0	15.4	6,325	6,325	1,064	1.221
2267	4	5	11	51.8	55.0	3.2	1.175	1.715	531	1.221
2268	4	5	12	51.8	55.0	1.4	902	950	532	1.221
2269	4	5	13	51.8	55.0	1.4	902	950	532	1.221
2270	4	5	14	51.8	55.0	1.4	902	950	532	1.221
2271	4	5	15	51.8	55.0	3.2	1.175	1.715	531	1.221
2272	4	5								

2314	4	7	10	48.4	10.0	13.6	7.290	7.290	2.075	3.21
2315	4	7	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2316	4	7	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2317	4	7	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2318	4	7	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2319	4	7	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2320	4	7	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2321	4	7	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2322	4	7	10	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2323	4	7	10	43.0	10.0	20.0	12.114	12.114	6.000	3.51
2324	4	7	20	35.6	10.0	28.4	13.076	13.076	4.331	3.51
2325	4	7	20	35.6	10.0	28.4	13.076	13.076	4.331	3.51
2326	4	7	20	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2327	4	7	20	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2328	4	7	24	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2329	4	7	24	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2330	4	8	2	28.4	10.0	26.6	14.208	14.208	4.047	3.51
2331	4	8	2	28.4	10.0	26.6	14.208	14.208	4.047	3.51
2332	4	8	4	28.4	10.0	26.6	14.208	14.208	4.047	3.51
2333	4	8	4	28.4	10.0	26.6	14.208	14.208	4.047	3.51
2334	4	8	6	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2335	4	8	6	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2336	4	8	6	30.2	10.0	24.4	13.076	13.076	4.331	3.51
2337	4	8	6	30.2	10.0	24.4	13.076	13.076	4.331	3.51
2338	4	8	10	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2339	4	8	10	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2340	4	8	10	44.6	10.0	10.4	5.174	5.174	1.742	3.20
2341	4	8	10	44.6	10.0	10.4	5.174	5.174	1.742	3.20
2342	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2343	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2344	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2345	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2346	4	8	10	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2347	4	8	10	43.0	10.0	20.0	12.114	12.114	6.000	3.51
2348	4	8	20	39.2	10.0	20.8	11.040	11.040	3.007	3.51
2349	4	8	20	39.2	10.0	20.8	11.040	11.040	3.007	3.51
2350	4	8	20	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2351	4	8	20	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2352	4	8	24	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2353	4	8	24	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2354	4	8	2	33.8	10.0	21.2	11.303	11.303	3.009	3.51
2355	4	8	2	33.8	10.0	21.2	11.303	11.303	3.009	3.51
2356	4	8	4	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2357	4	8	4	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2358	4	8	6	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2359	4	8	6	30.2	10.0	24.4	13.103	13.103	4.331	3.51
2360	4	8	6	30.2	10.0	24.4	13.103	13.103	4.331	3.51
2361	4	8	6	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2362	4	8	6	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2363	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2364	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2365	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2366	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2367	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2368	4	8	10	48.4	10.0	8.6	3.005	3.005	1.134	3.21
2369	4	8	10	48.4	10.0	8.6	3.005	3.005	1.134	3.21
2370	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2371	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2372	4	8	20	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2373	4	8	20	43.0	10.0	20.0	12.114	12.114	6.000	3.51
2374	4	8	20	39.2	10.0	17.6	9.634	9.634	2.075	3.11
2375	4	8	20	39.2	10.0	17.6	9.634	9.634	2.075	3.11
2376	4	8	24	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2377	4	8	24	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2378	4	8	2	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2379	4	8	2	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2380	4	8	4	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2381	4	8	4	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2382	4	8	6	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2383	4	8	6	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2384	4	8	6	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2385	4	8	6	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2386	4	8	10	50.0	10.0	5.0	2.080	2.080	0.03	3.21
2387	4	8	10	50.0	10.0	5.0	2.080	2.080	0.03	3.21
2388	4	8	10	48.2	10.0	6.8	3.005	3.005	1.134	3.21
2389	4	8	10	48.2	10.0	6.8	3.005	3.005	1.134	3.21
2390	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2391	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2392	4	8	20	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2393	4	8	20	43.0	10.0	20.0	12.114	12.114	6.000	3.51
2394	4	8	20	39.2	10.0	17.6	9.634	9.634	2.075	3.11
2395	4	8	20	39.2	10.0	17.6	9.634	9.634	2.075	3.11
2396	4	8	24	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2397	4	8	24	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2398	4	8	2	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2399	4	8	2	37.6	10.0	17.6	9.634	9.634	2.075	3.11
2400	4	8	4	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2401	4	8	4	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2402	4	8	6	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2403	4	8	6	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2404	4	8	6	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2405	4	8	6	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2406	4	8	10	50.0	10.0	5.0	2.080	2.080	0.03	3.21
2407	4	8	10	50.0	10.0	5.0	2.080	2.080	0.03	3.21
2408	4	8	10	48.2	10.0	6.8	3.005	3.005	1.134	3.21
2409	4	8	10	48.2	10.0	6.8	3.005	3.005	1.134	3.21
2410	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2411	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2412	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2413	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2414	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2415	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2416	4	8	10	48.4	10.0	8.6	4.030	4.030	1.407	3.21
2417	4	8	10	48.4	10.0	15.4	8.254	8.254	2.080	3.51
2418	4	8	10	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2419	4	8	10	43.0	10.0	20.0	12.114	12.114	6.000	3.51
2420	4	8	20	37.6	10.0	22.6	12.114	12.114	3.000	3.51
2421	4	8	20	37.6	10.0	22.6	12.114	12.114	3.000	3.51
2422	4	8	20	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2423	4	8	20	35.6	10.0	19.4	10.398	10.398	3.004	3.51
2424	4	8	24	33.8	10.0	21.2	11.303	11.303	3.009	3.51
2425	4	8	24	33.8	10.0	21.2	11.303	11.303	3.009	3.51
2426	4	8	2	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2427	4	8	2	32.0	10.0	23.0	12.108	12.108	3.004	3.51
2428	4	8	4	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2429	4	8	4	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2430	4	8	6	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2431	4	8	6	30.2	10.0	24.8	13.103	13.103	4.030	3.51
2432	4	8	6	30.2	10.0	24.4	13.076	13.076	4.331	3.51
2433	4	8	6	30.2	10.0	24.4	13.076	13.076	4.331	3.51
2434	4	8	10	43.0	10.0	10.0	10.184	10.184	3.007	3.51
2435	4	8	10	43.0	10.0	20.0	12.114	12.114	6.000	3.51
2436	4	8	10	44.6	10.0	10.4	5.174	5.174	1.742	3.20
2437	4	8	10	44.6	10.0	10.4	5.174	5.174	1.742	3.20
2438										

[illegible]

2688	A	21	6	53.5	10.0	6.4	6.400	6.400	1.080	3.24
2689	A	21	6	55.2	10.0	1.2	-	-	-	3.24
2690	A	21	10	64.4	10.0	0.0	-	-	-	1.000
2691	A	21	10	67.2	10.0	0.0	-	-	-	1.000
2692	A	21	12	68.0	10.0	0.0	-	-	-	1.000
2693	A	21	12	69.4	10.0	0.0	-	-	-	1.000
2694	A	21	14	69.6	10.0	0.0	-	-	-	1.000
2695	A	21	14	70.4	10.0	0.0	-	-	-	1.000
2696	A	21	10	69.6	10.0	0.0	-	-	-	1.000
2697	A	21	10	70.4	10.0	0.0	-	-	-	1.000
2698	A	21	10	64.4	10.0	0.0	-	-	-	1.000
2699	A	21	20	55.4	10.0	4.0	2.400	2.400	960	3.24
2700	A	21	20	57.4	10.0	4.0	2.400	2.400	960	3.24
2701	A	21	20	58.0	10.0	5.0	2.600	2.600	102	3.24
2702	A	21	20	59.2	10.0	4.0	2.400	2.400	960	3.24
2703	A	21	24	48.2	10.0	6.0	3.600	3.600	1,134	3.24
2704	A	21	24	49.4	10.0	6.0	3.600	3.600	1,134	3.24
2705	A	22	2	46.4	10.0	8.0	4.800	4.800	1,407	3.24
2706	A	22	2	47.6	10.0	8.0	4.800	4.800	1,407	3.24
2707	A	22	4	44.6	10.0	10.4	5.274	5.274	1,742	3.24
2708	A	22	4	45.4	10.0	8.0	4.800	4.800	1,407	3.24
2709	A	22	6	46.4	10.0	8.0	4.800	4.800	1,407	3.24
2710	A	22	6	47.2	10.0	10.0	5.000	5.000	1,064	3.24
2711	A	22	6	53.5	10.0	6.4	6.400	6.400	1.080	3.24
2712	A	22	10	68.2	10.0	0.0	-	-	-	1.000
2713	A	22	10	69.4	10.0	0.0	-	-	-	1.000
2714	A	22	12	71.6	10.0	0.0	-	-	-	1.000
2715	A	22	12	72.4	10.0	0.0	-	-	-	1.000
2716	A	22	14	69.6	10.0	0.0	-	-	-	1.000
2717	A	22	14	70.4	10.0	0.0	-	-	-	1.000
2718	A	22	10	69.2	10.0	0.0	-	-	-	1.000
2719	A	22	10	70.4	10.0	0.0	-	-	-	1.000
2720	A	22	10	69.6	10.0	0.0	-	-	-	1.000
2721	A	22	10	70.4	10.0	0.0	-	-	-	1.000
2722	A	22	10	69.6	10.0	0.0	-	-	-	1.000
2723	A	22	10	70.4	10.0	0.0	-	-	-	1.000
2724	A	22	20	55.4	10.0	4.0	2.400	2.400	960	3.24
2725	A	22	20	57.4	10.0	4.0	2.400	2.400	960	3.24
2726	A	22	20	58.0	10.0	5.0	2.600	2.600	102	3.24
2727	A	22	20	59.2	10.0	4.0	2.400	2.400	960	3.24
2728	A	22	24	48.2	10.0	6.0	3.600	3.600	1,134	3.24
2729	A	22	24	49.4	10.0	6.0	3.600	3.600	1,134	3.24
2730	A	22	24	48.2	10.0	10.4	5.274	5.274	1,742	3.24
2731	A	24	2	42.6	10.0	12.2	6.130	6.130	2,048	3.19
2732	A	24	2	43.0	10.0	14.0	7.004	7.004	2,356	3.19
2733	A	24	2	43.2	10.0	15.0	7.500	7.500	2,664	3.19
2734	A	24	4	39.2	10.0	15.8	8.409	8.409	2,864	3.19
2735	A	24	4	39.2	10.0	15.8	8.409	8.409	2,864	3.19
2736	A	24	6	39.2	10.0	15.8	8.409	8.409	2,864	3.19
2737	A	24	6	39.2	10.0	15.8	8.409	8.409	2,864	3.19
2738	A	24	6	42.8	10.0	17.2	9.219	9.219	2,987	3.19
2739	A	24	6	42.8	10.0	17.2	9.219	9.219	2,987	3.19
2740	A	24	10	46.4	10.0	13.6	7.280	7.280	2,373	3.23
2741	A	24	10	46.2	10.0	14.0	7.400	7.400	2,414	3.23
2742	A	24	12	50.0	10.0	5.0	2.600	2.600	102	3.23
2743	A	24	12	51.8	10.0	5.0	2.600	2.600	102	3.23
2744	A	24	14	53.5	10.0	1.4	950	950	232	3.24
2745	A	24	14	53.5	10.0	1.4	950	950	232	3.24
2746	A	24	10	53.5	10.0	1.4	950	950	232	3.24
2747	A	24	10	53.5	10.0	1.4	950	950	232	3.24
2748	A	24	10	46.4	10.0	13.6	7.280	7.280	2,373	3.23
2749	A	24	10	46.4	10.0	13.6	7.280	7.280	2,373	3.23
2750	A	24	20	39.2	10.0	20.6	11.549	11.549	3,927	3.19
2751	A	24	20	39.4	10.0	22.0	12.214	12.214	4,020	3.19
2752	A	24	20	39.6	10.0	19.4	10.998	10.998	3,586	3.19
2753	A	24	20	39.6	10.0	19.4	10.998	10.998	3,586	3.19
2754	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2755	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2756	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2757	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2758	A	24	2	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2759	A	24	2	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2760	A	24	4	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2761	A	24	4	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2762	A	24	6	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2763	A	24	6	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2764	A	24	6	42.8	10.0	17.2	9.219	9.219	2,987	3.19
2765	A	24	6	42.8	10.0	17.2	9.219	9.219	2,987	3.19
2766	A	24	10	46.2	10.0	13.6	7.275	7.275	2,368	3.23
2767	A	24	10	46.2	10.0	13.6	7.275	7.275	2,368	3.23
2768	A	24	12	51.8	10.0	3.2	1.715	1.715	531	3.23
2769	A	24	12	51.8	10.0	3.2	1.715	1.715	531	3.23
2770	A	24	14	53.5	10.0	1.4	950	950	232	3.24
2771	A	24	14	53.5	10.0	1.4	950	950	232	3.24
2772	A	24	10	53.5	10.0	3.0	1.715	1.715	531	3.23
2773	A	24	10	50.0	10.0	10.0	5.000	5.000	1,064	3.23
2774	A	24	10	46.4	10.0	13.6	7.280	7.280	2,373	3.23
2775	A	24	10	46.4	10.0	13.6	7.280	7.280	2,373	3.23
2776	A	24	20	39.2	10.0	20.6	11.549	11.549	3,927	3.19
2777	A	24	20	39.4	10.0	22.0	12.214	12.214	4,020	3.19
2778	A	24	20	39.6	10.0	19.4	10.998	10.998	3,586	3.19
2779	A	24	20	39.6	10.0	19.4	10.998	10.998	3,586	3.19
2780	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2781	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2782	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2783	A	24	24	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2784	A	24	2	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2785	A	24	2	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2786	A	24	4	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2787	A	24	4	33.6	10.0	23.0	12.338	12.338	4,014	3.19
2788	A	24	6	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2789	A	24	6	33.6	10.0	21.2	11.803	11.803	3,939	3.19
2790	A	24	6	42.8	10.0	17.2	9.219	9.219	2,987	3.19
2791	A	24	6	42.8	10.0	17.2	9.219	9.219	2,987	3.19
2792	A	24	10	46.2	10.0	13.6	7.280	7.280	2,373	3.23
2793	A	24	10	46.2	10.0	13.6	7.280	7.280	2,373	3.23
2794	A	24	12	53.5	10.0	4.0	2.400	2.400	960	3.24
2795	A	24	12	53.5	10.0	4.0	2.400	2.400	960	3.24
2796	A	24	14	50.0	10.0	4.0	2.400	2.400	960	3.24
2797	A	24	14	50.0	10.0	4.0	2.400	2.400	960	3.24
2798	A	24	10	53.4	10.0	2.2	2.000	2.400	960	3.24
2799	A	24	10	53.4	10.0	4.0	2.400	2.400	960	3.24
2800	A	24	10	53.5	10.0	6.4	6.400	6.400	1.080	3.24
2801	A	24	10	55.2	10.0	1.2	-	-	-	3.24
2802	A	24	20	58.0	10.0	5.0	2.600	2.600	102	3.24
2803	A	24	20	59.2	10.0	4.0	2.400	2.400	960	3.24
2804	A	24	20	58.0	10.0	5.0	2.600	2.600	102	3.24
2805	A	24	20	59.2	10.0	4.0	2.400	2.400	960	3.24
2806	A	24	20	58.0	10.0	5.0	2.600	2.600	102	3.24
2807	A	24	24	48.2	10.0	6.0	3.600	3.600	1,134	3.24
2808	A	24	24	49.4	10.0	6.0	3.600	3.600	1,134	3.24
2809	A	24	24	48.2	10.0	10.4	5.274	5.274	1,742	3.24
2810	A	24	24	49.4	10.0	10.4	5.274	5.274	1,742	3.24
2811	A	24	2	46.4	10.0	8.0	4.800	4.800	1,407	3.23
2812	A	24	2	47.6	10.0	8.0	4.800	4.800	1,407	3.23
2813	A	24	4	44.6	10.0	10.4	5.274	5.274	1,742	3.19
2814	A	24	4	45.4	10.0	12.2	6.130	6.130	2,048	3.19
2815	A	24	6	46.4	10.0	12.2	6.130	6.130	2,048	3.19

3650	0	2	2	57.2	55.0	-2.2	-	-	-	3.25
3651	0	2	4	55.4	55.0	-0.4	-	-	-	3.25
3652	0	2	6	55.4	55.0	-0.4	-	-	-	3.25
3653	0	2	8	57.2	55.0	-2.2	-	-	-	3.25
3654	0	2	6	60.0	55.0	0.0	-	-	-	1.000
3655	0	2	8	62.8	60.0	0.0	-	-	-	1.000
3656	0	2	6	70.0	60.0	0.0	-	-	-	1.000
3657	0	2	8	72.8	60.0	0.0	-	-	-	1.000
3658	0	2	10	80.0	60.0	0.0	-	-	-	1.000
3659	0	2	12	82.8	55.0	0.0	-	-	-	1.000
3660	0	2	14	85.6	55.0	0.0	-	-	-	1.000
3661	0	2	16	88.0	55.0	0.0	-	-	-	1.000
3662	0	2	18	90.8	55.0	0.0	-	-	-	1.000
3663	0	2	20	93.6	55.0	0.0	-	-	-	1.000
3664	0	2	22	96.4	55.0	0.0	-	-	-	1.000
3665	0	2	24	99.2	55.0	0.0	-	-	-	1.000
3666	0	2	26	102.0	55.0	0.0	-	-	-	1.000
3667	0	2	28	104.8	55.0	0.0	-	-	-	1.000
3668	0	2	30	107.6	55.0	0.0	-	-	-	1.000
3669	0	2	32	110.4	55.0	0.0	-	-	-	1.000
3670	0	2	34	113.2	55.0	0.0	-	-	-	1.000
3671	0	2	36	116.0	55.0	0.0	-	-	-	1.000
3672	0	2	38	118.8	55.0	0.0	-	-	-	1.000
3673	0	2	40	121.6	55.0	0.0	-	-	-	1.000
3674	0	2	42	124.4	55.0	0.0	-	-	-	1.000
3675	0	2	44	127.2	55.0	0.0	-	-	-	1.000
3676	0	2	46	130.0	55.0	0.0	-	-	-	1.000
3677	0	2	48	132.8	55.0	0.0	-	-	-	1.000
3678	0	2	50	135.6	55.0	0.0	-	-	-	1.000
3679	0	2	52	138.4	55.0	0.0	-	-	-	1.000
3680	0	2	54	141.2	55.0	0.0	-	-	-	1.000
3681	0	2	56	144.0	55.0	0.0	-	-	-	1.000
3682	0	2	58	146.8	55.0	0.0	-	-	-	1.000
3683	0	2	60	149.6	55.0	0.0	-	-	-	1.000
3684	0	2	62	152.4	55.0	0.0	-	-	-	1.000
3685	0	2	64	155.2	55.0	0.0	-	-	-	1.000
3686	0	2	66	158.0	55.0	0.0	-	-	-	1.000
3687	0	2	68	160.8	55.0	0.0	-	-	-	1.000
3688	0	2	70	163.6	55.0	0.0	-	-	-	1.000
3689	0	2	72	166.4	55.0	0.0	-	-	-	1.000
3690	0	2	74	169.2	55.0	0.0	-	-	-	1.000
3691	0	2	76	172.0	55.0	0.0	-	-	-	1.000
3692	0	2	78	174.8	55.0	0.0	-	-	-	1.000
3693	0	2	80	177.6	55.0	0.0	-	-	-	1.000
3694	0	2	82	180.4	55.0	0.0	-	-	-	1.000
3695	0	2	84	183.2	55.0	0.0	-	-	-	1.000
3696	0	2	86	186.0	55.0	0.0	-	-	-	1.000
3697	0	2	88	188.8	55.0	0.0	-	-	-	1.000
3698	0	2	90	191.6	55.0	0.0	-	-	-	1.000
3699	0	2	92	194.4	55.0	0.0	-	-	-	1.000
3700	0	2	94	197.2	55.0	0.0	-	-	-	1.000
3701	0	2	96	200.0	55.0	0.0	-	-	-	1.000
3702	0	2	98	202.8	55.0	0.0	-	-	-	1.000
3703	0	2	100	205.6	55.0	0.0	-	-	-	1.000
3704	0	2	102	208.4	55.0	0.0	-	-	-	1.000
3705	0	2	104	211.2	55.0	0.0	-	-	-	1.000
3706	0	2	106	214.0	55.0	0.0	-	-	-	1.000
3707	0	2	108	216.8	55.0	0.0	-	-	-	1.000
3708	0	2	110	219.6	55.0	0.0	-	-	-	1.000
3709	0	2	112	222.4	55.0	0.0	-	-	-	1.000
3710	0	2	114	225.2	55.0	0.0	-	-	-	1.000
3711	0	2	116	228.0	55.0	0.0	-	-	-	1.000
3712	0	2	118	230.8	55.0	0.0	-	-	-	1.000
3713	0	2	120	233.6	55.0	0.0	-	-	-	1.000
3714	0	2	122	236.4	55.0	0.0	-	-	-	1.000
3715	0	2	124	239.2	55.0	0.0	-	-	-	1.000
3716	0	2	126	242.0	55.0	0.0	-	-	-	1.000
3717	0	2	128	244.8	55.0	0.0	-	-	-	1.000
3718	0	2	130	247.6	55.0	0.0	-	-	-	1.000
3719	0	2	132	250.4	55.0	0.0	-	-	-	1.000
3720	0	2	134	253.2	55.0	0.0	-	-	-	1.000
3721	0	2	136	256.0	55.0	0.0	-	-	-	1.000
3722	0	2	138	258.8	55.0	0.0	-	-	-	1.000
3723	0	2	140	261.6	55.0	0.0	-	-	-	1.000
3724	0	2	142	264.4	55.0	0.0	-	-	-	1.000
3725	0	2	144	267.2	55.0	0.0	-	-	-	1.000
3726	0	2	146	270.0	55.0	0.0	-	-	-	1.000
3727	0	2	148	272.8	55.0	0.0	-	-	-	1.000
3728	0	2	150	275.6	55.0	0.0	-	-	-	1.000
3729	0	2	152	278.4	55.0	0.0	-	-	-	1.000
3730	0	2	154	281.2	55.0	0.0	-	-	-	1.000
3731	0	2	156	284.0	55.0	0.0	-	-	-	1.000
3732	0	2	158	286.8	55.0	0.0	-	-	-	1.000
3733	0	2	160	289.6	55.0	0.0	-	-	-	1.000
3734	0	2	162	292.4	55.0	0.0	-	-	-	1.000
3735	0	2	164	295.2	55.0	0.0	-	-	-	1.000
3736	0	2	166	298.0	55.0	0.0	-	-	-	1.000
3737	0	2	168	300.8	55.0	0.0	-	-	-	1.000
3738	0	2	170	303.6	55.0	0.0	-	-	-	1.000
3739	0	2	172	306.4	55.0	0.0	-	-	-	1.000
3740	0	2	174	309.2	55.0	0.0	-	-	-	1.000
3741	0	2	176	312.0	55.0	0.0	-	-	-	1.000
3742	0	2	178	314.8	55.0	0.0	-	-	-	1.000
3743	0	2	180	317.6	55.0	0.0	-	-	-	1.000
3744	0	2	182	320.4	55.0	0.0	-	-	-	1.000
3745	0	2	184	323.2	55.0	0.0	-	-	-	1.000
3746	0	2	186	326.0	55.0	0.0	-	-	-	1.000
3747	0	2	188	328.8	55.0	0.0	-	-	-	1.000
3748	0	2	190	331.6	55.0	0.0	-	-	-	1.000
3749	0	2	192	334.4	55.0	0.0	-	-	-	1.000
3750	0	2	194	337.2	55.0	0.0	-	-	-	1.000
3751	0	2	196	340.0	55.0	0.0	-	-	-	1.000
3752	0	2	198	342.8	55.0	0.0	-	-	-	1.000
3753	0	2	200	345.6	55.0	0.0	-	-	-	1.000
3754	0	2	202	348.4	55.0	0.0	-	-	-	1.000
3755	0	2	204	351.2	55.0	0.0	-	-	-	1.000
3756	0	2	206	354.0	55.0	0.0	-	-	-	1.000
3757	0	2	208	356.8	55.0	0.0	-	-	-	1.000
3758	0	2	210	359.6	55.0	0.0	-	-	-	1.000
3759	0	2	212	362.4	55.0	0.0	-	-	-	1.000
3760	0	2	214	365.2	55.0	0.0	-	-	-	1.000
3761	0	2	216	368.0	55.0	0.0	-	-	-	1.000
3762	0	2	218	370.8	55.0	0.0	-	-	-	1.000
3763	0	2	220	373.6	55.0	0.0	-	-	-	1.000
3764	0	2	222	376.4	55.0	0.0	-	-	-	1.000
3765	0	2	224	379.2	55.0	0.0	-	-	-	1.000
3766	0	2	226	382.0	55.0	0.0	-	-	-	1.000
3767	0	2	228	384.8	55.0	0.0	-	-	-	1.000
3768	0	2	230	387.6	55.0	0.0	-	-	-	1.000
3769	0	2	232	390.4	55.0	0.0	-	-	-	1.000
3770	0	2	234	393.2	55.0	0.0	-	-	-	1.000
3771	0	2	236	396.0	55.0	0.0	-	-	-	1.000
3772	0	2	238	398.8	55.0	0.0	-	-	-	1.000
3773	0	2	240	401.6	55.0	0.0	-	-	-	1.000
3774	0	2	242	404.4	55.0	0.0	-	-	-	1.000
3775	0	2	244	407.2	55.0	0.0	-	-	-	1.000
3776	0	2	246	410.0	55.0	0.0	-	-	-	1.000
3777	0	2	248	412.8	55.0	0.0	-	-	-	1.000
3778	0	2	250	415.6	55.0	0.0	-	-	-	1.000
3779	0	2	252	418.4	55.0	0.0	-	-	-	1.000
3780	0	2	254	421.2	55.0	0.0	-	-	-	1.000
3781	0	2	256	424.0	55.0	0.0	-	-	-	1.000
3782	0	2	258	426.8	55.0	0.0	-	-	-	1.000
3783	0	2	260	429.6	55.0	0.0	-	-	-	1.000
3784	0	2	262	432.4	55.0	0.0	-	-	-	1.000
3785	0	2	264	435.2	55.0	0.0	-	-	-	1.000
3786	0	2	266	438.0	55.0	0.0	-	-	-	1.000
3787	0	2	268	440.8	55.0	0.0	-	-	-	1.000
3788	0	2	270	443.6	55.0	0.0	-	-	-	1.000
3789	0	2	272	446.4	55.0	0.0	-	-	-	1.000
3790	0	2	274	449.2	55.0	0.0	-	-	-	1.000
3791	0	2	276	452.0	55.0	0.0	-	-	-	1.000
3792	0	2	278	454.8	55.0	0.0	-	-	-	1.000
3793	0	2	280	457.6	55.0	0.0	-	-	-	1.000
3794	0	2	282	460.4	55.0	0				

4487	7	6	21	62.9	65.0	0.0	0.0	0.0	0.0	1.00
4488	7	6	20	10.9	15.0	4.0	0.0	0.0	0.0	1.00
4489	7	6	20	10.9	15.0	4.0	0.0	0.0	0.0	1.00
4490	7	7	2	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4491	7	7	2	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4492	7	7	2	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4493	7	7	2	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4494	7	7	2	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4495	7	7	2	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4496	7	7	2	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4497	7	7	8	64.9	65.0	0.0	0.0	0.0	0.0	1.00
4498	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4499	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4500	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4501	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4502	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4503	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4504	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4505	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4506	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4507	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4508	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4509	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4510	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4511	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4512	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4513	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4514	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4515	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4516	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4517	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4518	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4519	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4520	7	7	20	53.9	55.0	-0.4	0.0	0.0	0.0	1.00
4521	7	7	8	64.9	65.0	0.0	0.0	0.0	0.0	1.00
4522	7	7	8	64.9	65.0	0.0	0.0	0.0	0.0	1.00
4523	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4524	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4525	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4526	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4527	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4528	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4529	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4530	7	7	11	66.9	65.0	0.0	0.0	0.0	0.0	1.00
4531	7	7	16	68.9	65.0	0.0	0.0	0.0	0.0	1.00
4532</										

13021	8	10	10	88.0	550	0.0			1.000
13022	8	10	10	84.2	600	0.0			1.000
13023	8	10	10	73.8	650	0.0			1.000
13024	8	10	10	69.8	650	0.0			1.000
13025	8	10	210	68.0	650	0.0			1.000
13026	8	10	210	64.0	650	0.0			1.000
13027	8	10	210	60.0	650	0.0			1.000
13028	8	10	210	56.0	650	0.0			1.000
13029	8	10	210	52.0	650	0.0			1.000
13030	11	2	1	58.0	650	-4.0			1.000
13031	11	2	2	59.0	550	-4.0			1.000
13032	11	2	2	59.0	550	-2.0			1.000
13033	11	2	4	57.0	550	-2.0			1.000
13034	11	2	4	57.0	550	-2.0			1.000
13035	11	2	4	57.0	550	-2.0			1.000
13036	11	2	4	57.0	550	-2.0			1.000
13037	11	2	4	57.0	550	-2.0			1.000
13038	11	2	4	57.0	550	-2.0			1.000
13039	11	2	4	57.0	550	-2.0			1.000
13040	11	2	4	57.0	550	-2.0			1.000
13041	11	2	4	57.0	550	-2.0			1.000
13042	11	2	4	57.0	550	-2.0			1.000
13043	11	2	4	57.0	550	-2.0			1.000
13044	11	2	4	57.0	550	-2.0			1.000
13045	11	2	4	57.0	550	-2.0			1.000
13046	11	2	4	57.0	550	-2.0			1.000
13047	11	2	4	57.0	550	-2.0			1.000
13048	11	2	4	57.0	550	-2.0			1.000
13049	11	2	4	57.0	550	-2.0			1.000
13050	11	2	4	57.0	550	-2.0			1.000
13051	11	2	4	57.0	550	-2.0			1.000
13052	11	2	4	57.0	550	-2.0			1.000
13053	11	2	4	57.0	550	-2.0			1.000
13054	11	2	4	57.0	550	-2.0			1.000
13055	11	2	4	57.0	550	-2.0			1.000
13056	11	2	4	57.0	550	-2.0			1.000
13057	11	2	4	57.0	550	-2.0			1.000
13058	11	2	4	57.0	550	-2.0			1.000
13059	11	2	4	57.0	550	-2.0			1.000
13060	11	2	4	57.0	550	-2.0			1.000
13061	11	2	4	57.0	550	-2.0			1.000
13062	11	2	4	57.0	550	-2.0			1.000
13063	11	2	4	57.0	550	-2.0			1.000
13064	11	2	4	57.0	550	-2.0			1.000
13065	11	2	4	57.0	550	-2.0			1.000
13066	11	2	4	57.0	550	-2.0			1.000
13067	11	2	4	57.0	550	-2.0			1.000
13068	11	2	4	57.0	550	-2.0			1.000
13069	11	2	4	57.0	550	-2.0			1.000
13070	11	2	4	57.0	550	-2.0			1.000
13071	11	2	4	57.0	550	-2.0			1.000
13072	11	2	4	57.0	550	-2.0			1.000
13073	11	2	4	57.0	550	-2.0			1.000
13074	11	2	4	57.0	550	-2.			

54488	17	10	84.2	550	0.0				1.000
54489	17	10	87.9	550	0.0				1.000
54490	17	10	79.2	600	0.0				1.000
54491	17	10	80.8	600	0.0				1.000
54492	17	20	68.8	650	0.0				1.000
54493	17	20	69.2	650	0.0				1.000
54494	17	20	68.2	550	0.0				1.000
54495	17	20	68.2	550	0.0				1.000
54496	18	24	68.2	550	0.0				1.000
54497	18	24	68.2	550	0.0				1.000
54498	18	2	62.0	550	0.0				1.000
54499	18	2	59.2	550	-4.0				1.000
54500	18	2	59.0	550	-4.0				1.000
54501	18	2	62.0	550	0.0				1.000
54502	18	2	62.0	550	0.0				1.000
54503	18	2	62.0	550	0.0				1.000
54504	18	2	62.0	550	0.0				1.000
54505	18	2	62.0	550	0.0				1.000
54506	18	2	62.0	550	0.0				1.000
54507	18	2	62.0	550	0.0				1.000
54508	18	2	62.0	550	0.0				1.000
54509	18	2	62.0	550	0.0				1.000
54510	18	2	62.0	550	0.0				1.000
54511	18	2	62.0	550	0.0				1.000
54512	18	2	62.0	550	0.0				1.000
54513	18	2	62.0	550	0.0				1.000
54514	18	2	62.0	550	0.0				1.000
54515	18	2	62.0	550	0.0				1.000
54516	18	2	62.0	550	0.0				1.000
54517	18	2	62.0	550	0.0				1.000
54518	18	2	62.0	550	0.0				1.000
54519	18	2	62.0	550	0.0				1.000
54520	18	2	62.0	550	0.0				1.000
54521	18	2	62.0	550	0.0				1.000
54522	18	2	62.0	550	0.0				1.000
54523	18	2	62.0	550	0.0				1.000
54524	18	2	62.0	550	0.0				1.000
54525	18	2	62.0	550	0.0				1.000
54526	18	2	62.0	550	0.0				1.000
54527	18	2	62.0	550	0.0				1.000
54528	18	2	62.0	550	0.0				1.000
54529	18	2	62.0	550	0.0				1.000
54530	18	2	62.0	550	0.0				1.000
54531	18	2	62.0	550	0.0				1.000
54532	18	2	62.0	550	0.0				1.000
54533	18	2	62.0	550	0.0				1.000
54534	18	2	62.0	550	0.0				1.000
54535	18	2	62.0	550	0.0				1.000
54536	18	2	62.0	550	0.0				1.000
54537	18	2	62.0	550	0.0				1.000
54538	18	2	62.0	550	0.0				1.000
54539	18	2	62.0	550	0.0				1.000
54540	18	2	62.0	550	0.0				1.000
54541	18	2	62.0	550	0.0				1.000
54542	18	2	62.0	550	0.0				1.000
54543	18	2	62.0	550	0.0				1.000
54544	18	2	62.0	550	0.0				1.000
54545	18	2	62.0	550	0.0				1.000
54546	18	2	62.0	550	0.0				1.000
54547	18	2	62.0	550	0.0				1.000
54548	18	2	62.0	550	0.0				1.000
54549	18	2	62.0	550	0.0				1.000
54550	18	2	62.0	550	0.0				1.000
54551	18	2	62.0	550	0.0				1.000

5651	24	688	555	0.0				1.00
5652	24	768	555	0.0				1.00
5653	24	768	555	0.0				1.00
5654	24	688	605	0.0				1.00
5655	24	688	605	0.0				1.00
5656	24	628	605	0.0				1.00
5657	24	628	605	0.0				1.00
5658	24	688	555	0.0				1.00
5659	24	688	555	0.0				1.00
5660	24	572	555	-2.2				1.25
5661	24	572	555	-2.2				1.25
5662	24	572	555	-2.2				1.25
5663	24	572	555	-2.2				1.25
5664	24	572	555	-2.2				1.25
5665	24	572	555	-2.2				1.25
5666	24	572	555	-2.2				1.25
5667	24	572	555	-2.2				1.25
5668	24	572	555	-2.2				1.25
5669	24	572	555	-2.2				1.25
5670	24	572	555	-2.2				1.25
5671	24	572	555	-2.2				1.25
5672	24	688	605	0.0				1.00
5673	24	688	605	0.0				1.00
5674	24	688	605	0.0				1.00
5675	24	688	605	0.0				1.00
5676	24	688	605	0.0				1.00
5677	24	688	605	0.0				1.00
5678	24	688	605	0.0				1.00
5679	24	688	605	0.0				1.00
5680	24	688	555	0.0				1.00
5681	24	688	555	0.0				1.00
5682	24	718	605	0.0				1.00
5683	24	718	605	0.0				1.00
5684	24	718	605	0.0				1.00
5685	24	718	605	0.0				1.00
5686	24	688	555	0.0				1.00
5687	24	688	555	0.0				1.00
5688	24	688	555	0.0				1.00
5689	24	688	555	0.0				1.00
5690	24	688	555	0.0				1.00
5691	24	688	555	0.0				1.00
5692	24	688	555	0.0				1.00
5693	24	688	555	0.0				1.00
5694	24	688	555	0.0				1.00
5695	24	688	555	0.0				1.00
5696	24	688	555	0.0				1.00
5697	24	688	555	0.0				1.00
5698	24	688	555	0.0				1.00
5699	24	688	555	0.0				1.00
5700	24	688	555	0.0				1.00
5701	24	688	555	0.0				1.00
5702	24	688	555	0.0				1.00
5703	24	688	555	0.0				1.00
5704	24	688	555	0.0				1.00
5705	24	688	555	0.0				1.00
5706	24	688	555	0.0				1.00
5707	24	688	555	0.0				1.00
5708	24	688	555	0.0				1.00
5709	24	688	555	0.0				1.00
5710	24	688	555	0.0				1.00
5711	24	688	555	0.0				1.00
5712	24	688	555	0.0				1.00
5713	24	688	555	0.0				1.00

[illegible]

7324	11	2	4	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7325	11	2	4	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7326	11	2	6	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7327	11	2	6	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7328	11	2	6	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7329	11	2	6	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7330	11	2	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7331	11	2	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7332	11	2	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7333	11	2	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7334	11	2	14	48.2	15.0	6.6	5.695	5.695	1.134	3.22
7335	11	2	14	48.2	15.0	6.6	5.695	5.695	1.134	3.22
7336	11	2	14	48.2	15.0	6.6	5.695	5.695	1.134	3.22
7337	11	2	14	48.2	15.0	6.6	5.695	5.695	1.134	3.22
7338	11	2	16	42.8	15.0	17.2	9.219	9.219	2.887	3.15
7339	11	2	16	42.8	15.0	17.2	9.219	9.219	2.887	3.15
7340	11	2	20	39.2	15.0	20.8	11.149	11.149	3.507	3.15
7341	11	2	20	39.2	15.0	20.8	11.149	11.149	3.507	3.15
7342	11	2	20	39.2	15.0	20.8	11.149	11.149	3.507	3.15
7343	11	2	20	39.2	15.0	20.8	11.149	11.149	3.507	3.15
7344	11	2	24	37.4	15.0	17.6	9.434	9.434	2.975	3.17
7345	11	2	24	37.4	15.0	17.6	9.434	9.434	2.975	3.17
7346	11	3	2	33.8	15.0	19.4	10.998	10.998	3.386	3.18
7347	11	3	2	33.8	15.0	19.4	10.998	10.998	3.386	3.18
7348	11	3	4	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7349	11	3	4	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7350	11	3	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7351	11	3	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7352	11	3	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7353	11	3	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7354	11	3	10	29.2	15.0	29.8	11.149	11.149	3.507	3.18
7355	11	3	10	29.2	15.0	29.8	11.149	11.149	3.507	3.18
7356	11	3	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7357	11	3	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7358	11	3	14	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7359	11	3	14	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7360	11	3	16	39.2	15.0	15.8	8.489	8.489	2.684	3.18
7361	11	3	16	39.2	15.0	15.8	8.489	8.489	2.684	3.18
7362	11	3	16	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7363	11	3	16	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7364	11	3	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7365	11	3	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7366	11	3	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7367	11	3	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7368	11	3	24	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7369	11	3	24	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7370	11	4	2	28.6	15.0	28.4	15.273	15.273	4.686	3.13
7371	11	4	2	28.6	15.0	28.4	15.273	15.273	4.686	3.13
7372	11	4	4	28.6	15.0	28.4	15.273	15.273	4.686	3.13
7373	11	4	4	28.6	15.0	28.4	15.273	15.273	4.686	3.13
7374	11	4	6	24.8	15.0	30.2	16.187	16.187	5.186	3.12
7375	11	4	6	24.8	15.0	30.2	16.187	16.187	5.186	3.12
7376	11	4	6	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7377	11	4	6	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7378	11	4	10	35.6	15.0	28.4	15.076	15.076	4.333	3.14
7379	11	4	10	35.6	15.0	28.4	15.076	15.076	4.333	3.14
7380	11	4	10	42.8	15.0	18.0	7.584	7.584	2.356	3.15
7381	11	4	10	42.8	15.0	18.0	7.584	7.584	2.356	3.15
7382	11	4	14	48.6	15.0	10.4	5.576	5.576	1.742	3.20
7383	11	4	14	48.6	15.0	10.4	5.576	5.576	1.742	3.20
7384	11	4	16	39.2	15.0	15.8	8.489	8.489	2.684	3.18
7385	11	4	16	39.2	15.0	15.8	8.489	8.489	2.684	3.18
7386	11	4	16	32.0	15.0	26.2	14.043	14.043	4.448	3.18
7387	11	4	16	32.0	15.0	26.2	14.043	14.043	4.448	3.18
7388	11	4	20	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7389	11	4	20	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7390	11	4	20	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7391	11	4	20	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7392	11	4	24	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7393	11	4	24	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7394	11	5	2	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7395	11	5	2	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7396	11	5	4	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7397	11	5	4	28.4	15.0	26.6	14.258	14.258	4.547	3.14
7398	11	5	6	28.6	15.0	28.4	15.273	15.273	4.686	3.13
7399	11	5	6	28.6	15.0	28.4	15.273	15.273	4.686	3.13
7400	11	5	6	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7401	11	5	6	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7402	11	5	10	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7403	11	5	10	39.2	15.0	29.8	15.975	15.975	5.082	3.14
7404	11	5	10	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7405	11	5	10	42.8	15.0	12.2	6.539	6.539	2.048	3.15
7406	11	5	14	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7407	11	5	14	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7408	11	5	16	39.2	15.0	15.8	8.489	8.489	2.684	3.18
7409	11	5	16	39.2	15.0	15.8	8.489	8.489	2.684	3.18
7410	11	5	16	32.0	15.0	26.2	14.043	14.043	4.448	3.18
7411	11	5	16	32.0	15.0	26.2	14.043	14.043	4.448	3.18
7412	11	5	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7413	11	5	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7414	11	5	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7415	11	5	20	32.0	15.0	28.0	15.098	15.098	4.764	3.15
7416	11	5	24	39.2	15.0	24.8	13.393	13.393	4.230	3.14
7417	11	5	24	39.2	15.0	24.8	13.393	13.393	4.230	3.14
7418	11	5	2	39.2	15.0	24.8	13.393	13.393	4.230	3.14
7419	11	5	2	39.2	15.0	24.8	13.393	13.393	4.230	3.14
7420	11	6	4	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7421	11	6	4	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7422	11	6	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7423	11	6	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7424	11	6	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7425	11	6	6	32.0	15.0	23.0	12.338	12.338	3.814	3.15
7426	11	6	10	29.2	15.0	29.8	11.149	11.149	3.507	3.18
7427	11	6	10	29.2	15.0	29.8	11.149	11.149	3.507	3.18
7428	11	6	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7429	11	6	10	48.6	15.0	8.6	6.050	6.050	1.437	3.22
7430	11	6	14	48.2	15.0	6.6	5.695	5.695	1.134	3.22
7431	11	6	14	48.2	15.0	6.6	5.695	5.695	1.134	3.22
7432	11	6	10	48.6	15.0	10.4	5.576	5.576	1.742	3.20
7433	11	6	10	48.6	15.0	10.4	5.576	5.576	1.742	3.20
7434	11	6	10	37.4	15.0	22.6	12.114	12.114	3.820	3.17
7435	11	6	10	37.4	15.0	22.6	12.114	12.114	3.820	3.17
7436	11	6	20	35.6	15.0	28.4	15.076	15.076	4.333	3.18
7437	11	6	20	35.6	15.0	28.4	15.076	15.076	4.333	3.18
7438	11	6	20	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7439	11	6	20	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7440	11	6	24	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7441	11	6	24	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7442	11	6	2	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7443	11	6	2	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7444	11	6	4	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7445	11	6	4	33.8	15.0	21.2	11.953	11.953	3.599	3.18
7446	11	6	6	33.8	15.0	21.2				

[illegible]

8660	12	27	20	28.6	55.0	33.4	17.802	17.802	5.722	3.11
8661	12	27	20	28.6	55.0	33.4	17.802	17.802	5.722	3.11
8662	12	27	20	28.6	55.0	28.4	15.222	15.222	4.686	3.11
8663	12	27	20	28.6	55.0	28.4	15.222	15.222	4.686	3.11
8664	12	27	24	28.6	55.0	28.4	15.222	15.222	4.686	3.11
8665	12	28	1	28.6	55.0	28.4	15.222	15.222	4.686	3.11
8666	12	28	2	28.6	55.0	28.4	15.222	15.222	4.686	3.11
8667	12	28	6	28.6	55.0	28.6	14.258	14.258	4.547	3.14
8668	12	28	4	28.6	55.0	28.6	14.258	14.258	4.547	3.14
8669	12	28	6	28.6	55.0	28.6	14.258	14.258	4.547	3.14
8670	12	28	6	28.6	55.0	28.6	14.258	14.258	4.547	3.14
8671	12	28	6	28.6	55.0	33.4	17.802	17.802	5.722	3.11
8672	12	28	6	28.6	55.0	33.4	17.802	17.802	5.722	3.11
8673	12	28	6	28.6	55.0	33.4	17.802	17.802	5.722	3.11
8674	12	28	10	28.7	48.0	29.8	13.975	13.975	3.982	3.14
8675	12	28	10	28.7	48.0	29.8	13.975	13.975	3.982	3.14
8676	12	28	10	28.7	48.0	24.8	13.103	13.103	4.130	3.14
8677	12	28	10	28.7	48.0	24.8	13.103	13.103	4.130	3.14
8678	12	28	14	28.7	48.0	24.8	13.103	13.103	4.130	3.14
8679	12	28	14	28.7	48.0	24.8	13.103	13.103	4.130	3.14
8680	12	28	18	28.8	43.0	26.6	14.128	14.128	4.547	3.14
8681	12	28	18	28.8	43.0	33.4	17.802	17.802	5.722	3.11
8682	12	28	18	24.8	48.0	35.2	18.807	18.807	6.044	3.11
8683	12	28	18	24.8	48.0	35.2	18.807	18.807	6.044	3.11
8684	12	28	20	23.0	48.0	37.0	18.813	18.813	6.888	3.11
8685	12	28	20	23.0	48.0	38.8	20.787	20.787	7.408	3.11
8686	12	28	20	23.2	55.0	33.8	18.117	18.117	5.831	3.11
8687	12	28	24	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8688	12	28	24	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8689	12	28	24	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8690	12	28	24	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8691	12	28	24	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8692	12	28	24	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8693	12	28	24	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8694	12	28	24	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8695	12	28	24	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8696	12	28	6	15.8	48.0	44.2	23.083	23.083	8.189	2.98
8697	12	28	6	15.8	48.0	44.2	23.083	23.083	8.189	2.98
8698	12	28	10	17.6	48.0	42.4	22.726	22.726	7.576	3.08
8699	12	28	10	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8700	12	28	12	21.2	55.0	33.8	18.117	18.117	5.831	3.11
8701	12	28	12	23.0	55.0	32.0	17.152	17.152	5.508	3.11
8702	12	28	14	23.0	55.0	32.0	17.152	17.152	5.508	3.11
8703	12	28	16	23.2	55.0	33.8	18.117	18.117	5.831	3.11
8704	12	28	16	17.6	55.0	37.4	20.046	20.046	6.882	3.08
8705	12	28	16	23.2	55.0	33.8	18.117	18.117	5.831	3.11
8706	12	28	18	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8707	12	28	18	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8708	12	28	20	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8709	12	28	20	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8710	12	28	20	19.4	55.0	44.6	23.083	23.083	8.189	2.98
8711	12	28	20	19.4	55.0	44.6	23.083	23.083	8.189	2.98
8712	12	28	24	19.4	55.0	44.6	23.083	23.083	8.189	2.98
8713	12	28	24	19.4	55.0	46.4	24.070	24.070	9.048	2.98
8714	12	30	2	8.8	55.0	46.4	24.070	24.070	9.048	2.98
8715	12	30	4	8.8	55.0	46.4	24.070	24.070	9.048	2.98
8716	12	30	4	8.8	55.0	46.4	24.070	24.070	9.048	2.98
8717	12	30	4	8.8	55.0	46.4	24.070	24.070	9.048	2.98
8718	12	30	6	8.8	55.0	46.4	24.070	24.070	9.048	2.98
8719	12	30	6	8.8	55.0	46.4	24.070	24.070	9.048	2.98
8720	12	30	6	19.4	48.0	49.6	26.186	26.186	10.735	2.98
8721	12	30	6	19.4	48.0	49.6	26.186	26.186	10.735	2.98
8722	12	30	10	15.8	48.0	44.2	23.083	23.083	8.189	2.98
8723	12	30	10	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8724	12	30	12	21.2	55.0	33.8	18.117	18.117	5.831	3.11
8725	12	30	12	23.0	55.0	32.0	17.152	17.152	5.508	3.11
8726	12	30	14	23.0	55.0	32.0	17.152	17.152	5.508	3.11
8727	12	30	16	23.2	55.0	33.8	18.117	18.117	5.831	3.11
8728	12	30	16	23.2	55.0	33.8	18.117	18.117	5.831	3.11
8729	12	30	18	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8730	12	30	18	23.2	48.0	38.8	20.787	20.787	7.408	3.11
8731	12	30	20	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8732	12	30	20	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8733	12	30	20	19.4	48.0	46.6	26.186	26.186	10.735	2.98
8734	12	30	20	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8735	12	30	20	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8736	12	30	24	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8737	12	31	1	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8738	12	31	2	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8739	12	31	4	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8740	12	31	4	19.4	55.0	35.6	19.082	19.082	6.155	3.10
8741	12	31	4	19.4	55.0	37.4	20.046	20.046	6.882	3.08
8742	12	31	6	17.6	55.0	37.4	20.046	20.046	6.882	3.08
8743	12	31	6	17.6	55.0	37.4	20.046	20.046	6.882	3.08
8744	12	31	6	19.4	48.0	40.6	21.762	21.762	7.680	3.11
8745	12	31	6	19.4	48.0	40.6	21.762	21.762	7.680	3.11
8746	12	31	10	24.6	48.0	35.2	18.807	18.807	6.044	3.11
8747	12	31	10	26.6	55.0	28.4	15.222	15.222	4.686	3.11
8748	12	31	12	28.4	55.0	28.6	14.258	14.258	4.547	3.14
8749	12	31	12	28.4	55.0	28.6	14.258	14.258	4.547	3.14
8750	12	31	14	28.4	55.0	28.6	14.258	14.258	4.547	3.14
8751	12	31	16	28.4	55.0	28.4	15.222	15.222	4.686	3.11
8752	12	31	16	28.6	55.0	28.4	15.222	15.222	4.686	3.11
8753	12	31	18	24.8	48.0	35.2	18.807	18.807	6.044	3.11
8754	12	31	18	24.8	48.0	35.2	18.807	18.807	6.044	3.11
8755	12	31	20	23.0	48.0	37.0	18.813	18.813	6.888	3.11
8756	12	31	20	23.0	48.0	37.0	18.813	18.813	6.888	3.11
8757	12	31	20	23.0	55.0	32.0	17.152	17.152	5.508	3.11
8758	12	31	20	23.0	55.0	32.0	17.152	17.152	5.508	3.11
8759	12	31	24	24.8	55.0	30.2	16.187	16.187	5.186	3.12

[illegible]

		Average		76.1	68.6	74	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
		Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0	
		Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	102.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
		Selected Climate Zone		C25B - Spokane, WA																								
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
		Selected Climate Zone Dry-Bulb, deg F		Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																										
157	1	7	13	35.6	82.9	68.0	64.9	26.1	52.0	59.0	48.0	35.1	46.0	33.1	42.8	41.0	46.4	8.1	41.0	42.1	48.2	48.2	35.6	16.0	24.8	24.1	4.6	18.0
158	1	7	14	35.6	82.0	69.1	68.0	25.0	50.0	61.0	48.0	35.1	46.0	37.0	42.8	42.8	48.2	9.0	42.1	41.0	48.2	46.4	35.6	18.0	24.8	26.1	5.4	18.0
159	1	7	15	35.6	82.0	69.1	68.0	25.0	50.0	62.1	50.0	36.1	46.0	37.9	42.8	41.0	48.2	8.1	42.1	41.0	46.4	35.6	18.0	24.8	27.0	6.1	18.0	
160	1	7	16	30.2	68.0	69.1	72.0	25.0	52.0	61.0	48.9	36.0	45.0	37.0	42.8	37.4	46.4	7.0	42.1	39.9	42.8	41.0	32.0	19.0	23.0	26.1	4.1	18.0
161	1	7	17	30.2	68.0	66.9	71.1	23.0	52.0	60.1	48.0	37.0	44.1	36.0	41.0	37.4	44.6	3.0	42.1	41.0	39.2	37.4	30.2	17.1	19.4	19.9	1.9	16.0
162	1	7	18	28.4	69.1	66.0	68.0	23.0	51.1	55.0	46.9	36.0	41.0	35.1	41.0	35.6	44.6	1.9	41.0	42.1	35.6	33.8	28.4	17.1	17.6	15.1	0.0	15.1
163	1	7	19	28.4	70.0	64.9	66.0	21.9	51.1	51.1	46.0	36.0	39.9	36.0	39.2	35.6	44.6	-0.9	41.0	41.0	33.8	32.0	28.4	16.0	17.6	14.0	-2.0	16.0
164	1	7	20	28.4	70.0	64.9	63.0	21.9	51.1	51.1	45.0	36.0	39.9	32.0	39.2	33.8	44.6	-0.9	41.0	39.9	33.8	32.0	28.4	17.1	15.8	12.0	-4.0	12.9
165	1	7	21	28.4	70.0	63.0	62.1	21.0	51.1	48.0	44.1	36.0	39.0	30.9	39.2	33.8	44.6	-2.9	41.0	36.0	33.8	32.0	28.4	16.0	14.0	14.0	-6.0	12.9
166	1	7	22	28.4	71.1	62.1	57.9	21.0	51.1	45.0	44.1	36.0	35.1	33.1	39.2	32.0	42.8	-4.0	39.9	30.9	33.8	32.0	28.4	16.0	12.2	10.0	-7.2	12.9
167	1	7	23	26.6	69.1	61.0	59.0	21.0	52.0	45.0	43.0	36.0	33.1	34.0	39.2</													

		Average		76.1	68.6	74	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
		Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.1	91.4	98.6	95.0	99.0	99.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0		
		Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
		Selected Climate Zone C25B - Spokane, WA																										
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
				Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																										
235	1	10	19	73.0	68.0	46.9	63.0	35.1	54.0	52.0	46.0	28.0	34.0	48.9	39.2	32.0	42.8	24.1	21.9	30.0	42.8	42.8	33.0	27.0	15.8	24.1	21.0	-11.9
236	1	20	23.0	68.0	68.0	46.9	61.0	32.0	53.1	53.1	45.0	28.9	37.9	48.0	39.2	30.2	41.0	23.0	19.0	28.0	42.8	42.8	23.0	26.1	14.0	24.1	21.9	-11.9
237	1	10	21.2	66.0	44.1	34.0	63.0	34.0	53.1	52.0	44.1	28.9	34.0	48.9	39.2	30.2	41.0	23.0	19.0	30.0	42.8	42.8	23.0	26.1	12.2	24.1	21.9	-11.9
238	1	10	22.2	64.0	39.0	39.0	57.0	30.0	52.0	52.0	44.1	28.0	32.0	50.0	39.2	30.2	41.0	24.1	14.0	26.1	41.0	41.0	21.2	26.1	10.4	24.1	34.3	-11.0
239	1	10	23	19.4	62.1	37.0	61.0	28.0	50.0	51.1	44.1	28.0	30.0	48.0	39.2	30.2	41.0	23.0	12.0	24.1	39.2	39.2	19.4	26.1	8.6	23.0	25.7	-11.0
240	1	10	24	19.4	61.0	37.0	60.1	28.0	48.9	52.0	44.1	27.0	39.0	48.0	39.2	30.2	39.2	21.9	12.0	23.0	37.4	35.6	19.4	25.0	6.8	24.1	27.0	-11.0
241	1	11	1	19.4	60.1	37.0	55.0	27.0	46.9	51.1	42.1	27.0	42.1	48.9	39.2	28.4	39.2	24.1	10.9	21.9	37.4	35.6	19.4	25.0	3.2	25.0	28.6	-11.0
242	1	11	2	19.4	59.0	34.0	57.0	26.1	45.0	51.1	43.0	27.0	39.0	50.0	39.2	28.4	39.2	26.1	10.0	21.0	37.4	35.6	19.4	25.0	1.4	21.0	30.4	-13.0
243	1	11	3	19.4	59.0	34.0	52.0	27.0	43.0	52.0	42.1	27.0	39.0	48.9	39.2	30.2	37.4	27.0	10.0	21.0	37.4	35.6	19.4	25.0	-0.4	21.9	32.0	-16.1
244	1	11	4	17.6	57.9	32.0	55.0	28.0	43.0	52.0	39.0	27.0	37.9	48.9	39.2	30.2	37.4	27.0	9.0	21.9	37.4	35.6	17.6	25.0	-0.4	23.0	25.0	-17.0
245	1	11	5	17.6	57.9	30.9	54.0	27.0	45.0	51.1	41.0	27.0	37.0	50.0														

		Average	76.1	68.6	74	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4			
		Max	96.1	102.9	111.9	98.1	90.3	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0			
		Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9			
		Selected Climate Zone C25B - Spokane, WA																											
			C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK			
			Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb				
Month	Day	Hour (MST)																											
313	1	14	1	32.0	75.0	51.1	50.0	25.0	51.1	37.0	46.0	51.1	37.0	34.0	32.0	32.0	35.6	19.0	45.0	42.1	37.4	35.6	32.0	24.1	17.6	23.0	11.3	1.0	
314	1	14	2	32.0	75.0	51.1	48.9	23.0	50.0	37.0	48.0	51.1	37.0	35.1	32.0	32.0	35.6	18.0	46.9	44.1	39.2	37.4	32.0	24.1	15.8	21.0	9.7	0.0	
315	1	14	3	32.0	75.0	51.1	46.0	21.0	51.1	37.0	46.0	51.1	37.0	36.0	32.0	32.0	35.6	17.0	48.0	45.0	39.2	37.4	32.0	27.0	15.8	19.0	8.1	0.0	
316	1	14	4	32.0	75.0	51.1	48.9	20.0	51.1	48.0	39.0	46.9	44.1	26.1	35.1	32.0	32.0	35.6	24.1	50.0	44.1	39.2	37.4	32.0	30.0	15.8	18.0	8.1	-5.1
317	1	14	5	32.0	75.0	51.1	46.0	21.0	48.9	37.9	48.0	43.0	21.9	36.0	32.0	33.8	35.6	21.0	50.0	44.1	37.4	37.4	32.0	32.0	17.6	17.1	8.1	-5.1	
318	1	14	6	32.0	75.0	51.1	45.0	19.9	50.0	39.0	46.0	42.1	24.1	36.0	32.0	35.6	35.6	19.9	50.0	44.1	37.4	35.6	32.0	33.1	17.6	15.1	8.1	-5.1	
319	1	14	7	32.0	72.0	51.1	46.0	19.9	50.0	39.0	45.0	41.0	28.0	36.0	32.0	37.4	35.6	21.9	48.9	44.1	37.4	35.6	32.0	34.0	17.6	14.0	8.8	-2.9	
320	1	14	8	32.0	69.1	52.0	46.9	19.9	50.0	41.0	45.0	41.0	27.0	36.0	32.0	37.4	35.6	24.1	43.0	44.1	41.0	39.2	32.0	28.9	19.4	15.1	9.3	-2.9	
321	1	14	9	32.0	75.0	53.1	52.0	23.0	52.0	42.1	44.1	42.1	32.0	36.0	32.0	39.2	37.4	23.0	42.1	46.9	44.6	42.8	32.0	23.0	21.2	16.0	10.0	-4.0	
322	1	14	10	32.0	75.9	54.0	57.0	28.0	57.0	44.1	45.0	44.1	37.0	37.0	33.8	41.0	39.2	24.1	42.1	50.0	46.4	44.6	32.0	21.0	23.0	19.9	11.7	-5.1	
323	1	14	11	33.8	73.9	55.0	61.0	28.9	61.0	46.0	46.0	45.0	42.1	37.0	35.6	39.2	39.2	24.1											

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

			Selected Climate Zone C25B -Spokane, WA																									
			C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, e, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, s, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK		
			Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb		
Month	Day	Hour (MST)	Dry-Bulb, deg F																									
469	1	20	13	32.0	64.9	46.9	54.0	60.1	66.0	54.0	55.9	28.9	30.9	44.1	39.2	42.8	39.2	30.0	34.0	37.9	42.8	41.0	32.0	15.1	32.0	32.0	20.7	14.0
470	1	20	14	32.0	66.0	46.0	57.0	63.0	66.9	55.9	54.0	28.9	36.0	44.1	39.2	41.0	41.0	32.0	33.1	42.1	42.8	41.0	32.0	16.0	32.0	33.1	22.5	16.0
471	1	20	15	32.0	66.9	46.0	60.1	64.0	64.9	57.0	54.0	30.0	42.1	45.0	39.2	41.0	41.0	34.0	32.0	44.1	42.8	41.0	32.0	17.1	32.0	33.1	24.1	12.0
472	1	20	16	30.2	66.0	46.0	61.0	63.0	62.1	57.0	55.9	30.0	44.1	42.1	39.2	41.0	39.2	35.1	32.0	45.0	42.8	41.0	30.2	17.1	32.0	34.0	22.1	14.0
473	1	20	17	38.4	66.0	45.0	61.0	62.1	61.0	55.9	55.9	28.9	39.9	39.9	39.2	41.0	39.2	30.9	32.0	42.1	42.8	41.0	28.4	17.1	30.2	35.1	19.9	12.0
474	1	20	18	26.6	64.0	44.1	57.9	61.0	60.1	50.0	55.0	27.0	33.1	37.9	37.4	42.8	39.2	28.0	32.0	39.0	41.0	39.2	26.6	17.1	30.2	32.0	18.0	10.0
475	1	20	19	26.6	63.0	44.1	55.0	59.0	60.1	46.9	55.0	26.1	32.0	37.0	37.4	44.6	39.2	28.0	30.9	33.1	39.2	37.4	26.6	18.0	30.2	33.1	18.3	8.1
476	1	20	20	26.6	63.0	43.0	54.0	57.0	60.1	46.0	55.0	25.0	27.0	37.0	37.4	46.4	39.2	28.0	30.0	32.0	37.4	35.6	26.6	18.0	32.0	34.0	18.7	10.0
477	1	20	21	24.8	62.1	43.0	53.1	55.0	59.0	46.0	54.0	24.1	27.0	35.1	37.4	48.2	39.2	30.0	28.9	28.9	35.6	33.8	24.8	19.0	32.0	32.0	19.0	8.1
478	1	20	22	24.8	61.0	43.0	50.0	53.1	57.9	42.1	54.0	26.1	32.0	34.0	37.4	48.2	39.2	30.0	28.0	28.9	35.6	33.8	24.8	19.0	32.0	30.0	19.0	10.9
479	1	20	23	24.8	60.1	43.0	46.9	51.1	57.9	42.1	54.0	26.1	33.1	34.0	37.4	48.2	39.2	30.0	28.0	27.0	35.6	33.8	24.8	19.0	32.0	28.9	19.0	16.0
480	1	20	24	24.8	60.1	42.1	46.9	50.0	57.9	39.9	54.0	26.1	34.0	33.1	35.6	48.2	39.2	30.0	28.0	26.1	35.6	33.8	24.8	19.0	32.0	28.0	19.0	12.0
481	1	21	1	26.6	59.0	42.1	44.1	48.9	57.9	39.0	53.1	27.0	34.0	34.0	35.6	46.4	39.2	30.0	28.0	23.0	35.6	33.8	26.6	19.9	32.0	28.0	18.3	14.0
482	1	21	2	26.6	57.9	41.0	43.0	46.9	57.9	39.0	53.1	27.0	32.0	32.0	35.6	44.6	39.2	30.0	27.0	21.9	35.6	33.8	26.6	19.9	32.0	28.0	17.8	17.1
483	1	21	3	26.6	57.0	39.0	43.0	46.0	57.9	36.0	53.1	27.0	28.0	32.0	35.6	42.8	39.2	30.9	27.0	21.0	37.4	35.6	26.6	21.0	32.0	27.0	17.1	15.1
484	1	21	4	24.8	57.0	39.9	42.1	45.0	57.0	39.0	52.0	27.0	24.1	34.0	35.6	39.2	41.0	30.9	27.0	21.0	37.4	35.6	24.8	21.9	32.0	27.0	16.7	15.1
485	1	21	5	24.8	55.0	39.9	39.9	43.0	57.0	36.0	52.0	28.0	23.0	33.1	35.6	39.2	42.8	30.9	23.0	19.9	35.6	33.8	24.8	23.0	32.0	27.0	16.3	14.0
486	1	21	6	24.8	57.0	39.0	39.9	42.1	57.0	34.0	51.1	27.0	21.0	33.1	35.6	39.2	42.8	30.9	26.1	19.9	35.6	33.8	24.8	23.0	32.0	26.1	16.0	12.0
487	1	21	7	24.8	57.0	39.0	39.0	41.0	57.0	35.1	50.0	28.0	17.1	30.9	35.6	39.2	44.6	30.9	24.1	21.9	35.6	33.8	24.8	25.0	32.0	26.1	15.6	15.1
488	1	21	8	26.6	57.9	39.0	39.0	41.0	57.0	37.9	50.0	28.0	23.0	30.9	37.4	39.2	44.6	33.1	24.1	28.9	35.6	33.8	26.6	26.1	32.0	24.1	15.4	19.0
489	1	21	9	26.6	61.0	39.9	42.1	41.0	57.0	42.1	52.0	30.0	28.0	30.0	37.4	39.2	44.6	36.0	27.0	37.0	35.6	33.8	26.6	27.0	32.0	23.0	15.1	19.9
490	1	21	10	28.4	64.9	39.9	46.0	42.1	59.0	48.0	54.0	30.0	32.0	30.9	39.2	39.2	44.6	41.0	30.9	44.1	37.4	35.6	28.4	28.9	32.0	30.0	16.7	18.0
491	1	21	11	28.4	66.0	41.0	52.0	44.1	60.1	51.1	55.0	32.0	36.0	30.9	41.0	39.2	44.6	44.1	34.0	51.1	37.4	35.6	28.4	30.0	32.0	30.9	18.3	18.0
492	1	21	12	28.4	66.0	42.1	55.9	44.1	61.0	53.1	55.0	32.0	41.0	33.1	42.8	39.2	44.6	46.9	34.0	55.0	39.2	37.4	28.4	28.0	32.0	30.9	19.9	21.9
493	1	21	13	30.2	68.0	42.1	59.0	45.0	63.0	55.0	55.9	32.0	45.0	35.1	42.8	39.2	44.6	48.9	36.0	57.9	41.0	39.2	30.2	21.9	32.0	34.0	21.4	21.9
494	1	21	14	30.2	66.0	43.0	63.0	46.9	64.0	57.0	55.9	33.1	46.0	37.0	44.6	39.2	44.6	51.1	37.0	60.1	42.8	39.2	30.2	19.0	30.2	37.9	22.6	21.9
495	1	21	15	30.2	66.9	44.1	64.0	50.0	63.0	57.0	55.9	32.0	48.9	37.9	44.6	39.2	44.6	54.0	36.0	60.1	41.0	39.2	30.2	16.0	30.2	37.0	24.1	21.9
496	1	21	16	28.4	66.9	44.1	66.0	48.9	62.1	55.9	55.0	33.1	48.9	37.9	42.8	37.4	42.8	52.0	36.0	59.0	39.2	37.4	28.4	12.9	28.4	37.0	24.1	21.9
497	1	21	17	26.6	66.0	44.1	64.9	48.0	60.1	55.9	55.0	33.1	46.9	39.9	42.8	35.6	41.0	53.1	36.0	52.0	37.4	35.6	26.6	8.1	26.6	34.0	24.1	21.9
498	1	21	18	26.6	64.0	44.1	63.0	46.0	57.9	51.1	53.1	32.0	37.0	39.9	42.8	35.6	41.0	43.0	35.1	46.9	35.6	33.8	26.6	5.0	24.8	26.1	24.1	23.0
499	1	21	19	24.8	63.0	41.0	59.0	43.0	57.9	48.9	52.0	32.0	36.0	42.8	35.6	41.0	37.0	34.0	37.9	33.8	32.0	24.8	1.9	24.8	24.1	24.1	25.0	1.9
500	1	21	20	24.8	64.9	42.1	57.0	42.1	57.9	48.0	52.0	30.9	30.0	35.1	41.0	33.8	39.2	36.0	34.0	39.0	32.0	24.8	0.0	24.8	19.0	24.1	28.9	0.0
501	1	21	21	24.8	64.0	39.0	55.0	39.9	57.9	46.9	51.1	30.0	28.9	35.1	41.0	33.8	39.2	36.0	34.0	36.0	32.0	24.8	-2.9	24.8	17.1	24.1	30.0	30.0
502	1	21	22	24.8	63.0	37.9	53.1	39.9	57.9	46.9	51.1	30.0	26.1	37.0	41.0	33.8	37.4	36.0	33.1	35.1	32.0	24.8	-5.1	23.0	17.1	23.7	27.0	27.0
503	1	21	23	24.8	62.1	36.0	51.1	39.0	57.0	46.9	51.1	28.0	26.1	35.1	39.2	33.8	37.4	36.0	33.1	34.0	32.0	24.8	-7.1	21.2	12.9	23.4	24.1	24.1
504	1	21	24	23.0	60.1	34.0	48.9	37.9	57.0	46.0	50.0	27.0	28.0	34.0	39.2	33.8	37.4	35.1	32.0	34.0	32.0	24.8	-8.0	17.6	12.9	23.0	19.9	19.9
505	1	22	1	23.0	59.0	37.0	46.0	37.0	57.0	45.0	51.1	28.0	28.9	35.1	37.4	33.8	37.4	35.1	32.0	34.0	32.0	24.8	-9.0	15.8	14.0	22.6	21.0	21.0
506	1	22	2	21.2	57.0	36.0	46.9	37.0	55.9	44.1	51.1	28.0	26.1	35.1	35.6	33.8	37.4	35.1	30.9	33.1	32.0	24.8	-10.0	12.2	12.0	22.3	24.1	24.1
507	1	22	3	21.2	55.9	37.0	44.1	35.1	54.0	44.1	51.1	28.0	24.1	34.0	33.8	33.8	35.6	34.0	30.9	33.1	32.0	24.8	-11.0	10.4	12.0	21.9	23.0	23.0
508	1	22	4	21.2	55.9	37.0	44.1	34.0	54.0	45.0	51.1																	

		Average		76.1	68.6	74	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4																						
		Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.1	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0																						
		Min		41.0	21.0	32.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9																						
		Selected Climate Zone C25B - Spokane, WA																																															
		C21A - Miami, FL		C22A - Houston, TX		C22B - Phoenix, AZ		C23A - Atlanta, GA		C23B - Los Angeles, CA		C23B - Las Vegas, NV		C23C - San Francisco, CA		C24A - Baltimore, MD		C24B - Albuquerque, NM		C24C - Seattle, WA		C24C - Olympia, WA		C24C - Portland, OR		C24C - Salem, OR		C25A - Chicago, IL		C25A - Boston, MA		C25B - Denver, CO		C25B - Grass Valley, CA		C25B - Nevada City, CA		C25B - Spokane, WA		C26A - Minneapolis, MN		C26B - McCall, ID		C26B - Helena, MT		C27 - Duluth, MN		C28 - Fairbanks, AK	
		Selected Climate Zone Dry-Bulb, deg F		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb			
Month	Day	Hour (MST)																																															
547	1	23	19	32.0	73.9	55.0	53.1	43.0	59.0	52.0	46.9	21.0	42.1	42.1	39.2	33.8	39.2	28.0	12.9	44.1	32.0	32.0	32.0	10.0	12.2	19.0	-1.3	7.0																					
548	1	23	20	32.0	72.0	53.1	53.1	42.1	59.0	46.0	45.0	23.0	39.0	41.0	37.4	32.0	39.2	28.0	12.0	39.9	32.0	32.0	32.0	10.0	10.4	21.0	-0.8	3.9																					
549	1	23	21	32.0	72.9	54.1	52.1	42.1	57.0	45.0	45.0	24.0	39.0	39.0	37.4	32.0	39.2	28.0	12.0	39.9	32.0	32.0	32.0	10.0	6.8	18.0	0.0	0.0																					
550	1	23	22	32.0	71.0	51.1	51.1	39.0	57.0	44.1	44.1	21.9	34.0	39.9	37.4	32.0	37.4	26.1	12.0	36.0	32.0	32.0	32.0	10.0	3.2	15.1	0.0	3.9																					
551	1	23	23	32.0	69.1	52.0	48.9	39.9	55.9	43.0	44.1	21.0	35.1	41.0	37.4	32.0	37.4	27.0	10.9	37.0	32.0	30.2	32.0	10.0	1.4	14.0	0.0	1.0																					
552	1	23	24	32.0	66.9	52.0	50.0	39.0	55.9	41.0	44.1	21.0	35.1	42.1	37.4	32.0	39.2	27.0	10.0	37.0	32.0	30.2	32.0	10.0	-0.4	12.0	0.0	0.0																					
553	1	24	1	30.2	63.0	52.0	48.0	37.0	55.0	42.1	42.1	19.0	34.0	39.9	37.4	32.0	37.4	27.0	10.0	36.0	30.2	28.4	30.2	10.0	-2.2	10.9	0.7	1.0																					
554	1	24	2	30.2	60.1	52.0	46.9	36.0	53.1	42.1	39.0	21.0	34.0	39.9	37.4	32.0	37.4	28.0	10.0	37.0	30.2	28.4	30.2	7.0	-2.2	12.0	1.2	1.9																					
555	1	24	3	30.2	57.9	53.1	42.1	33.1	52.0	42.1	37.9	23.0	30.0	39.9	37.4	32.0	37.4	30.0	10.0	37.9	30.2	26.6	30.2	5.0	-0.4	12.9	1.9	0.0																					
556	1	24	4	32.0	55.9	54.0	43.0	34.0	52.0	39.9	37.0	24.1	28.9	41.0	37.4	32.0	37.4	30.0	1																														

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

	Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4			
	Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	98.0	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0			
	Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9			
	Selected Climate ZoneC25B - Spokane, WA																											
		C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK			
		Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb			
1327	2	25	7	30.2	52.0	63.0	57.9	35.1	54.0	46.9	42.1	24.1	28.0	52.0	19.4	32.0	39.2	33.1	39.0	12.9	33.8	33.8	30.2	23.0	-7.6	-7.1	12.0	-11.9
1328	2	25	8	33.8	55.0	62.1	61.0	37.9	54.0	50.0	45.3	28.0	30.9	53.1	23.0	32.0	41.0	34.0	41.0	14.0	35.6	33.8	33.8	24.1	-5.8	-7.1	12.0	-11.9
1329	2	25	9	42.8	61.0	65.0	66.0	48.0	55.0	55.9	48.7	30.9	33.9	53.1	24.0	32.0	35.6	33.8	32.0	35.6	33.8	37.4	25.0	1.4	-2.9	12.0	-11.0	
1330	2	25	10	43.8	66.0	60.1	70.0	52.0	57.0	62.1	52.0	30.9	37.9	55.0	30.2	35.6	46.4	36.0	45.0	19.0	35.6	33.8	42.8	27.0	0.6	-0.9	12.0	-11.0
1331	2	25	11	46.4	72.0	60.1	73.9	59.0	59.0	60.0	53.2	32.0	44.1	57.0	32.0	39.2	50.0	37.0	46.0	21.9	37.4	35.6	46.4	27.0	15.8	3.0	12.9	-11.0
1332	2	25	12	48.2	78.0	61.0	78.1	64.0	60.1	68.0	54.7	34.0	46.0	59.0	32.0	41.0	51.8	37.9	46.0	24.1	37.4	35.6	46.4	27.0	21.2	6.1	14.0	-11.0
1333	2	25	13	50.0	75.9	61.0	82.9	66.0	61.0	66.9	55.9	35.1	48.9	59.0	32.0	44.6	50.0	37.9	46.0	28.0	39.2	37.4	50.0	27.0	24.8	9.0	15.1	-9.9
1334	2	25	14	51.8	77.0	60.1	87.1	68.0	61.0	68.0	55.9	35.1	53.1	57.9	32.0	46.4	50.0	39.0	46.0	30.0	39.2	37.4	51.8	27.0	26.6	12.9	17.1	-8.0
1335	2	25	15	50.0	75.9	60.1	89.1	71.1	60.1	69.1	55.9	35.1	54.0	55.0	32.0	44.6	50.0	39.0	46.9	33.1	39.2	37.4	50.0	28.0	26.6	17.1	19.9	-7.1
1336	2	25	16	46.4	75.9	60.1	89.1	69.1	59.0	69.1	55.9	35.1	55.0	55.0	30.2	42.8	48.2	39.9	46.9	35.1	37.4	35.6	46.4	27.0	26.6	17.1	19.9	-7.1
1337	2	25	17	41.0	75.0	59.0	89.1	68.0	57.9																			

				Average	76.1	68.6	74.1	62.0		62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
				Max	96.1	102.9	111.9	98.1		90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
				Min	41.0	21.0	36.0	9.0		42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9
				Selected Climate ZoneC25B - Spokane, WA																									
					C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
				Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
	Month	Day	Hour (MST)																										
1405	2	28	13	50.0	78.1	75.0	84.0	73.9	63.0	73.0	55.0	37.0	53.1	57.9	35.6	41.0	46.4	36.0	41.0	46.9	35.6	33.8	50.0	30.0	23.0	34.0	21.0	-9.9	
1406	2	28	14	48.2	77.0	78.1	87.1	77.0	63.0	73.0	54.7	37.0	55.0	57.9	35.6	41.0	46.4	37.0	42.1	46.9	35.6	33.8	48.2	30.9	23.0	35.1	21.0	-7.1	
1407	2	28	16	46.1	75.0	78.1	88.0	77.0	62.1	73.0	54.3	37.0	57.0	57.0	35.6	41.0	46.4	36.0	43.0	46.9	35.6	33.8	46.4	30.9	23.0	30.9	21.0	-7.1	
1408	2	28	16	44.6	77.0	77.0	89.1	73.9	61.0	73.9	54.0	37.9	54.0	57.0	33.8	41.0	46.4	37.0	43.0	33.1	33.8	32.0	48.2	30.9	23.0	34.0	21.9	-8.0	
1409	2	28	17	33.8	75.9	78.1	88.0	75.0	61.0	73.0	52.3	37.9	55.9	57.9	42.8	39.2	44.6	36.0	41.0	33.1	48.2	48.2	33.8	28.9	21.2	34.0	21.9	-9.9	
1410	2	28	18	33.8	73.9	75.0	86.0	73.0	60.1	66.9	50.5	36.0	51.1	52.0	39.2	33.8	39.2	33.1	37.9	33.1	44.6	44.6	33.8	27.0	15.8	34.0	21.0	-11.0	
1411	2	28	19	33.8	71.1	73.0	82.9	71.1	60.1	64.9	48.9	33.1	45.0	50.0	35.6	32.0	35.6	30.0	37.0	33.1	42.8	42.8	33.8	25.0	10.4	32.0	19.9	-16.1	
1412	2	28	20	33.8	70.0	71.1	78.1	69.1	61.0	62.1	48.2	30.9	42.1	48.9	35.6	32.0	35.6	28.9	35.1	33.1	41.0	42.8	33.8	23.0	8.6	30.9	17.1	-17.0	
1413	2	28	21	32.0	69.1	70.0	77.0	69.1	61.0	57.9	47.7	30.0	41.0	48.9	35.6	32.0	35.6	28.0	35.1	33.1	39.2	41.0	32.0	21.0	6.8	30.0	16.0	-22.0	
1414	2	28	22	32.0	67.3	69.1	73.8	66.0	59.4	57.2	47.8																		

[illegible]

			Average		76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4		
			Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0			
			Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9		
			Selected Climate Zone		C25B - Spokane, WA																									
					C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK		
			Selected Climate Zone Dry-Bulb, deg F		Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb		
Month	Day	Hour (MST)																												
1561	3	7	1	26.6	70.0	51.1	44.1	48.9	57.0	43.0	54.0	30.0	41.0	45.0	39.2	30.2	39.2	32.0	36.0	28.9	35.6	32.0	26.6	25.0	30.2	33.1	16.0	16.0		
1562	3	7	2	26.6	70.0	54.0	43.0	46.0	57.0	41.0	54.0	28.0	39.9	44.1	39.2	30.2	39.2	33.1	35.1	27.0	33.8	32.0	26.6	24.1	30.2	32.0	15.1	18.0		
1563	3	7	3	26.6	69.1	55.0	43.0	46.0	57.0	39.9	51.1	28.0	39.9	44.1	39.2	28.4	39.2	33.1	35.1	26.0	33.8	32.0	26.6	23.0	30.2	33.1	16.0	18.0		
1564	3	7	4	26.6	69.1	54.0	43.0	44.1	55.9	39.9	52.0	27.0	35.1	44.1	39.2	28.4	39.2	33.1	35.1	27.0	33.8	32.0	26.6	24.0	30.2	33.1	15.1	17.1		
1565	3	7	5	26.6	69.1	48.9	43.0	43.0	55.9	37.9	50.0	27.0	34.0	44.1	37.4	28.4	37.4	33.1	35.1	25.0	32.0	32.0	26.6	21.9	30.2	34.0	15.1	18.0		
1566	3	7	6	28.4	68.0	48.0	43.0	42.1	57.9	37.9	51.1	26.1	33.1	43.0	37.4	28.4	37.4	33.1	35.1	24.1	32.0	30.2	28.4	21.9	28.4	32.0	14.0	18.0		
1567	3	7	7	30.2	68.0	50.0	43.0	41.0	59.0	39.9	50.0	23.0	30.9	45.0	39.2	30.2	41.0	33.1	35.1	24.1	35.6	32.0	30.2	21.9	26.6	30.9	12.9	16.0		
1568	3	7	8	30.2	69.1	51.1	44.1	41.0	59.0	43.0	54.0	30.0	37.9	44.1	42.8	32.0	44.6	34.0	35.1	25.0	41.0	35.6	32.0	23.0	24.8	32.0	17.1	15.1		
1569	3	7	9	35.6	70.0	54.0	44.1	43.0	59.0	48.9	57.9	34.0	48.0	48.9	48.2	32.0	50.0	34.0	35.1	28.0	46.4	37.4	35.6	25.0	24.8	37.0	19.9	16.0		
1570	3	7	10	37.4	72.0	57.9	45.0	46.9	59.0	51.1	61.0	37.0	52.0	46.9	53.6	33.8	55.4	34.0	35.1	33.1	50.0	39.2	37.4	26.1	24.8	39.0	21.9	17.1		
1571	3	7	11	39.2	73.0	63.0	46.0	50.0	60.1	57.0	64.0	39.0	57.0	48.0	59.0	35.6	59.0	37.9	36.0	36.0	51.8	41.0	39							

				Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
				Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0	
				Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
				Selected Climate Zone C25B -Spokane, WA																									
				Selected Climate ZoneDry-Bulb, deg F	C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
Month	Day	Hour (MST)		Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
1639	3	10	7	32.0	73.9	39.9	48.0	48.9	55.0	64.0	53.1	32.0	30.9	53.1	37.4	39.2	37.4	37.0	36.0	48.0	32.0	33.8	32.0	30.9	21.2	30.0	28.9	17.1	
1640	3	10	8	33.8	75.0	48.0	51.1	48.9	57.0	64.9	53.1	39.9	35.1	52.0	39.2	39.2	39.2	39.9	39.0	51.1	32.0	39.2	33.8	30.9	23.0	28.9	30.9	18.0	
1641	3	10	9	39.2	75.9	60.1	54.0	51.1	59.0	68.0	55.0	48.9	39.9	53.1	41.0	41.0	41.0	48.9	39.0	55.9	35.6	44.6	39.2	32.0	24.8	30.9	32.0	17.1	
1642	3	10	10	41.0	75.0	64.9	57.9	54.0	60.1	69.1	57.0	52.0	44.1	54.0	44.6	41.0	44.6	54.0	42.1	61.0	39.2	50.0	41.0	34.0	26.6	30.9	37.9	19.0	
1643	3	10	11	42.8	72.0	71.1	61.0	59.0	61.0	73.0	57.0	54.0	46.9	55.9	46.4	42.8	46.4	60.1	43.0	63.0	41.0	53.6	42.8	35.1	28.4	33.1	43.0	21.0	
1644	3	10	12	44.6	68.0	73.9	64.0	60.1	63.0	72.0	60.1	55.9	50.0	59.0	48.2	42.8	48.2	60.1	46.0	64.9	42.8	55.4	44.6	36.0	30.2	32.0	44.1	24.1	
1645	3	10	13	46.4	66.9	77.0	66.0	62.1	64.0	73.9	59.0	59.0	53.1	62.1	50.0	44.6	50.0	62.1	44.1	66.0	42.8	57.2	46.4	37.9	30.2	32.0	48.0	24.1	
1646	3	10	14	46.4	70.0	79.0	68.0	64.9	62.1	73.0	57.9	60.1	55.0	62.1	50.0	44.6	50.0	60.1	45.0	66.9	44.6	57.2	46.4	37.9	30.2	30.9	51.1	21.9	
1647	3	10	15	44.6	73.0	79.0	70.0	66.9	62.1	73.9	57.9	60.1	55.9	61.0	48.2	46.4	48.2	62.1	45.0	66.9	42.8	57.2	44.6	39.0	30.2	30.0	53.1	21.9	
1648	3	10	16	42.8	75.0	77.0	70.0	68.0	60.1	73.9	57.0	60.1	59.0	60.1	46.4	44.6	48.2	59.0	44.1	64.9	41.0	55.4	42.8	39.0	30.2	30.0	53.1	21.9	
1649	3	10	17	39.2	73.0	77.0	71.1	69.1	59.0	73.0	55.9	60.1	57.0	55.0	44.6	44.6	46.4	57.0	43.0	64.0	39.2	50.0	39.2	39.0	30.2	32.0	50.0	21.9	
1650	3	10	18	35.6	70.0	75.0	70.0	69.1	57.0	71.1	55.0	57.0	54.0	54.0	41.0	42.8	42.8	55.0	43.0	59.0	35.6	46.4	35.6	39.0	28.4	30.9	45.0	21.0	
1651	3	10	19	35.6	66.9	70.0	68.0	66.0	55.9	69.1	54.0	54.0	48.0	53.1	39.2	42.8	39.2	54.0	43.0	55.0	33.8	42.8	35.6	39.0	24.8	28.9	42.1	19.0	
1652	3	10	20	35.6	66.9	66.9	64.9	66.9	55.9	69.1	54.0	54.0	46.0	53.1	39.2	42.8	37.4	53.1	42.1	52.0	33.8	39.2	35.6	39.0	23.0	28.9	41.0	17.1	
1653	3	10	21	33.8	64.9	64.9	63.0	64.0	57.0	68.0	53.1	46.9	43.0	53.1	39.2	42.8	37.4	52.0	41.0	51.1	32.0	37.4	33.8	37.9	21.2	28.9	37.9	12.9	
1654	3	10	22	33.8	64.0	63.0	61.0	62.1	57.0	66.0	52.0	43.0	42.1	53.1	39.2	44.6	37.4	50.0	39.0	51.1	32.0	37.4	33.8	37.9	21.2	28.9	37.9	10.9	
1655	3	10	23	33.8	63.0	62.1	60.1	60.1	55.9	66.9	52.0	42.1	35.1	52.0	39.2	44.6	37.4	50.0	37.0	51.1	32.0	37.4	33.8	37.9	21.2	28.0	36.0	10.0	
1656	3	10	24	32.0	62.1	62.1	57.9	57.0	55.9	66.9	51.1	41.0	33.1	51.1	39.2	44.6	35.6	50.0	37.0	48.9	32.0	37.4	32.0	39.0	21.2	28.0	35.1	7.0	
1657	3	11	1	32.0	61.0	62.1	55.9	55.9	55.0	66.9	50.0	37.0	34.0	51.1	39.2	44.6	35.6	48.9	36.0	46.9	32.0	35.6	32.0	37.9	23.0	26.1	34.0	10.0	
1658	3	11	2	32.0	59.0	62.1	55.0	55.0	57.0	63.0	50.0	36.0	32.0	51.1	39.2	46.4	35.6	46.9	35.1	48.0	32.0	35.6	32.0	37.9	23.0	26.1	35.1	8.1	
1659	3	11	3	32.0	57.9	61.0	51.1	55.0	55.9	64.9	48.9	34.0	32.0	52.0	39.2	46.4	35.6	46.0	35.1	46.9	32.0	35.6	32.0	37.9	23.0	26.1	37.0	9.0	
1660	3	11	4	33.8	57.0	61.0	51.1	54.0	55.9	64.0	48.0	33.1	33.1	51.1	39.2	46.4	35.6	44.1	35.1	44.1	32.0	35.6	33.8	39.0	24.8	26.1	37.0	12.9	
1661	3	11	5	32.0	55.9	61.0	50.0	54.0	55.0	62.1	46.9	33.1	33.1	51.1	37.4	46.4	35.6	43.0	35.1	46.9	30.2	33.8	32.0	39.0	24.8	26.1	37.9	14.0	
1662	3	11	6	32.0	55.9	61.0	51.1	53.1	54.0	63.0	48.0	32.0	32.0	51.1	37.4	46.4	35.6	43.0	35.1	43.0	32.0	33.8	32.0	39.9	26.6	26.1	37.0	14.0	
1663	3	11	7	32.0	55.0	61.0	53.1	52.0	55.0	64.0	48.0	35.1	30.0	50.0	37.4	46.4	37.4	44.1	36.0	42.1	33.8	39.2	32.0	39.9	26.6	26.1	35.1	12.9	
1664	3	11	8	32.0	57.0	64.0	54.0	53.1	57.9	64.9	54.0	39.9	36.0	50.0	39.2	46.4	41.0	44.1	37.0	53.1	37.4	44.6	32.0	42.1	28.4	25.0	36.0	14.0	
1665	3	11	9	35.6	59.0	66.9	60.1	55.0	61.0	66.0	55.9	46.9	42.1	50.0	42.8	48.2	42.8	46.9	39.0	55.9	42.8	50.0	35.6	42.1	30.2	28.0	35.1	16.0	
1666	3	11	10	39.2	61.0	72.0	64.9	60.1	63.0	66.9	57.0	52.0	48.9	50.0	44.6	48.2	44.6	46.0	42.1	60.1	44.6	55.4	39.2	42.1	30.2	26.1	35.1	16.0	
1667	3	11	11	41.0	64.0	73.9	69.1	64.9	64.0	68.0	57.0	57.0	52.0	52.0	46.4	48.2	46.4	46.0	42.1	62.1	46.4	59.0	41.0	42.1	32.0	28.0	35.1	19.0	
1668	3	11	12	41.0	68.0	75.0	72.0	71.1	63.0	68.0	62.1	61.0	55.9	52.0	48.2	50.0	48.2	46.9	42.1	62.1	48.2	60.8	41.0	43.0	32.0	28.9	35.1	24.1	
1669	3	11	13	42.8	71.1	75.9	73.0	73.9	63.0	69.1	64.0	59.0	59.0	53.1	50.0	50.0	48.2	48.9	41.0	62.1	50.0	62.6	42.8	44.1	32.0	30.0	36.0	26.1	
1670	3	11	14	42.8	72.0	75.9	71.0	71.0	62.1	66.0	62.1	59.0	64.0	53.1	50.0	50.0	48.2	50.0	41.0	64.9	50.0	62.6	42.8	45.0	32.0	28.9	36.0	25.0	
1671	3	11	15	41.0	73.0	75.9	78.1	79.0	62.1	66.0	62.1	57.0	64.9	46.9	50.0	50.0	48.2	50.0	42.1	64.9	48.2	60.8	41.0	46.0	32.0	30.0	35.1	27.0	
1672	3	11	16	39.2	73.0	73.0	78.1	79.0	62.1	63.0	62.1	55.0	64.9	53.1	48.2	48.2	48.2	48.9	42.1	60.1	46.4	59.0	39.2	46.0	32.0	30.0	35.1	27.0	
1673	3	11	17	35.6	72.0	72.0	78.1	78.1	61.0	61.0	60.1	54.0	64.9	53.1	46.4	46.4	46.												

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

			Selected Climate Zone C25B -Spokane, WA																																															
			C21A - Miami, FL		C22A - Houston, TX		C22B - Phoenix, AZ		C23A - Atlanta, GA		C23B - Los Angeles, CA		C23B - Las Vegas, NV		C23C - San Francisco, CA		C24A - Baltimore, MD		C24B - Albuquerque, NM		C24C - Seattle, WA		C24C - Olympia, WA		C24C - Portland, OR		C24C - Salem OR		C25A - Chicago, IL		C25A - Boston, MA		C25B - Denver, CO		C25B - Grass Valley, CA		C25B - Nevada City, CA		C25B - Spokane, WA		C26A - Minneapolis, MN		C26B - McCall, ID		C26B - Helena, MT		C27 - Duluth, MN		C28 - Fairbanks, AK	
			Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)	Selected Climate ZoneDry-Bulb, deg F																																															
1717	3	13	13	46.4	82.0	66.0	77.0	69.1	64.9	69.1	69.1	69.1	57.0	66.0	52.0	44.6	39.2	46.4	35.1	55.0	48.9	44.6	64.4	46.4	55.9	24.8	33.1	53.1	9.0																					
1718	3	13	14	46.4	82.0	68.0	79.0	72.0	64.9	71.1	73.0	57.9	69.1	53.1	44.6	39.2	46.4	35.1	53.1	48.9	46.4	64.4	46.4	55.9	24.8	36.0	53.1	12.0																						
1719	3	13	15	44.6	84.0	70.0	79.0	75.0	62.1	72.0	73.0	60.1	71.1	54.0	42.8	39.2	46.4	37.0	55.0	48.9	44.6	64.4	44.6	52.0	24.8	37.0	53.1	15.1																						
1720	3	13	16	42.8	84.9	69.1	81.0	75.9	62.1	73.0	75.0	57.9	66.9	55.0	42.8	39.2	46.4	37.0	53.1	48.9	42.8	62.6	42.8	51.1	24.8	37.9	48.9	14.0																						
1721	3	13	17	39.2	84.0	69.1	80.1	75.9	60.1	73.0	73.0	55.9	68.0	54.0	41.0	37.4	44.6	37.9	52.0	48.0	39.2	59.0	39.2	52.0	24.8	39.0	45.0	12.0																						
1722	3	13	18	35.6	82.9	66.9	79.0	75.0	57.9	69.1	68.0	55.9	64.0	52.0	41.0	35.6	41.0	37.9	51.1	44.1	33.8	55.4	35.6	52.0	21.2	36.0	43.0	7.0																						
1723	3	13	19	35.6	79.0	62.1	78.1	73.0	57.0	66.9	62.1	55.0	62.1	50.0	39.2	35.6	39.2	37.9	48.0	39.9	32.0	53.6	35.6	52.0	19.4	34.0	42.1	1.9																						
1724	3	13	20	35.6	78.1	59.0	75.9	73.0	57.0	64.9	61.0	54.0	60.1	50.0	39.2	35.6	39.2	37.0	48.0	37.0	32.0	50.0	35.6	52.0	17.6	30.9	39.0	-0.9																						
1725	3	13	21	35.6	77.0	54.0	70.0	70.0	57.0	62.1	59.0	54.0	53.1	48.9	39.2	35.6	39.2	36.0	42.1	35.1	32.0	50.0	35.6	52.0	17.6	28.9	37.9	-2.9																						
1726	3	13	22	33.8	77.0	51.1	70.0	69.1	55.9	61.0	57.9	54.0	55.0	46.0	39.2	35.6	37.4	36.0	39.9	35.1	30.2	50.0	33.8	52.0	17.6	28.0	39.0	-2.9																						
1727	3	13	23	33.8	75.9	48.0	64.9	66.0	55.9	61.0	55.9	52.0	54.0	45.0	39.2	35.6	37.4	33.1	39.9	34.0	30.2	50.0	33.8	52.0	15.8	26.1	37.9	-5.1																						
1728	3	13	24	33.8	75.0	46.0	64.9	64.0	55.0	60.1	54.0	52.0	51.1	44.1	37.4	35.6	37.4	32.0	39.9	34.0	30.2	48.2	33.8	51.1	15.8	23.0	37.9	-6.0																						
1729	3	14	1	33.8	75.0	43.0	64.9	62.1	53.1	57.9	53.1	48.0	45.0	37.4	33.8	37.4	30.9	41.0	34.0	30.2	46.4	33.8	50.0	14.0	23.0	37.0	1.9																							
1730	3	14	2	33.8	75.0	42.1	63.0	60.1	52.0	59.0	52.0	53.1	48.0	43.0	35.6	33.8	37.4	28.9	39.0	35.1	30.2	46.4	33.8	48.9	14.0	23.0	37.0	3.0																						
1731	3	14	3	35.6	75.0	41.0	60.1	59.0	52.0	57.9	50.0	51.1	45.0	41.0	35.6	33.8	37.4	28.9	39.0	32.0	30.2	46.4	35.6	50.0	12.2	21.9	37.0	-2.0																						
1732	3	14	4	37.4	75.0	39.0	59.0	57.9	52.0	57.9	50.0	50.0	45.0	39.9	35.6	33.8	37.4	28.0	37.9	28.0	30.2	46.4	37.4	50.0	12.2	21.9	37.9	-2.0																						
1733	3	14	5	35.6	73.9	37.0	57.9	55.9	51.1	57.9	48.0	48.9	43.0	39.9	35.6	33.8	37.4	27.0	37.0	27.0	28.4	46.4	35.6	50.0	12.2	24.1	37.0	-0.9																						
1734	3	14	6	33.8	73.9	36.0	57.9	55.9	53.1	57.9	46.0	48.0	42.1	39.9	35.6	33.8	37.4	28.0	35.1	25.0	30.2	46.4	33.8	51.1	14.0	25.0	37.0	0.0																						
1735	3	14	7	33.8	73.9	35.1	57.0	57.9	53.1	57.9	48.0	46.9	41.0	41.0	37.4	33.8	37.4	28.9	33.1	26.1	32.0	48.2	33.8	50.0	14.0	24.1	37.0	1.0																						
1736	3	14	8	35.6	75.9	39.9	59.0	57.9	55.9	57.0	52.0	48.0	44.1	42.1	39.2	35.6	41.0	34.0	32.0	28.0	35.6	53.6	35.6	51.1	15.8	26.1	37.0	1.9																						
1737	3	14	9	39.2	77.0	42.1	64.9	61.0	57.0	59.0	57.0	50.0	46.9	46.0	42.8	35.6	42.8	37.9	35.1	30.0	41.0	57.2	39.2	53.1	17.6	28.9	37.0	5.0																						
1738	3	14	10	41.0	80.1	46.9	69.1	64.0	61.0	60.1	60.1	52.0	51.1	50.0	44.6	37.4	44.6	41.0	36.0	35.1	46.4	60.8	41.0	55.9	21.2	32.0	37.9	10.0																						
1739	3	14	11	42.8	80.1	50.0	72.0	69.1	61.0	63.0	61.0	55.0	55.9	53.1	46.4	39.2	44.6	42.1	36.0	39.0	50.0	62.6	42.8	59.0	24.8	34.0	39.0	12.9																						
1740	3	14	12	44.6	73.0	52.0	75.0	71.1	60.1	57.9	63.0	54.0	61.0	55.9	48.2	41.0	46.4	45.0	32.0	44.1	51.8	62.6	44.6	61.0	24.8	37.0	39.0	15.1																						
1741	3	14	13	42.8	73.9	54.0	78.1	72.0	60.1	59.0	64.9	55.0	62.1	57.9	50.0	41.0	48.2	48.0	33.1	43.0	53.6	62.6	42.8	55.9	24.8	37.9	39.9	18.0																						
1742	3	14	14	42.8	75.9	55.9	81.0	69.1	60.1	57.0	69.1	55.0	64.9	60.1	50.0	41.0	50.0	45.0	32.0	45.0	55.4	60.8	42.8	55.9	24.8	37.9	39.0	18.0																						
1743	3	14	15	41.0	77.0	57.9	82.9	69.1	60.1	59.0	72.0	54.0	62.1	61.0	48.2	39.2	51.8	45.0	32.0	46.0	53.6	60.8	41.0	53.1	24.8	37.9	39.9	17.1																						
1744	3	14	16	39.2	79.0	57.0	84.0	68.0	57.9	59.0	66.0	53.1	59.0	63.0	46.4	39.2	50.0	46.9	30.0	45.0	51.8	60.8	39.2	50.0	24.8	39.0	39.9	16.0																						
1745	3	14	17	37.4	78.1	57.0	82.9	69.1	57.0	59.0	64.0	53.1	50.0	62.1	44.6	37.4	48.2	45.0	30.0	39.0	48.2	57.2	37.4	48.0	24.8	37.9	39.9	12.9																						
1746	3	14	18	33.8	75.9	55.0	82.0	64.0	55.9	51.1	57.9	51.1	46.0	60.1	42.8	35.6	46.4	43.0	30.0	36.0	42.8	53.6	33.8	45.0	21.2	37.0	39.9	10.0																						
1747	3	14	19	32.0	73.0	50.0	80.1	60.1	55.9	51.1	57.0	50.0	46.0	59.0	39.2	33.8	44.6	39.0	28.9	35.1	41.0	51.8	32.0	44.1	19.4	34.0	39.9	7.0																						
1748	3	14	20	32.0	70.0	46.0	77.0	57.9	55.0	48.0	55.9	50.0	45.0	57.9	39.2	33.8	42.8	37.0	27.0	34.0	39.2	51.8	32.0	43.0	17.6	34.0	39.9	5.0																						
1749	3	14	21	32.0	69.1	42.1	73.0	53.1	55.9	48.0	55.0	50.0	46.0	55.0	39.2	33.8	42.8	35.1	25.0	33.1	37.4	50.0	32.0	42.1	17.6	32.0	39.9	3.9																						
1750	3	14	22	30.2	64.0	41.0	68.0	52.0	57.0	46.9	52.0	48.0	45.0	54.0	39.2	33.8	42.8	34.0	25.0	32.0	35.6	50.0	30.2	41.0	15.8	33.1	39.9	1.9																						
1751	3	14	23	28.4	61.0	42.1	68.0	51.1	54.0	48.0	52.0	46.9	42.1	53.1	39.2	32.0	42.8	33.1	24.1	32.0	35.6	48.2	28.4	39.9	15.8	33.1	39.9	1.0																						
1752	3	14	24	26.6	57.9	37.9	68.0	48.0	53.1	48.9	51.1	42.1	42.1	50.0	39.2	32.0	41.0	30.9	25.0	30.9	35.6	48.2	26.6	39.9	15.8	30.9	39.0	-0.9																						
1753	3	15	1	26.6	57.0	35.1	64.0	46.9	53.1	50.0	48.9	39.9	41.0	48.9	37.4	32.0	41.0	30.0	25.0	32.0	35.6	48.2	26.6	39.0	14.0	28.0	37.9	-0.9																						
1754	3	15	2	26.6	55.0	34.0	62.1	46.9	52.0	50.0	48.9																																							

			Average		76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4																				
			Max		96.1	102.9	119.1	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0																				
			Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9																				
			Selected Climate Zone										C25B - Spokane, WA																																			
			C21A - Miami, FL		C22A - Houston, TX		C22B - Phoenix, AZ		C23A - Atlanta, GA		C23B - Los Angeles, CA		C23C - San Francisco, CA		C24A - Baltimore, MD		C24B - Albuquerque, NM		C24C - Seattle, WA		C24C - Olympia, WA		C24C - Portland, OR		C24C - Salem, OR		C25A - Chicago, IL		C25A - Boston, MA		C25B - Denver, CO		C25B - Grass Valley, CA		C25B - Nevada City, CA		C25B - Spokane, WA		C26A - Minneapolis, MN		C26B - McCall, ID		C26B - Helena, MT		C27 - Duluth, MN		C28 - Fairbanks, AK	
			Selected Climate Zone Dry-Bulb, deg F		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb			
Month	Day	Hour (MST)																																														
1795	3	16	19	35.6	64.0	55.9	78.1	51.1	55.0	48.0	53.1	43.0	61.0	46.9	37.4	32.0	39.2	37.0	34.0	33.1	51.8	44.6	35.6	32.0	14.0	28.9	27.0	21.0																				
1796	3	16	20	33.8	62.1	55.0	75.9	51.1	57.9	46.9	51.1	42.1	57.0	46.9	37.4	32.0	39.2	36.0	33.1	30.9	50.0	42.8	33.8	32.0	10.4	25.0	27.0	21.0																				
1797	3	16	21	32.0	60.0	55.0	72.0	48.9	57.9	46.9	51.1	43.0	57.0	46.9	37.4	32.0	37.4	33.1	30.0	50.0	42.8	32.0	32.0	8.6	23.0	27.0	21.0																					
1798	3	16	22	30.2	60.1	54.0	70.0	48.9	57.0	46.0	51.1	42.1	50.0	46.0	35.6	32.0	37.4	30.9	30.0	28.9	50.0	41.0	32.0	30.9	8.6	19.9	24.1	21.0																				
1799	3	16	23	30.2	60.1	53.1	70.0	48.9	55.0	45.0	51.1	42.1	48.9	46.0	35.6	32.0	37.4	30.0	28.9	27.0	50.0	41.0	30.2	30.9	6.8	19.9	24.1	21.9																				
1800	3	16	24	28.4	59.0	52.0	66.0	48.9	54.0	44.1	50.0	42.1	48.0	44.1	35.6	32.0	37.4	30.0	27.0	27.0	51.8	39.2	28.4	32.0	6.8	19.9	24.1	21.9																				
1801	3	17	1	28.4	59.0	53.1	64.0	48.9	53.1	42.1	50.0	42.1	46.9	44.1	35.6	32.0	37.4	30.9	25.0	27.0	51.8	39.2	28.4	30.9	6.8	19.0	24.1	18.0																				
1802	3	17	2	28.4	57.9	53.1	62.1	48.9	54.0	42.1	48.9	42.1	46.9	43.0	35.6	30.2	35.6	32.0	24.1	26.1	50.0	37.4	28.4	30.0	6.8	17.1	24.1	19.9																				
1803	3	17	3	28.4	57.9	54.0	61.0	48.0	53.1	44.1	48.0	39.9	46.0	44.1	35.6	30.2	35.6	32.0	23.0	24.1	50.0	37.4	28.4	30.9	6.8	17.1	24.1	18.0																				
1804	3	17	4	28.4	57.9	55.0	60.1	48.0	53.1	43.0	46.9	39.9	45.0	43.0	35.6	30.2	37.4	30.9	21.0	21.9	48.2	35.6	28.4	32.0	6.8	16.0	23.0	19.9																				
1805	3	17	5	28.4	55.9	55.9	60.																																									

		Average		76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.4	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
		Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	98.0	91.0	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0	
		Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
		Selected Climate Zone		C25B - Spokane, WA																								
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
		Selected Climate Zone Dry-Bulb, deg F		Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																										
1873	3	20	1	26.6	55.9	48.0	66.0	46.9	54.0	39.0	48.9	46.0	57.0	45.0	33.8	39.2	32.0	37.9	28.0	48.0	41.0	41.0	26.6	23.0	28.4	37.9	24.1	30.0
1874	3	20	2	26.6	55.0	46.0	63.0	46.9	53.1	39.0	48.9	46.9	50.0	42.1	33.8	39.2	32.0	37.9	28.0	48.9	41.0	39.2	26.6	21.0	28.4	36.0	23.0	25.0
1875	3	20	3	26.6	45.0	52.0	62.1	45.0	50.0	36.0	48.9	46.0	48.9	43.0	33.8	39.2	32.0	33.1	27.0	48.0	41.0	39.2	26.6	21.0	26.6	31.0	21.9	26.6
1876	3	20	4	26.6	54.1	61.0	44.1	61.0	46.9	36.0	46.0	46.0	48.9	43.0	33.8	39.2	32.0	33.1	27.0	48.0	39.2	39.2	26.6	21.0	26.6	31.0	24.1	24.1
1877	3	20	5	26.6	54.0	43.0	60.1	41.0	46.0	37.0	45.0	46.9	46.9	42.1	35.6	39.2	32.0	33.1	26.1	48.0	39.2	39.2	26.6	23.0	28.4	33.1	24.1	23.0
1878	3	20	6	28.4	51.1	42.1	60.1	41.0	46.9	37.0	46.0	46.0	46.0	44.1	35.6	39.2	32.0	33.1	26.1	46.9	39.2	39.2	28.4	25.0	28.4	34.0	24.1	21.9
1879	3	20	7	30.2	50.0	43.0	60.1	41.0	48.9	39.0	46.0	46.9	46.9	44.1	35.6	39.2	33.8	37.0	28.9	46.9	42.8	39.2	30.2	26.1	28.4	37.0	25.0	23.0
1880	3	20	8	33.8	52.0	51.1	64.0	42.1	54.0	45.0	52.0	51.1	45.0	46.0	37.4	42.8	39.2	41.0	30.9	48.0	48.2	39.2	33.8	30.9	30.2	35.1	27.0	27.0
1881	3	20	9	37.4	54.0	57.0	69.1	46.9	57.0	46.9	55.9	55.9	48.0	46.0	41.0	44.6	42.8	42.1	35.1	52.0	53.6	41.0	37.4	37.0	32.0	51.1	30.0	34.0
1882	3	20	10	41.0	57.0	62.1	68.0	53.1	59.0	50.0	57.9	61.0	52.0	46.9	42.8	46.4	46.4	42.1	34.0	52.0	57.2	42.8	41.0	42.1	32.0	57.0	34.0	37.0
1883	3	20	11	42.8	60.1	66.0	66.9	59.0	61.0	53.1	57																	

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

Month			Day		Hour (MST)		Selected Climate Zone																				C28 - Fairbanks, AK		
							C25B - Spokane, WA										C25B - Boise, ID												
							C25A - Miami, FL	C25A - Houston, TX	C25A - Phoenix, AZ	C25A - Atlanta, GA	C25A - Los Angeles, CA	C25B - Las Vegas, NV	C25B - San Francisco, CA	C25A - Baltimore, MD	C25B - Albuquerque, NM	C25C - Seattle, WA	C25C - Olympia, WA	C25C - Portland, OR	C25C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C25A - Minneapolis, MN			C25B - McCall, ID
Month	Day	Hour (MST)	Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
2107	3	29	19	35.6	75.9	51.1	73.9	77.0	63.0	55.0	55.0	71.1	45.0	44.1	42.8	41.0	42.8	39.9	68.0	30.9	46.4	50.0	35.6	52.0	30.2	36.0	30.0	15.1	
2108	3	29	20	35.6	75.0	52.0	72.0	75.0	63.0	54.0	54.0	70.0	43.0	42.1	40.0	42.8	37.4	41.0	39.0	66.0	30.0	46.4	48.2	35.6	51.1	28.4	32.0	28.0	14.0
2109	3	29	21	36.0	51.1	70.0	70.0	70.0	60.0	50.0	54.0	60.0	42.1	42.1	40.0	42.8	35.6	41.0	37.4	39.9	48.2	48.2	35.6	48.2	26.6	32.0	28.0	10.0	
2110	3	29	22	33.8	73.0	51.1	68.0	71.1	62.1	48.9	54.0	69.1	39.9	39.9	43.0	42.8	35.6	41.0	36.0	64.9	27.0	44.6	48.2	33.8	46.9	26.6	32.0	28.0	10.0
2111	3	29	23	33.8	73.0	50.0	69.1	69.1	62.1	48.9	53.1	64.9	37.9	37.9	41.0	42.8	35.6	41.0	36.0	64.9	27.0	44.6	48.2	33.8	43.0	24.8	28.9	27.0	9.0
2112	3	29	24	32.0	73.0	50.0	66.0	69.1	60.1	48.0	54.0	66.0	36.0	39.9	42.8	35.6	41.0	35.1	64.0	27.0	42.8	48.2	32.0	41.0	24.8	28.9	28.0	8.1	
2113	3	30	1	32.0	73.0	50.0	64.9	66.0	57.9	50.0	53.1	66.0	32.0	39.9	42.8	35.6	41.0	35.1	63.0	27.0	42.8	48.2	32.0	41.0	24.8	28.0	28.0	5.0	
2114	3	30	2	32.0	73.0	48.9	64.9	64.9	57.0	48.0	53.1	64.0	30.0	41.0	41.0	37.4	42.8	35.1	61.0	28.0	42.8	46.4	32.0	37.9	23.0	28.0	27.0	5.0	
2115	3	30	3	32.0	73.0	48.9	64.0	64.0	57.0	46.9	52.0	62.1	30.9	39.9	41.0	37.4	42.8	35.1	59.0	27.0	42.8	46.4	32.0	35.1	23.0	28.0	27.0	5.0	
2116	3	30	4	30.2	73.0	48.9	62.1	63.0	59.0	46.9	52.0	62.1	30.9	39.9	39.9	39.2	37.4	42.8	34.0	57.0	26.1	41.0	46.4	30.2	33.1	23.0	27.0	24.1	3.0
2117	3	30	5	30.2	73.0	48.0	61.0	64.0	57.9	46.0	52.0	62.1	30.9	39.9	39.9	39.2	37.4	42.8	34.0	55.9	25.0	39.2	44.6	30.2	33.1	23.0	25.0	24.1	1.9
2118	3	30	6	30.2	73.0	48.0	60.1	64.0	55.0	45.0	51.1	62.1	28.0	39.0	39.2	37.4	42.8	34.0	54.0	24.1	39.2	44.6	30.2	33.1	23.0	23.0	23.0	1.0	
2119	3	30	7	33.8	73.9	48.0	61.0	64.0	60.1	48.0	53.1	55.0	34.0	41.0	39.2	37.4	42.8	34.0	55.0	27.0	39.2	50.0	33.8	34.0	23.0	24.1	28.0	1.0	
2120	3	30	8	37.4	75.																								

			Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
			Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
			Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9
			Selected Climate ZoneC25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								

				Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
				Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	98.0	98.6	95.0	95.0	99.0	104.0	102.2	100.4	104.5	95.0	99.0	86.0	95.0	91.0	86.0	
				Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
				Selected Climate ZoneC25B - Spokane, WA																									
					C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
				Selected Climate ZoneDry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																											
2653	4	21	13	69.8	77.0	82.9	84.9	72.0	68.0	90.0	57.9	68.0	69.1	62.1	51.8	64.4	46.4	41.0	54.0	59.0	77.0	53.6	69.8	33.1	39.2	63.0	48.9	55.0	
2654	4	21	14	69.8	78.1	82.9	86.0	73.0	70.0	90.0	57.9	69.3	70.0	61.0	51.8	66.2	46.4	41.0	55.0	60.1	77.0	53.6	69.8	32.0	39.2	66.0	46.9	57.0	
2655	4	21	15	69.8	79.0	84.0	88.0	73.0	68.0	91.0	57.9	70.7	70.0	60.1	51.8	66.2	46.4	39.0	55.0	59.0	75.2	53.6	69.8	32.0	41.0	68.0	44.1	57.0	
2656	4	21	16	69.8	78.1	82.0	89.1	73.0	66.0	91.9	55.9	72.0	71.1	60.1	50.0	64.4	48.2	41.0	54.0	55.4	75.2	51.8	69.8	32.0	39.2	68.0	44.1	57.9	
2657	4	21	17	68.0	78.1	81.0	88.0	71.1	66.0	91.9	55.0	70.0	70.0	57.0	48.2	62.6	48.2	39.9	52.0	55.9	73.4	50.0	68.0	33.8	39.2	69.1	46.9	57.9	
2658	4	21	18	64.4	75.9	80.1	87.1	71.1	64.9	89.1	54.0	68.0	69.1	55.9	46.4	59.0	46.4	39.9	51.1	53.1	69.8	46.4	64.4	33.1	37.4	71.1	46.0	57.9	
2659	4	21	19	59.0	75.0	75.9	86.0	71.1	62.1	84.9	54.0	66.0	66.0	54.0	42.8	55.4	44.6	39.0	51.1	45.0	66.2	42.8	59.0	34.0	33.8	66.9	45.0	55.9	
2660	4	21	20	55.4	75.0	73.0	82.9	68.0	61.0	82.9	53.1	62.4	62.1	52.0	39.2	51.8	44.6	39.0	50.0	44.1	62.6	41.0	55.4	33.1	32.0	57.0	44.1	54.0	
2661	4	21	21	51.8	75.0	72.0	78.1	66.9	63.0	75.9	53.1	58.6	59.0	50.0	37.4	50.0	44.6	39.0	50.0	43.0	59.0	39.2	51.8	33.1	32.0	53.1	41.0	50.0	
2662	4	21	22	50.0	75.0	71.1	75.0	66.9	62.1	73.9	53.1	55.0	59.0	48.0	37.4	50.0	42.8	39.0	50.0	42.1	55.4	37.4	50.0	33.1	32.0	48.9	39.0	45.0	
2663	4	21	23	48.2	73.0	70.0	70.0	66.9	61.0	75.0	53.1																		

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

			Selected Climate Zone C25B - Spokane, WA																									
			C21A - Miami, FL	C22A - Houston, TX	C20E - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK		
			Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb		
Month	Day	Hour (MST)																										
2809	4	28	1	46.4	73.0	59.0	75.0	53.1	59.0	57.9	51.1	54.0	54.0	57.9	46.4	46.4	46.4	54.0	77.0	45.0	41.0	42.8	46.4	35.1	30.2	39.0	37.9	34.0
2810	4	28	1	46.4	73.0	57.9	73.9	53.1	57.0	57.0	50.0	53.2	55.9	54.0	46.4	44.6	44.6	57.0	75.9	45.0	41.0	42.8	46.4	36.0	28.4	37.0	39.0	34.0
2811	4	28	3	40.2	55.2	72.0	57.0	52.0	57.0	52.0	54.0	52.7	53.1	40.2	44.6	44.6	59.0	43.0	41.0	42.8	44.6	35.1	28.4	37.0	37.0	37.0	35.0	
2812	4	28	4	42.8	72.0	55.0	68.0	48.0	55.9	55.9	50.0	52.0	53.1	53.1	46.4	42.8	42.8	55.0	70.0	44.1	41.0	41.0	42.8	35.1	28.4	34.0	37.9	30.9
2813	4	28	5	42.8	72.0	55.0	68.0	48.0	57.0	55.0	50.0	52.3	54.0	52.0	46.4	42.8	42.8	53.1	63.0	39.0	41.0	41.0	42.8	35.1	28.4	37.0	37.9	28.9
2814	4	28	6	44.6	72.0	55.0	66.0	46.9	60.1	57.9	50.0	52.7	51.1	52.0	48.2	44.6	46.4	50.0	72.0	41.0	42.8	41.0	44.6	35.1	30.2	41.0	39.9	30.9
2815	4	28	7	50.0	73.9	57.9	69.1	53.1	64.0	64.9	51.1	53.1	55.0	52.0	51.8	48.2	48.2	46.9	75.0	46.0	46.4	44.6	50.0	36.0	32.0	44.1	43.0	37.0
2816	4	28	8	57.2	75.0	62.1	75.9	60.1	69.1	71.1	53.1	53.8	62.1	54.0	55.4	53.6	51.8	46.9	79.0	48.9	53.6	46.4	57.2	36.0	33.8	46.0	46.9	42.1
2817	4	28	9	62.6	75.9	68.0	78.1	64.9	72.0	72.0	53.0	54.3	64.9	53.1	59.0	59.0	53.6	44.1	84.9	51.1	59.0	48.2	62.6	37.0	39.2	46.0	52.0	44.1
2818	4	28	10	66.2	75.9	72.0	82.0	64.9	73.0	75.0	57.0	55.0	68.0	53.1	62.6	64.4	57.2	44.1	88.0	53.1	64.4	50.0	66.2	39.2	42.8	46.9	57.0	44.1
2819	4	28	11	68.0	77.0	75.9	84.0	66.9	73.0	80.1	57.9	55.4	71.1	55.0	64.4	68.0	59.0	43.0	90.0	55.9	66.2	51.8	68.0	41.0	44.6	46.9	62.1	43.0
2820	4	28	12	69.8	77.0	79.0	84.9	73.9	75.9	84.0	59.0	55.6	72.0	57.0	66.2	69.8	59.0	42.1	84.0	57.9	68.0	51.8	69.8	39.9	46.4	48.9	66.9	48.0
2821	4	28	13	71.6	75.9	81.0	89.1	75.0	78.1	87.1	59.0	55.9	75.9	62.1	68.0	71.6	60.8	42.1	71.1	61.0	69.8	51.8	71.6	39.9	48.2	53.1	68.0	52.0
2822	4	28	14	71.6	78.1	82.9	90.0	77.0	78.1	91.0	59.0	55.6	75.9	64.9	68.0	73.4	60.8											

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

			Average	76.1	68.6	74.1	62.0		62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
			Max	96.1	102.9	111.9	98.1		90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
			Min	41.0	21.0	36.0	9.0		42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9
			Selected Climate ZoneC25B - Spokane, WA																									
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
Month	Day	Hour (MST)	Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
3277	5	17	13	57.2	87.1	86.0	95.0	82.9	72.0	84.9	64.9	84.0	73.9	50.0	62.6	59.0	59.0	55.9	57.9	63.0	87.8	86.0	57.2	73.0	55.4	62.1	73.2	59.0
3278	5	17	14	59.0	88.0	84.9	97.0	82.0	72.0	87.1	66.9	84.0	73.9	48.9	62.6	60.8	59.0	55.9	57.9	66.0	87.8	84.2	59.0	75.0	55.4	63.0	74.7	59.0
3279	5	17	15	60.8	89.0	86.0	98.0	83.0	71.1	88.0	68.9	84.0	73.9	48.9	62.6	60.8	59.0	55.9	57.9	66.0	88.0	84.2	59.0	75.0	55.4	63.0	75.9	59.0
3280	5	17	16	60.8	86.0	64.9	100.0	82.9	70.0	89.1	64.9	86.0	77.0	48.9	62.6	59.0	57.2	55.0	55.0	66.9	86.0	82.4	60.8	75.0	53.6	63.7	74.3	59.0
3281	5	17	17	59.0	84.0	66.0	98.1	84.0	69.1	88.0	62.1	86.0	77.0	50.0	60.8	57.2	55.4	54.0	54.0	66.0	84.2	80.6	59.0	75.0	51.8	64.0	72.7	59.0
3282	5	17	18	57.2	82.9	64.0	99.0	82.9	66.0	87.1	60.1	84.0	75.9	48.9	59.0	55.4	53.6	53.1	52.0	63.0	80.6	77.0	57.2	75.0	51.8	62.4	71.1	59.0
3283	5	17	19	51.8	81.0	64.0	98.1	80.1	64.9	86.0	60.1	77.0	73.9	46.0	55.4	51.8	51.8	53.1	51.1	62.1	77.0	73.4	51.8	71.1	48.2	60.6	66.7	57.0
3284	5	17	20	48.2	80.1	64.0	93.9	77.0	64.9	81.0	61.0	73.0	70.0	45.0	51.8	48.2	48.2	53.1	51.1	62.1	73.4	69.8	48.2	66.9	42.8	59.0	62.2	55.0
3285	5	17	21	46.4	79.0	64.9	86.0	77.0	63.0	77.0	60.1	71.1	70.0	44.1	50.0	48.2	46.4	52.0	48.9	60.1	69.8	66.2	46.4	64.0	39.2	57.4	57.9	52.0
3286	5	17	22	44.6	79.0	64.9	84.9	71.1	63.0	75.0	60.1	69.1	66.0	45.0	50.0	46.4	44.6	51.1	48.0	57.9	66.2	64.4	44.6	61.0	37.4	55.6	55.6	50.0
3287	5	17	23	44.6	79.0	64.0	84.0	69.1	62.1	73.0	60.1	68.0	64.0	43.0	50.0	46.4	44.6	52.0	48.0	55.9	64.4	62.6	44					

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

			Selected Climate Zone CZ5B -Spokane, WA																																															
			CZ1A - Miami, FL		CZ3B - Houston, TX		CZ2B - Phoenix, AZ		CZ3A - Atlanta, GA		CZ3B - Los Angeles, CA		CZ3C - Las Vegas, NV		CZ3C - San Francisco, CA		CZ4A - Baltimore, MD		CZ4B - Albuquerque, NM		CZ4C - Seattle, WA		CZ4C - Olympia, WA		CZ4C - Portland, OR		CZ4C - Salem OR		CZ5A - Chicago, IL		CZ5A - Boston, MA		CZ5B - Denver, CO		CZ5B - Grass Valley, CA		CZ5B - Nevada City, CA		CZ5B - Spokane, WA		CZ6A - Minneapolis, MN		CZ6B - McCall, ID		CZ6B - Helena, MT		CZ7 - Duluth, MN		CZ8 - Fairbanks, AK	
			Selected Climate ZoneDry-Bulb, deg F		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb					
Month	Day	Hour (MST)	Dry-Bulb	Hour (MST)	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb				
4135	6	22	7	60.8	75.0	79.0	81.0	73.0	64.0	84.9	55.0	72.0	73.9	53.1	51.8	53.6	53.6	69.1	72.0	71.1	73.4	69.8	60.8	66.0	39.2	46.0	57.0	62.1																						
4136	6	22	8	66.2	77.0	82.0	84.0	79.0	64.9	88.0	59.0	78.1	78.1	54.0	53.6	55.4	55.4	72.0	75.0	77.0	78.8	75.2	66.2	66.9	42.8	48.9	62.1	62.1																						
4137	6	22	9	68.0	75.9	84.9	89.1	82.9	66.0	93.0	60.1	82.9	82.9	57.9	55.4	55.4	59.0	73.0	78.1	78.1	82.4	78.8	68.0	66.0	48.2	53.1	66.0	66.0																						
4138	6	22	10	69.8	75.9	86.0	95.0	84.9	69.1	93.9	62.1	84.9	87.1	61.0	59.0	57.2	60.8	73.9	82.0	73.9	86.0	80.6	69.8	66.0	51.8	57.0	66.0	69.1																						
4139	6	22	11	71.6	75.0	89.1	96.1	87.1	70.0	95.0	64.0	86.0	89.1	64.0	60.8	59.0	62.6	75.9	82.0	66.0	87.8	82.4	71.6	66.0	55.4	55.0	69.1	71.1																						
4140	6	22	12	73.4	75.0	90.0	99.0	89.1	70.0	100.0	70.0	87.1	90.0	69.1	62.6	60.8	64.4	75.0	79.0	70.0	89.6	84.2	73.4	69.1	57.2	55.9	69.1	73.0																						
4141	6	22	13	75.2	79.0	91.0	100.0	90.0	69.1	102.0	69.1	86.0	91.9	70.0	64.4	60.8	66.2	73.9	77.0	70.0	91.4	86.0	75.2	69.1	59.0	57.0	69.1	73.0																						
4142	6	22	14	75.2	82.9	91.9	102.0	89.1	69.1	104.0	68.0	88.0	93.9	73.0	66.2	62.6	68.0	73.9	73.9	73.9	91.4	86.0	75.2	70.0	59.0	57.9	69.1	71.1																						
4143	6	22	15	75.2	84.9	90.0	105.1	84.0	68.0	102.0	66.0	87.1	93.9	73.9	64.4	62.6	68.0	73.9	71.1	78.1	91.4	84.2	75.2	73.0	60.8	60.1	71.1	73.0																						
4144	6	22	16	73.4	86.0	91.9	102.9	87.1	68.0	102.9	66.0	82.9	95.0	75.9	64.4	62.6	68.0	73.0	70.0	75.0	89.6	82.4	73.4	71.1	59.0	55.0	71.1	73.9																						
4145	6	22	17	71.6	84.9	91.9	105.1	90.0	66.0	102.0	63.0	82.9	90.0	75.9	62.6	60.8	66.2	70.0	69.1	75.0	87.8	80.6	71.6	72.0	57.2	55.0	70.0	75.0																						
4146	6	22	18	69.8	84.0	88.0	102.9	87.1	64.9	100.9	61.0	73.0	88.0	73.9	57.2	55.4	59.0	64.9	69.1	66.0	68.0	84.2	75.2	69.8	73.0	55.4	55.9	70.0	73.9																					
4147	6	22	19	64.4	82.9	86.0	100.9	84.9	64.0	96.1	57.9	70.0	86.0	73.9	57.2	55.4	59.0	64.9	64.9	68.0	77.0	68.0	64.4	70.0	53.6	57.0	66.9	73.0																						
4148	6	22	20	60.8	82.9	82.9	97.0	81.0	63.0	95.0	55.0	69.1	82.0	68.0	53.6	51.8	55.4	60.1	63.0	63.0	73.4	62.6	60.8	68.0	50.0	54.0	64.0	71.1																						
4149	6	22	21	59.0	82.0	81.0	95.0	69.1	63.0	93.9	54.0	69.1	77.0	64.0	51.8	48.2	51.8	57.9	63.0	63.0	71.6	59.0	59.0	66.9	48.2	51.1	62.1	69.1																						
4150	6	22	22	55.4	81.0	80.1	93.9	69.1	63.0	93.0	53.1	69.1	73.0	60.1	50.0	46.4	50.0	57.0	63.0	62.1	68.0	57.2	55.4	69.1	46.4	48.0	60.1	66.9																						
4151	6	22	23	53.6	81.0	79.0	93.0	68.0	62.1	90.0	52.0	69.1	73.0	57.9	50.0	44.6	48.2	55.0	63.0	64.0	64.4	55.4	53.6	66.0	44.6	48.0	57.0	64.9																						
4152	6	22	24	50.0	81.0	78.1	91.9	69.1	62.1	89.1	52.0	69.1	68.0	57.0	48.2	44.6	46.4	55.0	63.0	63.0	62.6	53.6	50.0	66.0	42.8	45.0	53.1	63.0																						
4153	6	23	1	48.2	80.1	78.1	90.0	70.0	62.1	88.0	52.0	70.0	72.0	57.9	48.2	44.6	46.4	54.0	62.1	61.0	62.6	51.8	48.2	66.0	41.0	46.0	53.1	60.1																						
4154	6	23	2	44.6	80.1	77.0	89.1	70.0	61.0	87.1	51.1	70.0	66.0	57.0	46.4	44.6	44.6	53.1	61.0	57.9	60.8	51.8	44.6	64.9	39.2	42.1	52.0	57.0																						
4155	6	23	3	42.8	81.0	77.0	88.0	70.0	61.0	82.9	51.1	71.1	64.9	57.9	46.4	42.8	44.6	52.0	62.1	57.0	60.8	50.0	42.8	64.9	37.4	44.1	54.0	55.9																						
4156	6	23	4	42.8	80.1	77.0	84.9	70.0	62.1	78.1	52.0	71.1	62.1	57.9	46.4	42.8	44.6	50.0	60.8	55.0	59.0	50.0	42.8	64.0	37.4	41.0	54.0	57.0																						
4157	6	23	5	44.6	80.1	75.9	84.0	70.0	63.0	78.1	51.1	70.0	61.0	57.0	46.4	42.8	44.6	50.0	61.0	54.0	60.8	51.8	44.6	64.0	37.4	39.9	55.0	59.0																						
4158	6	23	6	48.2	80.1	75.0	82.9	70.0	63.0	81.0	54.0	71.1	64.9	55.9	48.2	46.4	48.2	50.0	61.0	60.1	66.2	57.2	48.2	64.0	41.0	42.1	57.0	57.0																						
4159	6	23	7	51.8	80.1	78.1	84.0	71.1	63.0	87.1	60.1	73.0	72.0	57.0	51.8	50.0	51.8	51.1	60.1	64.0	73.4	64.4	51.8	68.0	46.4	46.0	60.1	57.9																						
4160	6	23	8	57.2	81.0	79.0	88.0	75.0	64.9	91.9	63.0	73.9	73.0	57.0	53.6	53.6	55.4	53.1	63.0	66.0	78.8	69.8	57.2	66.9	51.8	50.0	64.9	59.0																						
4161	6	23	9	59.0	82.9	84.0	93.9	78.1	66.0	96.1	64.9	73.0	75.9	57.0	57.2	55.4	60.8	55.0	66.0	69.1	84.2	73.4	59.0	71.1	53.6	55.0	68.0	63.0																						
4162	6	23	10	60.8	84.9	86.0	98.1	82.0	70.0	99.0	69.1	72.0	82.0	57.0	59.0	55.4	62.6	57.0	68.0	73.0	87.8	75.2	60.8	73.0	53.6	59.0	70.0	63.0																						
4163	6	23	11	64.4	79.0	89.1	100.0	86.0	69.1	100.9	71.1	78.1	87.1	59.0	62.6	55.4	66.2	57.9	71.1	77.0	89.6	78.8	64.4	77.0	53.6	60.1	72.0	66.0																						
4164	6	23	12	66.2	84.0	90.0	102.0	89.1	70.0	102.9	66.9	79.0	89.1	60.1	64.4	57.2	68.0	57.9	73.9	80.1	91.4	80.6	66.2	79.0	53.6	63.0	73.9	64.0																						
4165	6	23	13	66.2	87.1	91.0	105.1	90.0	70.0	105.1	71.1	82.0	91.9	61.0	66.2	59.0	69.8	59.0	73.0	82.9	91.4	80.6	66.2	79.0	57.2	63.0	75.0	66.9																						
4166	6	23	14	68.0	77.0	93.0	106.0	91.0	70.0	107.1	66.9	82.9	93.9	63.0	66.2	60.8	71.6	59.0	69.1	84.0	91.4	82.4	68.0	79.0	59.0	66.0	77.0	69.1																						
4167	6	23	15	68.0	78.1	93.0	107.1	87.1	70.0	106.0	66.9	82.9	95.0	62.1	66.2	60.8	73.4	59.0	71.1	90.0	89.6	80.6	68.0	80.1	60.8	66.9	75.9	70.0																						
4168	6	23	16	68.0	79.0	93.9	108.0	87.1	70.0	109.0	64.9	80.1	96.1	64.0	64.4	60.8	71.6	57.9	72.0	88.0	87.8	78.8	68.0	79.0	62.6	68.0	75.0	70.0																						
4169	6	23	17	66.2	82.0	91.9	108.0	89.1	68.0	108.0	64.0	84.0	93.9	64.0	62.6	60.8	71.6	57.9	70.0	84.0	86.0	77.0	66.2	79.0	62.6	66.0	73.9	71.1																						
4170	6	23	18	64.4	82.0	90.0	108.0	84.9	66.0	107.1	61.0	81.0	93.0	63.0	60.8	59.0	69.8	57.9	75.9	81.0	82.4	73.4	64.4	79.0	59.0	60.1	73.9	71.1																						
4171	6	23	19	59.0	82.0	86.0	107.1	82.9	64.0	104.0	55.9	77.0	89.1	62.1	57.2	55.4	64.4	57.9	80.1	79.0	75.2	66.2	59.0	75.0	55.4	62.1	71.1	70.0																						
4172	6	23	20	55.4	81.0	82.0	105.1	79.0	63.0	100.0	55.9	75.0	82.9	61.0	53.6	51.8	60.8	55.9	79.0	75.0	68.0	59.0	55.4	73.9	53.6	60.1	69.1	69.1																						
4173	6	23	21	53.6	80.1	79.0	99.0	75.9	62.1	97.0	55.9	73.0	80.1	57.9	51.8	48.2	57.2	55.0	77.0	73.9	64.4	57.2	53.6	71.1	50.0	53.1	66.0	68.0																						
4174	6	23	22	51.8	79.0	78.1	99.0	75.0	62.1	91.0	55.9	72.0	79.0	57.0	50.0	48.2	55.4	55.0	77.0	68.0	60.8	55.4	51.8	71.1	48.2	50.0	66.0	66.0																						
4175	6	23	23	50.0	79.0	77.0	98.1	72.0	62.1	93.9																																								

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

			Selected Climate Zone C25B -Spokane, WA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

			Average	76.1	68.6	74.1	62.0		62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
			Max	96.1	102.9	111.9	98.1		90.0	111.9	91.0	95.0	102.0	88.0	91.4	98.6	95.0	95.0	99.0	104.0	102.2	104.4	90.0	99.0	86.0	95.0	91.0	80.0
			Min	41.0	21.0	36.0	9.0		42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9
			Selected Climate ZoneC258 - Spokane, WA																									
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
			Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																										
4447	7	5	7	55.4	81.0	75.9	91.9	75.0	63.0	89.1	55.9	71.1	75.9	57.9	53.6	59.0	53.6	78.1	68.0	75.9	73.4	75.2	55.4	79.0	60.8	60.4	64.9	46.9
4448	7	5	8	60.8	82.9	80.1	93.9	79.0	64.9	93.0	57.9	72.3	78.1	59.0	55.4	60.8	55.4	80.1	69.1	81.0	77.0	80.6	60.8	82.0	64.4	64.0	69.1	48.0
4449	7	5	9	64.4	84.9	86.1	96.9	86.9	66.9	96.1	60.1	73.1	80.1	61.0	57.2	62.9	59.0	82.9	72.0	81.0	80.6	80.6	64.4	84.0	66.2	74.1	72.0	50.0
4450	7	5	10	66.2	86.0	86.0	100.9	86.0	69.1	98.1	62.1	75.0	84.9	63.0	59.0	66.2	62.6	84.9	70.0	91.9	82.4	91.4	66.2	87.1	68.0	70.7	73.0	57.0
4451	7	5	11	68.0	86.0	89.1	105.1	88.0	70.0	100.9	62.4	76.6	86.0	64.0	60.8	68.0	64.4	88.0	73.9	93.0	84.2	93.2	68.0	88.0	69.8	73.9	75.0	51.1
4452	7	5	12	69.8	86.0	90.0	106.0	89.1	71.1	104.0	62.6	78.4	87.1	64.9	62.6	69.8	66.2	88.0	73.9	95.0	86.0	95.0	68.0	90.0	71.6	77.9	75.9	51.1
4453	7	5	13	71.6	89.1	93.0	108.0	90.0	70.0	108.0	63.0	80.1	89.1	68.0	64.4	71.6	68.0	90.0	73.9	93.0	87.8	95.0	71.6	91.9	73.4	82.0	77.0	52.0
4454	7	5	14	73.4	91.0	93.0	108.0	90.0	69.1	109.0	62.6	79.3	91.0	62.1	64.4	71.6	69.8	91.0	75.9	95.0	89.6	95.0	73.4	93.0	73.4	86.0	73.9	52.0
4455	7	5	15	73.4	88.0	89.1	109.0	91.0	69.1	109.9	62.4	78.8	91.9	64.9	62.6	69.8	69.8	91.0	75.9	97.0	87.8	93.2	73.4	93.9	73.4	85.6	72.0	52.0
4456	7	5	16	73.4	82.9	91.0	109.0	91.0	69.1	106.0	62.1	78.1	91.0	64.9	60.8	68.0	69.8	89.1	73.9	93.0	86.0	91.4	73.4	95.0	73.4	85.3	75.0	52.0
4457	7	5	17	71.6	75.0	90.0	109.0	90.0	68.0	100.0																		

			Average	76.1	68.6	74	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			Max	96.1	102.9	111.9	98.1	90.3	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			Selected Climate Zone C25B - Spokane, WA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			C21A - Miami, FL		C22A - Houston, TX		C22B - Phoenix, AZ		C23A - Atlanta, GA		C23B - Los Angeles, CA		C23B - Las Vegas, NV		C23C - San Francisco, CA		C24A - Baltimore, MD		C24B - Albuquerque, NM		C24C - Seattle, WA		C24C - Olympia, WA		C24C - Portland, OR		C24C - Salem, OR		C25A - Chicago, IL		C25A - Boston, MA		C25B - Denver, CO		C25B - Grass Valley, CA		C25B - Nevada City, CA		C25B - Spokane, WA		C26A - Minneapolis, MN		C26B - McCall, ID		C26B - Helena, MT		C27 - Duluth, MN		C28 - Fairbanks, AK																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb

[illegible]

				Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
				Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.0	98.6	95.0	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
				Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9
				Selected Climate ZoneC25B -Spokane, WA																								
					CZ1A - Miami, FL	CZ2A - Houston, TX	CZ2B - Phoenix, AZ	CZ3A - Atlanta, GA	CZ3B - Los Angeles, CA	CZ3B - Las Vegas, NV	CZ3C - San Francisco, CA	CZ4A - Baltimore, MD	CZ4B - Albuquerque, NM	CZ4C - Seattle, WA	CZ4C - Olympia, WA	CZ4C - Portland, OR	CZ4C - Salem, OR	CZ5A - Chicago, IL	CZ5A - Boston, MA	CZ5B - Denver, CO	CZ5B - Grass Valley, CA	CZ5B - Nevada City, CA	CZ5B - Spokane, WA	CZ6A - Minneapolis, MN	CZ6B - McCall, ID	CZ6B - Helena, MT	CZ7 - Duluth, MN	CZ8 - Fairbanks, AK
				Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb
Month	Day	Hour (MST)																										
4915	7	24	19	64.4	81.0	82.9	109.0	86.0	66.9	98.1	59.0	75.0	78.1	82.0	71.6	69.8	66.2	84.9	66.9	63.0	80.6	78.8	64.4	79.0	55.4	69.3	61.0	70.0
4916	7	24	20	60.8	81.0	82.0	106.0	84.0	66.0	95.0	57.7	74.7	81.0	75.0	66.2	64.4	60.8	82.9	66.0	61.0	75.2	71.6	60.8	79.0	51.8	66.0	57.0	68.0
4917	24	21	21	57.2	80.1	80.1	100.1	69.1	64.9	89.1	56.3	74.3	73.0	72.0	63.6	60.8	57.2	82.9	66.0	61.0	73.4	68.0	57.2	77.0	48.2	55.0	60.0	60.0
4918	7	24	22	57.2	78.1	80.1	100.9	78.1	64.9	88.0	55.0	73.9	75.9	69.1	68.0	57.2	53.6	82.0	64.9	61.0	71.6	68.0	57.2	75.0	64.4	64.0	55.0	66.0
4919	7	24	23	55.4	78.1	78.1	95.0	77.0	64.9	84.9	55.0	73.6	73.9	66.9	60.8	55.4	51.8	80.1	64.9	59.0	71.6	68.0	55.4	73.9	44.6	63.0	51.1	64.9
4920	7	24	24	53.6	77.0	78.1	95.0	75.0	64.9	84.9	55.0	73.4	73.9	62.1	59.0	53.6	50.0	80.1	64.0	57.9	71.6	66.2	53.6	72.0	42.8	62.2	51.1	64.0
4921	7	25	1	51.8	78.1	77.0	91.0	75.0	64.9	82.9	55.0	73.0	73.0	60.1	59.0	53.6	50.0	78.1	64.0	55.0	69.8	66.2	51.8	70.0	41.0	61.7	52.0	62.1
4922	7	25	2	50.0	77.0	77.0	91.0	72.0	64.9	82.9	54.7	71.8	73.0	57.9	57.2	51.8	48.2	78.1	64.0	55.0	69.8	64.4	50.0	68.0	41.0	61.0	53.1	60.1
4923	7	25	3	50.0	77.0	75.9	91.0	71.1	64.0	81.0	54.3	70.3	69.1	57.9	55.4	51.8	48.2	73.9	64.9	54.0	69.8	60.8	50.0	66.0	39.2	60.6	52.0	59.0
4924	7	25	4	48.2	78.1	75.0	90.0	71.1	64.0	82.0	54.0	69.1	68.0	57.0	55.4	51.8	46.4	73.9	64.0	54.0	68.0	60.8	48.2	64.0	39.2	60.4	50.0	57.9
4925	7	25	5	48.2	78.1	73.9	88.0	71.1	64.9	78.1	55.2	69.1	70.0	57.0	55.4	51.8	48.2	73.9	64.0	54.0	68.0	60.8	48.2	63.0	39.2	60.1	48.0	57.9
4926	7	25	6	51.8	78.1	73.9	89.1	70.0	64.0	80.1	56.7	69.1	71.1	57.0	57.2	53.6	51.8	71.1	63.0	54.0	69.8	66.2	51.8	63.0	41.0	60.4	52.0	57.9
4927	7	25	7	57.2	80.1	75.9	89.1	70.0	66.0	82.9	57.9	69.1	70.0	57.9	59.0	57.2	55.4	71.1	66.0	59.0	75.2	75.2	57.2	64.9	46.4	60.6	54.0	57.9
4928	7	25	8	68.0	84.0	80.1	93.9	71.1	70.0	89.1	60.6	69.1	77.0	59.0	62.6	60.8	73.0	68.0	63.0	78.8	80.6	60.8	68.0	53.6	61.0	55.0	57.0	
4929	7	25	9	62.6	86.0	82.9	95.0	75.9	72.0	93.0	63.3	69.1	81.0	61.0	66.2	62.6	66.2	77.0	71.1	68.0	84.2	86.0	62.6	70.0	59.0	63.3	57.0	57.0
4930	7	25	10	66.2	91.0	84.9	99.0	79.0	72.0	96.1	66.0	69.1	84.0	64.0	68.0	64.4	71.6	75.0	73.0	71.1	89.6	89.6	66.2	72.0	62.6	65.7	59.0	57.0
4931	7	25	11	68.0	91.9	87.1	99.0	84.0	72.0	98.1	68.4	69.1	87.1	66.9	69.8	66.2	73.4	77.0	73.9	72.0	93.2	91.4	68.0	73.0	64.4	68.0	60.1	57.9
4932	7	25	12	69.8	90.0	90.0	102.0	86.0	73.0	99.0	70.7	69.1	91.0	68.0	71.6	68.0	75.2	80.1	75.0	73.9	95.0	93.2	69.8	73.9	66.2	70.0	64.0	57.9
4933	7	25	13	71.6	90.0	90.0	104.0	86.0	73.0	100.9	73.0	69.1	91.9	71.1	73.4	71.6	77.0	82.9	73.9	77.0	96.8	95.0	71.6	75.0	68.0	72.0	64.9	57.9
4934	7	25	14	73.4	91.0	106.0	106.0	87.1	73.0	102.0	71.4	70.0	93.9	72.0	75.2	75.2	78.8	86.0	75.9	70.0	96.8	95.0	73.4	75.9	69.8	73.9	64.0	60.1
4935	7	25	15	73.4	90.0	91.0	108.0	84.9	73.0	100.9	69.6	71.1	91.9	71.0	75.2	75.2	78.8	84.0	72.0	95.9	96.8	95.0	73.4	77.0	69.8	73.0	62.1	60.1
4936	7	25	16	71.6	87.1	89.1	109.9	84.9	73.0	102.0	68.0	72.0	91.9	75.0	73.4	73.4	77.0	84.0	78.1	64.9	95.0	93.2	71.6	77.0	68.0	72.0	63.0	62.1
4937	7	25	17	69.8	87.1	91.0	109.0	73.0	72.0	100.9	64.6	72.0	88.0	78.1	71.6	71.6	75.2	81.0	78.1	69.1	91.4	91.4	69.8	75.9	66.2	71.1	62.1	62.1
4938	7	25	18	68.0	86.0	87.1	108.0	73.9	70.0	100.0	61.3	72.0	81.0	72.0	69.8	69.8	71.6	77.0	75.0	66.9	87.8	86.0	68.0	75.9	64.4	68.0	61.0	62.1
4939	7	25	19	64.4	84.9	86.0	98.1	73.9	68.0	98.1	57.9	72.0	80.1	70.0	66.2	64.4	66.2	73.9	73.9	66.0	82.4	78.8	64.4	73.0	60.8	65.1	57.0	62.1
4940	7	25	20	62.6	84.0	82.9	98.1	73.0	66.9	95.0	57.0	72.0	78.1	66.9	62.6	59.0	60.8	73.0	71.1	63.0	77.0	71.6	62.6	70.0	53.6	62.1	53.1	62.1
4941	7	25	21	60.8	82.9	82.9	98.1	73.0	66.9	93.0	55.9	72.0	77.0	64.0	60.8	55.4	57.2	72.0	69.1	60.1	75.2	69.8	60.8	66.9	50.0	61.0	51.1	61.0
4942	7	25	22	59.0	82.9	82.0	98.1	73.0	66.0	90.0	55.0	72.0	69.1	61.0	59.0	53.6	55.4	71.1	68.0	57.0	73.4	68.0	59.0	64.9	50.0	60.1	52.0	59.0
4943	7	25	23	57.2	82.0	81.0	96.1	71.1	66.0	86.0	54.7	72.0	73.9	61.0	59.0	51.8	53.6	69.1	68.0	59.0	73.4	66.2	57.2	64.0	48.2	59.0	51.1	59.0
4944	7	25	24	55.4	81.0	79.0	90.0	71.1	66.0	84.9	54.3	72.0	70.0	57.9	57.2	51.8	51.8	68.0	66.0	57.9	71.6	64.4	55.4	62.1	48.2	57.9	45.0	59.0
4945	7	26	1	53.6	79.0	79.0	90.0	72.0	66.0	82.9	54.0	72.0	70.0	57.0	57.2	51.8	50.0	68.0	66.0	57.0	71.6	64.4	53.6	59.0	46.4	57.0	45.0	57.9
4946	7	26	2	51.8	79.0	75.9	90.0	72.0	66.0	81.0	53.6	72.0	71.1	55.9	57.2	51.8	48.2	66.9	66.0	55.9	71.6	66.2	51.8	60.1	46.4	55.9	43.0	55.9
4947	7	26	3	50.0	79.0	75.9	89.1	71.1	64.9	81.0	53.4	72.0	72.0	55.9	55.4	50.0	48.2	64.9	66.0	54.0	69.8	64.4	50.0	60.1	44.6	55.0	44.1	54.0
4948	7	26	4	50.0	79.0	75.9	84.9	71.1	66.0	78.1	53.1	72.0	71.1	57.0	55.4	50.0	46.4	66.0	64.9	54.0	69.8	64.4	50.0	60.1	42.8	54.0	42.1	54.0
4949	7	26	5	51.8	79.0	75.9	84.0	71.1	64.0	77.0	54.7	72.3	70.0	55.9	55.4	50.0	48.2	66.0	64.9	53.1	68.0	64.4	51.8	57.9	42.8	53.1	41.0	53.1
4950	7	26	6	57.2	79.0	75.0	84.0	72.0	66.0	78.1	56.3	72.7	68.0	55.9	59.0	53.6	51.8	69.1	66.0	57.0	69.8	68.0	57.2	62.1	44.6	55.0	48.0	53.1
4951	7	26	7	60.8	84.9	77.0	92.0	69.1	64.0	84.0	57.9	71.1	73.0	57.0	62.6	55.4	55.4	72.0	72.0	66.0	75.2	73.4	62.6	64.9	51.8	57.0	57.0	53.1
4952	7	26	8	69.8	82.9	82.9	87.1	73.9	70.0	89.1	60.3	74.7	73.9	65.7	66.2	64.0	59.0	73.0	73.0	66.0	73.8	78.8	69.8	64.9	59.0	59.0	52.0	54.0
4953	7	26	9	75.2	84.9	86.0	91.0	75.0	73.9	91.9	62.6	76.5	77.0	59.0	69.8	66.2	62.6	75.0	75.0	71.1	82.4	84.2	75.2	70.0	66.2	63.0	64.9	55.9
4954	7	26	10	77.0	89.1	89.1	96.1	79.0	73.9	98.1	64.9	78.1	79.0	60.1	71.6	68.0	68.0	78.1	75.9	75.0	86.0	86.0	77.0	70.0	69.8	67.1	68.0	60.1
4955	7	26	11	80.6	89.1	90.0	98.1	82.0	73.9	99.0	67.6	80.4	84.0	62.1	75.2	71.6	71.6	79.0	78.1	79.0	87.8	87.8	80.6	72.0	71.6	71.1	68.0	64.9
4956	7	26	12	82.4	90.0	91.0	100.9	84.0	73.0	98.1	70.3	82.6	84.9	66.0	77.0	73.4	73.4	80.1	77.0	77.0	91.4	89.6	82.4	75.0	73.4	74.1	70.0	64.9
4957	7	26	13	84.2	91.9	91.9	102.9	84.9	73.0	100.0	73.0	84.9	88.0	66.0														

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

				Selected Climate Zone C25B -Spokane, WA																								
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
				Selected Climate ZoneDry- Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb
Month	Day	Hour (MST)																										
5383	8	13	7	66.2	77.0	82.0	87.1	73.0	69.1	81.0	60.1	75.9	66.0	64.2	60.8	64.4	59.0	64.9	71.1	63.0	80.6	80.6	66.2	64.0	44.6	60.1	57.9	57.9
5384	8	13	8	71.6	80.1	84.0	88.0	75.9	72.0	87.1	62.1	80.1	68.0	67.1	62.6	68.0	62.6	71.1	75.0	66.9	86.0	86.0	71.6	66.0	51.8	60.1	63.0	57.9
5385	8	13	9	77.0	84.0	84.9	89.1	79.0	75.0	91.0	64.9	84.2	72.0	69.6	66.2	71.6	68.0	75.0	72.0	71.1	91.4	91.4	77.0	68.0	57.2	60.4	64.9	57.9
5386	8	13	10	78.8	84.9	89.1	91.9	80.1	73.9	93.0	66.9	84.9	75.0	72.9	69.8	77.0	71.6	77.0	75.0	73.9	95.0	95.0	78.8	72.0	62.6	60.6	66.0	60.1
5387	8	13	11	82.4	86.0	91.9	93.0	82.0	75.9	93.9	69.1	87.1	78.1	76.8	73.4	80.6	75.2	80.1	73.0	82.0	96.8	96.8	82.4	75.9	68.0	61.0	68.0	61.0
5388	8	13	12	84.2	87.1	95.0	96.1	82.9	73.9	96.1	70.0	89.1	81.0	79.0	75.2	82.4	78.8	81.0	72.0	82.9	98.6	98.6	84.2	77.0	71.6	60.6	68.0	63.0
5389	8	13	13	84.2	87.1	98.1	97.0	86.0	73.9	96.1	70.0	90.0	82.9	79.7	77.0	84.2	80.6	82.9	73.0	73.4	100.4	100.4	84.2	79.0	73.4	60.4	70.0	64.0
5390	8	13	14	86.0	84.9	93.0	99.0	87.1	73.0	96.1	70.0	91.9	86.0	81.0	78.8	86.0	82.4	81.0	73.0	69.1	102.2	100.4	86.0	78.1	75.2	60.1	73.0	66.0
5391	8	13	15	84.2	86.0	82.9	100.0	87.1	73.0	97.0	70.0	91.9	84.9	82.6	78.8	86.0	84.2	81.0	71.1	77.0	100.4	98.6	84.2	77.0	75.2	61.0	72.0	64.9
5392	8	13	16	84.2	87.1	81.0	100.9	86.0	72.0	96.1	68.0	93.9	86.0	82.8	77.0	84.2	82.4	82.0	71.1	77.0	98.6	96.8	84.2	77.0	73.4	62.1	73.0	66.0
5393	8	13	17	82.4	86.0	80.1	100.9	88.0	72.0	95.0	66.0	91.0	88.0	81.5	73.4	82.4	80.6	79.0	70.0	73.4	96.8	95.0	82.4	77.0	71.6	63.0	71.1	64.9
5394	8	13	18	75.2	84.0	80.1	100.9	88.0	70.0	93.0	64.0	89.1	84.0	79.5	69.8	77.0	75.2	78.1	70.0	72.0	91.4	89.6	75.2	75.9	68.0	61.7	71.1	63.0
5395	8	13	19	69.8	81.0	79.0	100.0	86.0	69.1	91.0	62.1	86.0	82.0	75.7	64.4	71.6	69.8	66.9	70.0	69.1	84.2	82.4	69.8	75.0	62.6	60.3	66.9	62.1
5396	8	13	20	66.2	81.0	78.1	97.0	84.9	69.1	88.0	61.0	84.9	79.0	73.2	60.8	66.2	64.4	68.0	71.1	68.0	80.6	80.6	66.2	73.0	57.2	59.0	64.0	60.1
5397	8	13	21	64.4	82.0	75.9	96.1	82.9	69.1	82.9	60.1	84.9	77.0	73.8	59.0	62.6	60.8	68.0	72.0	68.0	78.8	78.8	64.4	71.1	55.4	57.9	61.0	59.0
5398	8	13	22	64.4	82.0	75.0	91.0	82.0	69.1	86.0	60.1	84.9	75.0	73.6	57.2	62.6	59.0	70.0	71.1	66.9	75.2	75.2	64.4	69.1	55.4	57.0	57.9	57.9
5399	8	13	23	64.4	81.0	75.0	82.9	80.1	68.0	84.0	59.0	84.0	75.0	71.6	57.2	60.8	57.2	70.0	72.0	64.0	73.4	73.4	64.4	66.0	53.6	55.9	54.0	57.0
5400	8	13	24	64.4	81.0	73.9	79.0	79.0	68.0	80.1	57.9	81.0	71.1	68.5	57.2	59.0	55.4	70.0	72.0	64.0	73.4	71.6	64.4	66.9	51.8	55.6	55.0	55.9
5401	8	14	1	64.4	80.1	73.9	78.1	77.0	68.0	79.0	57.9	75.0	68.0	68.9	57.2	59.0	55.4	70.0	73.0	64.0	71.6	69.8	64.4	66.0	50.0	55.4	55.9	55.0
5402	8	14	2	62.6	80.1	73.9	78.1	79.0	66.9	79.0	57.0	75.0	68.0	62.8	57.2	57.2	53.6	70.0	73.0	64.0	69.8	68.0	62.6	66.0	46.4	55.0	54.0	54.0
5403	8	14	3	59.0	73.0	73.9	79.0	78.1	66.9	75.9	55.9	73.9	66.9	61.7	57.2	57.2	53.6	70.0	72.0	64.0	68.0	68.0	59.0	66.0	46.4	54.7	55.0	54.0
5404	8	14	4	55.4	73.0	73.0	79.0	75.9	66.9	75.9	57.0	73.0	66.0	59.2	55.4	57.2	53.6	68.0	71.1	64.9	68.0	66.2	55.4	66.9	44.6	54.3	55.9	53.1
5405	8	14	5	55.4	73.9	75.0	79.0	73.9	66.2	75.9	55.9	73.0	66.0	59.7	55.4	57.2	53.6	66.9	70.0	63.0	68.0	66.2	55.4	66.0	44.6	54.0	55.9	52.0
5406	8	14	6	60.8	73.9	75.9	78.1	73.9	66.9	77.0	57.0	73.0	66.0	59.4	57.2	59.0	55.4	66.9	73.0	62.1	71.6	69.8	60.8	66.0	44.6	55.0	55.9	52.0
5407	8	14	7	68.0	75.9	77.0	78.1	75.0	66.9	79.0	59.0	73.9	68.0	62.2	57.2	60.8	57.2	70.0	75.0	64.0	77.0	77.0	68.0	66.0	50.0	55.9	57.0	52.0
5408	8	14	8	75.2	79.0	81.0	78.1	75.9	68.0	82.0	59.0	75.9	72.0	64.2	59.0	64.4	60.8	70.0	77.0	66.9	84.2	84.2	75.2	66.0	59.0	57.0	59.0	53.1
5409	8	14	9	80.6	80.1	81.0	77.0	79.0	69.1	84.9	60.1	79.0	75.0	66.2	60.8	66.2	66.2	72.0	78.1	70.0	89.6	89.6	80.6	66.9	66.2	59.7	62.1	55.0
5410	8	14	10	86.0	82.0	82.0	80.1	82.0	71.1	87.1	60.1	82.9	78.1	70.0	60.8	69.8	69.8	77.0	80.1	71.1	93.2	93.2	86.0	69.1	71.6	62.2	63.0	54.0
5411	8	14	11	89.6	84.0	86.0	84.0	84.0	73.9	90.0	62.1	88.0	80.1	73.0	62.6	69.8	73.4	78.1	82.0	75.0	95.0	95.0	89.6	68.0	73.4	64.9	68.0	55.9
5412	8	14	12	91.4	86.0	75.9	88.0	84.9	73.0	91.9	64.9	90.0	82.9	77.0	62.6	69.8	77.0	78.1	84.0	73.9	96.8	96.8	91.4	69.1	75.2	66.4	73.0	57.0
5413	8	14	13	93.2	87.1	75.9	90.0	86.0	73.0	93.0	64.9	91.0	84.0	78.3	60.8	69.8	78.8	75.0	84.9	75.9	98.6	96.8	93.2	70.0	77.0	67.6	75.0	57.0
5414	8	14	14	93.2	89.1	75.9	91.9	87.1	73.0	93.9	64.9	91.0	84.9	79.5	59.0	69.8	80.6	73.9	82.9	73.0	98.6	96.8	93.2	71.1	78.8	69.1	75.9	60.1
5415	8	14	15	93.2	89.1	79.0	93.0	88.0	71.1	93.9	64.9	90.0	86.0	80.6	59.0	68.0	82.4	68.0	84.0	73.9	98.6	95.0	93.2	71.1	78.8	69.1	75.9	59.0
5416	8	14	16	91.4	86.0	80.1	92.9	87.1	70.0	93.9	64.0	75.0	87.1	81.5	59.0	66.2	80.6	66.9	81.0	77.0	95.0	93.2	91.4	71.1	77.0	69.1	73.0	57.9
5417	8	14	17	87.8	84.9	80.1	96.1	88.0	68.0	93.0	63.0	75.0	86.0	80.2	57.2	64.4	78.8	69.1	79.0	71.1	93.2	91.4	87.8	71.1	75.2	69.1	71.1	59.0
5418	8	14	18	82.4	84.9	80.1	96.1	86.0	66.9	91.0	60.1	75.9	84.9	77.4	57.2	64.4	73.4	68.0	79.0	70.0	87.8	86.0	82.4	71.1	71.6	67.5	71.1	60.1
5419	8	14	19	75.2	82.9	79.0	95.0	84.9	66.0	87.1	57.9	73.9	82.0	75.2	55.4	62.6	68.0	68.0	77.0	68.0	80.6	78.8	75.2	71.1	68.0	65.7	69.1	57.9
5420	8	14	20	71.6	84.0	77.0	93.9	80.1	64.9	84.0	57.9	75.0	80.1	73.0	55.4	60.8	64.4	68.0	75.9	63.0	75.2	75.2	71.6	71.1	64.4	64.0	69.1	57.0
5421	8	14	21	68.0	82.9	75.0	93.0	78.1	64.9	81.0	57.9	73.9	77.0	67.8	55.4	59.0	62.6	66.9	75.9	64.9	75.2	73.4	68.0	71.1	62.6	63.0	69.1	57.0
5422	8	14	22	68.0	82.0	75.0	90.0	77.0	64.9	79.0	57.9	75.0	75.0	64.9	55.4	57.2	60.8	66.9	75.0	64.0	75.2	73.4	68.0	71.1	60.8	62.1	68.0	55.0
5423	8	14	23	66.2	81.0	73.9	89.1	75.9	68.0	77.0	57.0	73.4	72.0	64.4	55.4	57.2	59.0	64.0	73.9	63.0	75.2	73.4	66.2	71.1	59.0	61.0	68.0	

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

			Selected Climate Zone C25B -Spokane, WA																													
			C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, e, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK						
			Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)	Dry-Bulb, deg F																													
5461	8	16	13	77.0	89.1	91.9	97.0	89.1	72.0	95.0	64.0	84.0	89.1	68.5	73.4	80.6	73.4	73.9	84.9	78.1	98.6	96.8	77.0	79.0	69.8	60.8	73.0	64.0				
5462	8	16	14	77.0	89.1	95.0	98.1	91.0	72.0	96.1	66.9	84.0	90.0	68.5	73.4	82.4	75.2	73.0	86.0	78.1	98.6	96.8	77.0	79.0	69.8	60.1	73.0	64.0				
5463	8	16	15	77.0	88.0	91.9	100.0	91.0	72.0	97.0	64.0	86.0	91.9	66.9	73.4	82.4	75.2	73.9	86.0	77.0	96.8	95.0	77.0	79.0	69.8	59.0	73.0	64.0				
5464	8	16	16	75.2	89.1	90.0	100.0	91.0	72.0	97.0	63.0	86.0	91.9	66.0	73.4	80.6	73.4	73.0	84.9	79.0	95.0	93.2	75.2	79.0	68.0	58.1	72.0	64.0				
5465	8	16	17	73.4	88.0	91.0	100.9	91.9	70.0	97.0	61.0	84.9	91.0	63.9	71.6	78.8	71.6	72.0	80.1	72.0	93.2	91.4	73.4	78.1	66.2	57.0	69.1	64.0				
5466	8	16	18	71.6	86.0	89.1	100.0	90.0	69.1	93.9	61.0	82.9	90.0	63.3	68.0	73.4	68.0	70.0	77.0	72.0	86.0	86.0	71.6	75.9	62.6	57.0	69.1	64.0				
5467	8	16	19	68.0	84.0	87.1	100.0	89.1	66.9	88.0	59.0	80.1	87.1	62.6	62.6	68.0	62.6	69.1	73.0	66.9	78.8	78.8	68.0	73.9	57.2	57.0	66.9	61.0				
5468	8	16	20	64.4	82.9	84.9	97.0	87.1	66.9	84.9	59.0	78.1	80.1	61.9	59.0	62.6	57.2	66.9	75.0	62.1	75.2	73.4	64.4	72.0	51.8	57.0	64.0	60.1				
5469	8	16	21	62.6	82.0	81.0	95.0	84.0	68.0	84.9	60.1	73.0	78.1	61.0	57.2	60.8	55.4	64.9	75.0	63.0	71.6	71.6	62.6	69.1	48.2	55.9	63.0	60.1				
5470	8	16	22	60.8	82.0	81.0	89.1	81.0	66.9	78.1	59.0	72.0	75.0	59.0	57.2	59.0	53.6	64.0	73.9	61.0	71.6	71.6	60.8	66.9	48.2	55.0	63.0	57.0				
5471	8	16	23	59.0	82.0	79.0	84.9	79.0	66.0	73.9	59.0	73.0	73.9	58.3	55.4	57.2	51.8	59.0	73.0	57.9	71.6	71.6	59.0	64.9	48.2	54.0	64.0	55.9				
5472	8	16	24	59.0	82.0	77.0	86.0	77.0	66.0	75.9	60.1	73.9	73.0	57.2	55.4	55.4	51.8	57.0	73.0	59.0	71.6	71.6	59.0	66.0	46.4	52.7	62.1	55.9				
5473	8	17	1	57.2	80.1	75.0	86.0	77.0	66.0	73.0	59.0	73.0	72.0	57.4	53.6	55.4	51.8	57.9	72.0	59.0	71.6	69.8	57.2	64.0	46.4	51.3	61.0	55.0				
5474	8	17	2	55.2	80.1	73.9	84.0	75.9	66.9	71.1	59.0	73.0	72.0	56.5	53.6	53.6	50.0	57.9	71.0	59.0	69.8	69.8	57.2	62.1	44.6	50.0	61.0	54.0				
5475	8	17	3	57.4	79.0	73.9	81.0	75.0	66.0	72.0	59.0	72.0	73.0	55.9	51.8	51.8	50.0	55.9	70.0	59.0	68.0	68.0	55.4	62.1	44.6	48.9	60.1	53.1				
5476	8	17	4	53.6	80.1	73.9	79.0	73.9	64.0	70.0	59.0	72.0	71.1	55.9	51.8	51.8	50.0	54.0	69.1	55.9	68.0	68.0	53.6	61.0	44.6	48.0	59.0	52.0				
5477	8	17	5	53.6	80.1	73.9	78.1	73.9	64.9	66.9	59.0	72.0	69.1	55.0	51.8	51.8	50.0	54.0	68.0	53.1	68.0	68.0	53.6	61.0	44.6	46.9	59.0	51.1				
5478	8	17	6	57.2	80.1	73.9	77.0	73.9	66.0	71.1	59.0	72.0	69.1	55.2	55.4	53.6	51.8	57.0	69.1	54.0	68.0	69.8	57.2	59.0	44.6	49.6	60.1	48.0				
5479	8	17	7	60.8	82.9	79.0	77.0	75.9	69.1	79.0	60.1	73.0	75.0	55.8	60.8	59.0	57.2	63.0	71.1	59.0	73.4	73.4	60.8	63.0	46.4	52.3	62.1	51.1				
5480	8	17	8	64.4	84.9	84.9	81.0	79.0	68.0	84.0	60.1	75.9	78.1	56.5	64.4	64.4	60.8	66.9	73.0	64.9	78.8	80.6	64.4	64.9	50.0	55.0	64.0	52.0				
5481	8	17	9	69.8	87.1	88.0	84.9	82.9	69.1	88.0	61.0	80.1	80.1	58.5	68.0	69.8	64.4	71.1	73.9	71.1	84.2	86.0	69.8	66.9	55.4	54.7	60.1	54.0				
5482	8	17	10	75.2	87.1	90.0	90.0	84.0	70.0	91.0	60.1	86.0	82.9	61.3	71.6	77.0	68.0	73.9	75.0	73.0	89.6	89.6	75.2	69.1	59.0	54.3	61.0	57.0				
5483	8	17	11	78.8	88.0	93.9	93.0	87.1	71.1	93.9	62.1	90.0	86.0	63.1	73.4	82.4	71.6	75.0	73.9	77.0	91.4	91.4	78.8	71.1	60.8	54.0	57.9	59.0				
5484	8	17	12	80.6	89.1	95.0	98.1	89.1	69.1	97.0	64.9	91.9	88.0	64.2	75.2	86.0	75.2	77.0	73.9	81.0	95.0	93.2	80.6	72.0	62.6	54.3	61.0	60.1				
5485	8	17	13	82.4	89.1	73.9	99.0	91.0	72.0	100.0	66.9	93.0	91.0	64.2	77.0	87.8	77.0	78.1	73.9	81.0	96.8	95.0	82.4	73.9	62.6	54.7	62.1	61.0				
5486	8	17	14	84.2	89.1	73.9	100.9	91.9	71.1	100.0	68.0	93.9	93.0	68.9	77.0	87.8	77.0	77.0	73.9	82.9	96.8	95.0	84.2	73.9	62.6	55.0	61.0	64.0				
5487	8	17	15	84.2	89.1	75.0	104.0	91.9	70.0	100.0	69.1	93.9	89.1	68.5	77.0	87.8	77.0	75.9	73.9	82.9	96.8	95.0	84.2	73.0	62.6	53.1	61.0	64.9				
5488	8	17	16	82.4	89.1	75.9	102.9	91.9	70.0	100.0	68.0	95.0	89.1	67.8	77.0	86.0	75.2	75.0	73.0	82.9	95.0	93.2	82.4	75.0	60.8	50.9	60.1	64.0				
5489	8	17	17	80.6	88.0	77.0	104.0	91.9	69.1	99.0	66.9	93.9	88.0	68.4	75.2	84.2	73.4	73.0	72.0	82.0	91.4	89.6	80.6	75.0	60.8	48.9	61.0	64.0				
5490	8	17	18	75.2	86.0	77.0	102.9	90.0	69.1	97.0	64.9	91.0	90.0	65.8	69.8	78.8	69.8	71.1	72.0	80.1	86.0	84.2	75.2	73.9	59.0	48.9	61.0	64.0				
5491	8	17	19	71.6	84.0	75.9	100.9	88.0	66.9	93.0	62.1	86.0	87.1	63.5	64.4	71.6	64.4	69.1	69.1	73.9	78.8	77.0	71.6	72.0	53.6	48.9	59.0	64.9				
5492	8	17	20	69.8	82.9	75.0	98.1	86.0	66.0	90.0	61.0	82.9	82.9	62.2	60.8	66.2	60.0	66.0	71.1	73.9	75.2	73.4	69.8	70.0	48.2	48.9	57.0	62.1				
5493	8	17	21	68.0	82.9	75.0	95.0	84.0	66.9	84.9	60.1	82.0	80.1	61.0	60.8	62.6	59.0	64.9	70.0	68.0	73.4	71.6	68.0	64.0	44.6	48.2	55.9	60.1				
5494	8	17	22	68.0	82.0	75.0	88.0	82.0	66.9	81.0	60.1	75.9	81.0	58.6	59.0	62.6	57.2	64.0	68.0	66.0	73.4	71.6	68.0	64.9	44.6	47.7	54.0	57.0				
5495	8	17	23	68.0	82.9	75.0	90.0	82.0	66.0	82.0	59.0	75.9	78.1	57.4	59.0	60.8	57.2	62.1	68.0	66.0	73.4	71.6	68.0	66.0	42.8	46.9	53.1	55.9				
5496	8	17	24	66.2	82.0	75.0	82.9	80.1	66.0	78.1	59.0	75.0	75.0	56.8	57.2	60.8	55.4	63.0	66.0	64.9	71.6	71.6	66.2	64.9	41.0	46.6	52.0	55.0				
5497	8	18	1	64.4	82.0	75.0	81.0	79.0	66.0	78.1	57.9	73.0	75.0	56.8	57.2	59.0	53.6	59.0	66.9	64.0	71.6	71.6	64.4	66.0	41.0	46.4	50.0	54.0				
5498	8	18	2	62.6	82.9	75.0	77.0	78.1	64.9	75.9	57.0	72.0	70.0	57.2	55.4	57.2	51.8	57.0	66.0	63.0	69.8	69.8	62.6	66.0	41.0	46.0	50.0	52.0				
5499	8	18	3	59.0	82.0	75.0	77.0	75.9	66.0	73.0	55.9	70.0	72																			

		Average		76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4										
		Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	88.0	91.4	98.6	95.0	95.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0											
		Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9										
		Selected Climate Zone										C25B - Spokane, WA																									
												C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK		
		Selected Climate Zone Dry-Bulb, deg F										Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb
Month	Day	Hour (MST)																																			
5539	8	19	19	73.4	84.9	80.1	96.1	82.0	66.0	98.1	60.1	78.1	84.0	63.7	66.2	75.2	60.8	75.0	66.9	75.9	75.2	73.4	73.4	70.0	64.4	67.6	64.0	55.9									
5540	8	19	20	69.8	84.0	80.1	93.0	80.1	63.0	93.0	60.1	77.0	81.0	62.4	62.6	69.8	57.2	75.0	66.9	72.0	71.6	69.8	69.8	68.0	60.8	64.0	60.1	53.1									
5541	8	19	21	66.2	84.9	80.1	97.0	63.0	63.0	88.0	59.0	77.0	78.0	59.2	59.0	62.2	55.4	73.0	69.9	68.0	69.8	69.8	68.0	64.0	59.0	67.6	64.0	57.0									
5542	8	19	22	62.6	82.9	75.0	88.0	79.0	64.0	90.0	59.0	75.0	78.1	58.1	59.0	62.6	53.6	73.0	66.9	71.1	68.0	68.0	62.6	64.0	59.0	61.3	59.0	51.1									
5543	8	19	23	60.8	84.0	75.0	87.1	78.1	64.0	89.1	59.0	73.9	75.9	57.9	57.2	60.8	51.8	71.1	66.9	70.0	66.2	66.2	60.8	63.0	57.2	60.1	59.0	48.9									
5544	8	19	24	59.0	82.9	75.9	84.9	77.0	63.0	84.9	59.0	73.9	73.0	58.1	57.2	59.0	51.8	68.0	66.9	70.0	66.2	64.4	59.0	62.1	55.4	57.7	57.9	48.9									
5545	8	20	1	57.2	82.9	75.9	82.9	75.9	63.0	87.1	57.9	73.9	72.0	57.9	55.4	59.0	50.0	68.0	66.9	66.0	64.4	64.4	57.2	61.0	53.6	55.4	55.9	48.9									
5546	8	20	2	55.2	82.9	75.0	80.1	75.9	63.0	87.1	57.9	73.0	69.1	57.4	55.4	59.0	50.0	70.0	66.0	69.1	62.6	62.6	55.4	60.1	51.8	53.1	54.0	46.0									
5547	8	20	3	53.6	82.9	73.9	82.0	75.9	62.1	87.1	57.0	70.0	70.0	57.4	55.4	59.0	48.2	70.0	66.0	69.1	62.6	60.8	53.6	59.0	51.8	53.4	54.0	45.0									
5548	8	20	4	51.8	82.0	73.9	78.1	75.0	62.1	86.0	57.9	69.1	66.0	57.0	53.6	59.0	48.2	71.1	66.9	69.1	60.8	60.8	51.8	57.9	50.0	53.6	54.0	42.1									
5549	8	20	5	51.8	82.0	73.9	75.9	75.0	62.1	88.0	57.9	70.0	66.9	57.4	53.6	59.0	48.2	71.1	66																		

			Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
			Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	105.0	102.0	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	99.0	86.0	99.0	86.0	95.0	91.0	86.0	
			Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	20.2	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
			Selected Climate ZoneC25B-Spokane, WA																									
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
			Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																										
5617	8	23	1	59.0	80.1	75.0	91.0	75.0	64.9	80.1	55.0	62.1	66.9	58.6	53.6	60.8	51.8	73.0	66.9	63.0	64.4	64.4	59.0	53.1	59.0	49.1	55.9	55.0
5618	8	23	2	57.2	80.1	75.0	88.0	75.0	64.0	78.1	54.0	61.0	66.9	62.8	53.6	59.0	51.8	73.0	66.9	61.0	64.4	64.4	57.2	52.0	57.2	48.0	55.9	55.0
5619	8	23	3	57.2	80.1	75.0	86.0	75.0	63.0	77.0	54.0	61.0	66.9	61.3	53.6	57.2	50.0	73.0	66.9	61.0	62.6	62.6	57.2	52.0	57.2	55.9	55.9	54.0
5620	8	23	4	57.2	81.0	75.0	89.1	73.9	63.0	77.0	55.0	60.1	66.0	58.1	53.6	55.4	50.0	72.0	66.0	61.0	62.6	62.6	57.2	50.0	53.6	48.6	55.0	53.1
5621	8	23	5	57.2	81.0	75.0	86.0	70.0	63.0	77.0	54.0	60.1	64.9	59.2	53.6	55.4	50.0	71.1	64.9	59.0	62.6	62.6	57.2	50.0	51.8	48.9	55.0	52.0
5622	8	23	6	57.2	80.1	75.9	84.9	69.1	63.0	77.0	54.0	59.0	64.9	57.7	55.4	57.2	51.8	71.1	66.0	57.0	64.4	64.4	57.2	50.0	51.8	50.5	54.0	51.1
5623	8	23	7	57.2	82.0	77.0	84.0	71.1	63.0	82.9	55.9	64.0	66.0	61.9	59.0	60.8	53.6	71.1	69.1	64.0	68.0	69.8	57.2	54.0	55.4	52.3	55.0	51.1
5624	8	23	8	60.8	86.0	78.1	88.0	72.0	64.9	84.0	57.9	70.0	66.9	66.0	62.6	64.4	57.2	71.1	72.0	68.0	75.2	75.2	60.8	57.0	62.6	54.0	57.9	54.0
5625	8	23	9	66.2	87.1	79.0	90.0	72.0	66.0	88.0	62.1	75.0	64.0	70.2	66.2	71.6	59.0	72.0	78.1	66.9	80.6	80.6	66.2	60.1	68.0	58.3	57.9	57.0
5626	8	23	10	68.0	89.1	82.0	91.0	73.0	66.9	91.0	64.0	79.0	64.0	72.3	69.8	77.0	60.8	70.0	80.1	68.0	82.4	82.4	68.0	62.1	71.6	62.6	60.1	62.1
5627	8	23	11	71.6	90.0	79.0	93.0	75.0	66.2	93.9	66.0	80.1	66.9	76.5	73.4	82.4	64.4	70.0	84.0	70.0	86.0	84.2	71.6	64.0	73.4	66.9	63.0	66.0
5628	8	23	12	73.4	91.9	78.1	93.0	75.9	68.0	91.0	68.0	82.0	69.1	78.4	75.2	84.2	66.2	70.0	82.9	73.9	87.8	86.0	73.4	64.0	75.2	68.5	64.9	69.1
5629	8	23	13	73.4	93.0	81.0	93.0	78.1	70.0	91.0	70.0	81.0	73.0	81.1	75.2	86.0	66.2	70.0	80.1	77.0	89.6	87.8	73.4	66.9	75.2	70.3	66.9	73.9
5630	8	23	14	75.2	90.0	84.0	93.0	81.0	70.0	87.1	72.0	81.0	68.0	82.9	77.0	86.0	66.2	71.1	84.0	80.1	89.6	87.8	75.2	66.9	75.2	72.0	68.0	75.0
5631	8	23	15	75.2	89.1	86.0	93.0	82.0	69.1	89.1	70.0	82.0	77.0	84.2	75.2	84.2	66.2	71.1	84.0	82.0	87.8	87.8	75.2	66.9	73.4	73.6	69.1	75.9
5632	8	23	16	73.4	87.1	84.9	93.0	80.1	70.0	90.0	68.0	81.0	73.9	83.7	73.4	82.4	64.4	69.1	86.0	82.9	86.0	86.0	73.4	66.9	71.6	75.4	71.1	77.0
5633	8	23	17	69.8	75.0	86.0	93.0	81.0	69.1	95.0	63.0	80.1	75.9	82.0	71.6	78.8	64.4	69.1	77.0	84.0	84.2	82.4	69.8	66.9	69.8	77.0	70.0	77.0
5634	8	23	18	66.2	78.1	84.0	91.9	79.0	66.9	89.1	60.1	79.0	75.0	78.8	66.2	73.4	60.8	69.1	75.9	82.0	78.8	77.0	66.2	66.0	66.2	72.7	69.1	77.0
5635	8	23	19	62.6	77.0	80.1	91.9	78.1	66.0	84.9	59.0	75.9	72.0	74.5	62.6	69.8	57.2	68.0	75.0	73.9	71.6	69.8	62.6	62.1	60.8	68.4	64.9	75.9
5636	8	23	20	62.6	79.0	75.0	91.0	75.0	64.4	82.0	60.1	75.1	72.1	72.1	59.0	66.2	55.4	68.0	73.0	72.0	68.0	68.0	66.2	60.8	60.1	55.4	64.0	62.0
5637	8	23	21	59.0	80.1	78.1	90.0	75.0	64.0	81.0	60.1	73.9	70.0	70.9	57.2	64.4	55.4	68.0	70.0	71.1	66.2	69.0	59.0	57.9	59.0	61.0	62.1	66.0
5638	8	23	22	59.0	80.1	77.0	86.0	75.0	64.9	80.1	59.0	73.9	66.9	70.2	55.4	60.8	53.6	69.1	70.0	66.0	66.2	64.4	59.0	54.0	48.2	58.1	64.0	61.0
5639	8	23	23	59.0	79.0	75.0	86.0	73.9	64.9	78.1	59.0	73.9	66.9	68.4	53.6	59.0	53.6	70.0	66.9	68.0	66.2	64.4	59.0	54.0	46.4	55.0	62.1	57.9
5640	8	23	24	59.0	78.1	75.0	84.9	73.9	64.9	77.0	59.0	73.0	66.0	68.0	53.6	59.0	53.6	70.0	66.0	68.0	64.4	64.4	59.0	54.0	44.6	53.8	61.0	54.0
5641	8	24	1	57.2	78.1	73.4	84.9	73.0	64.9	75.9	57.9	72.0	64.0	65.3	51.8	57.2	53.6	69.1	64.9	66.9	64.4	62.6	57.2	52.0	44.6	52.3	62.1	52.0
5642	8	24	2	53.6	78.1	73.9	84.0	73.0	64.9	75.0	57.0	71.1	66.0	63.3	51.8	55.4	51.8	68.0	64.0	66.0	62.6	62.6	53.6	52.0	42.8	51.1	62.1	50.0
5643	8	24	3	53.6	77.0	73.0	84.0	73.0	64.9	73.0	57.0	71.1	66.0	63.5	50.0	53.6	51.8	68.0	63.0	63.0	62.6	62.6	53.6	51.1	42.8	50.0	64.0	50.0
5644	8	24	4	53.6	77.0	73.0	82.9	73.0	64.9	73.0	55.0	68.0	64.0	62.1	50.0	51.8	51.8	66.9	63.0	64.0	60.8	60.8	53.6	50.0	41.0	49.1	63.0	48.0
5645	8	24	5	53.6	77.0	73.0	82.0	73.0	64.9	71.1	55.9	68.0	62.1	59.0	48.2	51.8	50.0	68.0	63.0	62.1	59.0	59.0	53.6	48.9	41.0	48.0	62.1	48.0
5646	8	24	6	55.4	78.1	73.9	81.0	73.9	64.9	70.0	55.9	68.0	62.1	60.1	50.0	51.8	51.8	68.0	64.0	62.1	60.8	60.8	55.4	48.9	41.0	50.0	61.0	46.0
5647	8	24	7	60.8	78.1	75.0	81.0	73.9	66.0	78.1	57.9	68.0	61.0	63.3	53.6	55.4	55.4	69.1	66.9	66.9	68.0	68.0	60.8	55.0	44.6	52.0	63.0	50.0
5648	8	24	8	64.4	80.1	79.0	82.9	75.0	66.0	82.0	61.0	68.0	66.0	68.4	55.4	59.0	59.0	69.1	70.0	75.9	75.2	75.2	64.4	57.0	51.8	54.0	68.0	53.1
5649	8	24	9	69.8	82.9	82.9	86.0	73.9	64.9	84.0	64.0	70.0	68.0	71.4	57.2	62.6	62.6	70.0	73.0	81.0	80.6	80.6	69.8	63.0	59.0	58.6	71.1	55.9
5650	8	24	10	73.4	87.1	86.0	90.0	75.0	66.9	87.1	64.9	71.1	73.0	74.8	59.0	68.0	66.2	71.1	75.9	86.0	84.2	84.2	73.4	66.0	62.6	63.3	73.9	60.1
5651	8	24	11	77.0	88.0	87.1	91.9	77.0	69.1	90.0	69.1	72.0	73.0	77.9	62.6	73.4	69.8	71.1	75.9	89.1	86.0	86.0	77.0	69.1	64.4	68.0	75.0	63.0
5652	8	24	12	78.8	89.1	84.0	93.9	81.0	71.1	93.0	66.9	73.9	75.9	79.9	64.4	75.2	71.6	72.0	78.1	90.0	87.8	87.8	78.8	70.0	64.4	72.7	75.9	68.0
5653	8	24	13	78.8	89.1	84.0	93.9	81.0	70.0	92.0	66.9	73.9	75.9	80.0	64.4	75.2	73.4	72.0	78.1	89.1	89.6	87.8	78.8	72.0	64.4	72.7	78.1	71.1
5654	8	24	14	80.6	90.0	91.9	90.0	84.0	71.1	97.0	71.1	79.0	81.1	84.4	66.2	78.8	73.4	72.0	78.1	90.0	89.6	87.8	78.8	62.6	62.6	82.0	75.9	73.9
5655	8	24	15	78.8	88.0	93.0	82.9	84.9	70.0	90.0	71.1	81.0	81.0	85.3	66.2	77.0	73.4	72.0	79.0	90.0	89.6	87.8	78.8	73.0	62.6	84.0	79.0	75.9
5656	8	24	16	78.8	87.1	91.9	89.1	86.0	70.0	90.0	69.1	80.1	78.1	85.5	64.4	75.2	71.6	73.0	78.1	90.0	87.8	86.0	78.8	73.0	62.6	86.0	78.1	75.9
5657	8	24	17	77.0	84.0	89.1	90.0	84.0	71.1	97.0	64.9	79.0	77.0	85.6	62.6	73.4	69.8	72.0	77.0	88.0	84.2	82.4	77.0	71.1	62.6	88.0	77.0	75.0
5658	8	24	18	79.8	84.0	88.0	88.0	82.9	70.0	95.0	63.0	77.0	71.1	83.1	60.8	69.8	66.2	71.1	73.9	84.0	77.0	75.2	69.8	69.1	60.8	84.4	75.0	73.9
5659	8	24	19	64.4	82.9	84.0	86.0	82.0	70.0	90.0	60.1	75.0	69.1	76.3	57.2	64.4	59.0											

			Average	76.1	68.6	74.1	62.0		62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
			Max	96.1	102.9	111.9	98.1		90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0	
			Min	41.0	21.0	36.0	9.0		42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
			Selected Climate ZoneC25B - Spokane, WA																										
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK		
			Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																											
5695	8	26	7	66.2	79.0	77.0	80.1	72.0	69.1	75.9	55.9	71.1	64.9	61.5	59.0	60.8	67.2	69.1	62.1	64.9	59.0	60.8	66.2	69.0	59.0	44.6	55.0	64.9	48.0
5696	8	26	8	71.6	84.0	81.0	86.0	73.0	72.0	81.0	57.0	73.0	66.9	61.3	60.8	66.2	62.6	69.1	64.0	71.1	64.4	66.2	71.6	59.0	51.8	55.9	70.0	52.0	
5697	8	26	9	77.0	84.0	81.0	86.0	73.0	72.0	81.0	57.0	73.0	66.9	61.3	60.8	66.2	62.6	69.1	64.0	71.1	64.4	66.2	71.6	59.0	51.8	55.9	70.0	52.0	
5698	8	26	10	80.6	88.0	88.0	93.0	81.0	78.1	87.1	59.0	77.0	71.1	64.9	68.0	77.0	73.4	72.0	68.0	84.0	71.6	73.4	80.6	60.1	64.4	61.9	71.1	57.9	
5699	8	26	11	82.4	89.1	90.0	96.1	84.0	75.9	91.0	62.1	78.1	73.0	66.6	69.8	82.4	77.0	73.0	68.0	87.1	75.2	75.2	82.4	61.0	68.0	64.9	69.1	62.1	
5700	8	26	12	84.2	89.1	91.9	100.0	87.1	73.9	95.0	63.0	80.1	77.0	72.0	71.6	84.2	78.8	75.0	71.1	89.1	77.0	77.0	84.2	62.1	69.8	66.9	68.0	64.9	
5701	8	26	13	86.0	88.0	93.0	100.9	89.1	75.9	95.0	64.9	82.0	82.0	72.0	73.4	86.0	80.6	77.0	72.0	90.0	78.8	77.0	86.0	63.0	71.6	69.1	69.1	66.9	
5702	8	26	14	86.0	88.0	95.0	102.9	91.0	73.9	97.0	64.9	82.0	77.0	68.9	73.4	87.8	82.4	80.1	73.0	91.9	78.8	78.8	86.0	63.0	73.4	71.1	71.1	69.1	
5703	8	26	15	84.2	88.0	96.1	102.0	88.0	73.9	98.1	64.9	82.9	73.9	68.4	75.2	86.0	80.6	78.1	73.9	91.9	78.8	77.0	84.2	61.0	73.4	70.3	71.1	69.1	
5704	8	26	16	82.4	88.0	95.0	104.0	88.0	72.0	97.0	64.9	81.0	72.0	70.0	73.4	84.2	78.8	77.0	73.9	91.9	77.0	75.2	82.4	62.1	71.6	69.8	68.0	71.1	
5705	8	26	17	80.6	87.1	93.9	102.0	87.1	70.0	97.0	63.0	80.1	73.0	70.9	71.6	82.4	77.0	73.0	72.0	91.0	75.2	73.4	80.6	63.0	69.8	69.1	66.9	70.0	
5706	8	26	18	75.2	86.0	91.0	102.0	87.1	73.9	93.9	62.1	80.1	71.1	69.3	66.2	77.0	71.6	73.9	71.1	84.0	69.8	68.0	75.2	63.0	66.2	67.6	64.0	69.1	
5707	8	26	19	71.6	84.9	87.1	99.0	84.0	73.0	90.0	59.0	70.0	71.1	66.0	62.6	71.6	66.2	72.0	68.0	79.0	62.6	60.8	71.6	63.0	59.0	66.4	62.1	69.1	
5708	8	26	20	69.8	84.0	82.9	97.0	81.0	71.1	88.0	57.9	69.8	70.0	64.6	59.0	66.2	62.6	72.0	64.9	75.0	57.2	55.4	69.8	61.0	53.6	64.9	60.1	66.0	
5709	8	26	21	66.2	84.0	81.0	95.0	81.0	71.1	84.9	57.9	70.0	69.1	61.7	59.0	64.4	59.0	72.0	64.0	71.1	55.4	53.6	66.2	62.1	51.8	61.9	59.0	63.0	
5710	8	26	22	64.4	84.0	82.0	93.9	78.1	69.1	80.1	57.9	70.0	69.1	58.8	57.2	62.6	57.2	71.1	61.0	73.9	55.4	53.6	64.4	62.1	51.8	59.0	60.1	59.0	
5711	8	26	23	62.6	84.0	82.0	88.0	75.9	69.1	82.9	57.0	70.0	70.0	58.6	57.2	60.8	55.4	70.0	60.1	69.1	53.6	51.8	62.6	62.1	51.8	55.9	60.1	57.9	
5712	8	26	24	60.8	82.9	77.0	87.1	75.0	69.1	82.0	57.0	70.0	69.1	58.5	57.2	59.0	55.4	70.0	57.9	68.0	53.6	51.8	60.8	62.1	50.0	55.6	60.1	57.0	
5713	8	27	1	59.0	80.1	75.0	86.0	73.9	69.1	78.1	55.9	71.1	68.0	58.3	55.4	57.2	53.6	68.0	57.0	70.0	53.6	51.8	59.0	61.0	50.0	50.0	59.0	55.0	
5714	8	27	2	57.2	80.1	75.0	84.0	73.0	70.0	75.0	55.9	69.1	66.9	58.1	55.4	57.2	53.6	68.0	69.1	55.9	69.1	51.8	51.8	57.2	60.1	50.0	55.0	57.0	
5715	8	27	3	55.4	80.1	75.0	84.9	72.0	69.1	73.0	55.0	70.0	66.0	58.6	53.6	55.4	53.6	66.9	55.9	64.0	51.8	50.0	55.4	60.1	48.2	54.7	55.0	51.1	
5716	8	27	4	53.6	80.1	75.9	84.9	71.1	69.1	72.0	55.0	69.1	66.0	58.8	53.6	55.4	53.6	66.9	55.0	64.0	50.0	50.0	53.6	60.1	48.2	54.3	54.0	50.0	
5717	8	27	5	53.6	80.1	73.9	82.9	69.1	68.0	71.1	54.0	69.1	66.0	58.3	53.6	55.4	51.8	66.0	54.0	62.1	50.0	50.0	53.6	60.1	48.2	54.0	53.1	48.9	
5718	8	27	6	55.4	80.1	75.0	82.0	69.1	68.0	72.0	54.0	68.0	66.0	59.0	55.4	57.2	53.6	66.0	55.9	62.1	53.6	53.6	55.4	60.1	48.2	55.0	54.0	48.9	
5719	8	27	7	59.0	81.0	75.9	82.0	70.0	69.1	78.1	55.9	69.1	66.9	60.3	59.0	60.8	57.2	73.9	59.0	69.1	60.8	60.8	59.0	60.1	51.8	55.9	55.0	48.9	
5720	8	27	8	62.6	84.0	81.0	84.9	73.0	70.0	82.0	57.9	72.0	68.0	60.6	62.6	66.2	60.8	75.9	64.0	73.9	66.2	66.2	62.6	61.0	59.0	57.0	55.9	48.9	
5721	8	27	9	66.2	84.9	84.9	90.0	77.0	69.1	84.0	59.0	73.0	71.1	61.0	66.2	71.6	66.2	79.0	66.0	80.1	71.6	71.6	66.2	61.0	64.4	59.0	59.0	51.1	
5722	8	27	10	68.0	88.0	88.0	93.0	81.0	71.1	87.1	61.0	75.9	73.9	63.0	69.8	75.2	69.8	81.0	68.0	86.0	77.0	77.0	68.0	63.0	69.8	61.0	60.1	53.1	
5723	8	27	11	71.6	86.0	91.0	96.1	81.0	71.1	91.9	63.0	79.0	75.0	63.3	73.4	80.6	73.4	82.9	70.0	89.1	80.6	78.8	71.6	63.0	73.4	63.0	61.0	57.0	
5724	8	27	12	73.4	86.0	91.9	99.0	88.0	71.1	95.0	64.9	80.1	78.1	63.5	75.2	84.2	75.2	82.9	69.1	91.0	82.4	80.6	73.4	63.0	75.2	65.3	62.1	62.1	
5725	8	27	13	75.2	89.0	93.0	102.0	89.1	73.0	96.1	66.0	81.0	80.1	65.8	77.0	86.0	77.0	81.0	68.0	93.0	84.2	82.4	75.2	64.9	77.0	67.6	62.1	64.0	
5726	8	27	14	75.2	80.1	96.1	104.0	89.1	72.0	98.1	66.9	82.9	82.0	66.7	78.8	86.0	78.8	81.0	69.1	93.0	84.2	82.4	75.2	69.1	77.0	70.0	63.0	66.9	
5727	8	27	15	75.2	78.1	95.0	105.1	89.1	71.1	99.0	66.0	82.9	82.9	65.1	77.0	86.0	78.8	81.0	69.1	90.0	84.2	82.4	75.2	68.0	77.0	70.0	63.0	70.0	
5728	8	27	16	75.2	78.1	96.1	105.1	89.1	70.0	96.1	64.0	82.0	79.0	65.3	75.2	84.2	78.8	81.0	68.0	89.1	82.4	80.6	75.2	66.9	75.2	70.0	61.0	69.1	
5729	8	27	17	73.4	80.1	95.0	105.1	88.0	69.1	95.0	63.0	79.0	79.0	65.7	71.6	82.4	77.0	79.0	66.9	90.0	80.6	78.8	73.4	64.9	73.4	70.0	59.0	70.0	
5730	8	27	18	68.0	78.1	91.9	104.0	86.0	68.0	93.9	60.1	79.0	78.1	65.1	66.2	77.0	71.6	77.0	64.9	82.9	73.4	71.6	68.0	64.0	69.8	67.3	57.0	69.1	
5731	8	27	19	66.2	87.0	87.0	102.0	84.0	66.9	91.0	55.9	73.9	71.1	62.6	60.8	66.2	63.3	73.9	68.0	86.0	66.2	63.3	64.0	64.0	64.0	63.3	55.0	66.6	
5732	8	27	20	68.0	87.0	86.0	100.0	81.0	66.0	87.1	55.9	73.9	71.1	62.6	60.8	66.2	62.6	73.0	63.0	77.0	66.2	62.6	60.8	62.1	60.4	62.1	59.0	64.0	
5733	8	27	21	59.0	77.0	84.9	95.0	79.0	64.9	84.9	55.9	72.0	69.1	62.2	60.8	66.2	60.8	72.0	64.0	75.9	62.6	60.8	59.0	62.1	60.8	59.0	53.1	60.1	
5734	8	27	22	57.2	75.9	84.0	91.9	77.0	64.9	84.9	55.9	72.0	69.1	61.2	59.0	64.4	59.0	72.0	63.0	73.9	60.8	59.0	57.0	60.1	60.8	56.1	52.0	57.9	
5735	8	27	23	57.2	77.0	82.9	91.9	75.0	64.9	82.0	55.0	72.0	66.9	61.2	59.0	62.6	59.0	72.0	63.0	73.9	59.0	57.2	57.2	59.0	60.8	53.1	52.0	57.0	
5736	8	27	24	55.4	78.1	81.0	91.0	73.0	64.9	79.0	55.0	70.0	66.9	61.2	59.0	62.6	59.0	71.1	63.0	71.1	59.0	57.2	55.4	59.0	59.0	51.6	51.1	54.0	
5737	8	28	1	53.6	77.0	78.1	88.0	72.0	64.9	77.0	55.0																		

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

		Selected Climate Zone C25B -Spokane, WA																										
		C21A - Miami, FL	C22A - Houston, TX	C23B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK			
		Selected Climate ZoneDry- Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb			
Month	Day	Hour (MST)	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb			
5851	9	1	73.4	84.9	82.9	102.0	73.9	68.0	90.0	59.0	77.0	73.9	62.1	59.0	57.2	68.0	72.0	69.1	71.6	69.8	73.4	72.0	60.8	71.1	66.9	55.9		
5852	9	1	20	71.6	84.0	81.0	99.0	73.0	66.9	91.9	59.0	75.9	73.0	61.0	59.0	55.4	55.4	68.0	71.1	66.0	69.8	66.2	71.6	68.0	57.2	70.0	64.9	54.0
5853	9	1	21	69.8	84.0	79.0	97.0	73.0	66.9	91.0	57.9	75.0	70.0	60.1	57.2	53.6	55.4	66.9	70.0	64.0	68.0	64.4	69.8	66.9	55.4	69.1	64.0	52.0
5854	9	1	22	68.0	84.0	79.0	95.0	72.0	66.9	88.0	57.9	75.0	68.0	59.0	57.2	53.6	55.4	66.9	69.1	64.0	66.2	64.4	68.0	64.9	53.6	68.0	63.0	50.0
5855	9	1	23	66.2	82.0	78.1	93.9	70.0	66.0	87.1	57.9	73.9	68.0	59.0	55.4	51.8	53.6	66.9	68.0	64.0	66.2	62.6	66.2	66.0	51.8	66.0	62.1	48.9
5856	9	1	24	62.6	82.0	78.1	91.9	66.2	66.0	82.9	57.9	73.0	68.0	57.9	55.4	51.8	53.6	64.0	68.0	62.1	64.4	62.6	62.6	64.9	48.2	64.9	60.1	48.0
5857	9	2	1	60.8	82.0	78.1	90.0	68.0	64.9	82.9	57.9	73.0	66.0	57.0	55.4	51.8	51.8	60.1	68.0	62.1	64.4	62.6	60.8	63.0	44.6	64.0	57.9	48.0
5858	9	2	2	59.0	81.0	77.0	89.1	68.0	64.9	82.9	55.9	73.0	64.9	57.0	53.6	51.8	51.8	59.0	69.1	59.0	64.4	62.6	59.0	63.0	42.8	63.0	57.9	46.0
5859	9	2	3	57.2	80.1	75.9	88.0	68.0	64.9	81.0	55.9	73.9	62.1	55.9	53.6	50.0	51.8	60.1	68.0	57.9	64.4	62.6	57.2	63.0	41.0	61.0	55.9	45.0
5860	9	2	4	55.4	80.1	75.9	87.1	69.1	64.9	79.0	57.0	73.0	61.0	55.9	51.8	50.0	50.0	61.0	68.0	57.9	62.6	60.8	55.4	63.0	41.0	59.0	55.9	44.1
5861	9	2	5	55.4	80.1	75.9	84.9	68.0	64.9	78.1	55.0	73.0	60.1	54.0	51.8	50.0	50.0	59.0	66.9	55.9	62.6	60.8	55.4	62.1	41.0	59.0	55.9	44.1
5862	9	2	6	52.6	80.1	75.0	84.9	69.1	64.9	75.0	55.9	73.0	60.1	55.0	51.8	50.0	51.8	59.0	66.0	57.0	64.4	62.6	57.2	63.0	41.0	55.0	57.9	44.1
5863	9	2	7	67.2	80.1	75.0	87.1	69.1	66.9	82.0	57.0	73.0	64.9	55.0	55.4	53.6	53.6	62.1	66.0	63.0	73.4	71.6	62.6	66.0	44.6	57.0	60.1	44.1
5864	9	2	8	69.8	82.9	75.9	90.0	70.0	66.9	89.1	59.0	77.0	69.1	57.0	59.0	59.0	57.2	62.1	62.1	66.9	82.4	80.6	69.8	69.1	53.6	62.1	60.1	45.0
5865	9	2	9	77.0	80.1	77.0	95.0	69.1	70.0	90.0	62.1	79.0	72.0	60.1	60.8	64.4	59.0	64.9	63.0	72.0	87.8	86.0	77.0	73.0	62.6	66.0	63.0	45.0
5866	9	2	10	82.4	79.0	78.1	98.1	70.0	72.0	93.0	63.0	81.0	75.0	62.1	62.6	68.0	60.8	64.9	62.1	78.1	89.6	87.8	82.4	75.0	68.0	69.1	62.1	46.0
5867	9	2	11	86.0	79.0	79.0	99.0	71.1	72.0	96.1	64.0	84.9	79.0	63.0	64.4	69.8	62.6	66.9	61.0	82.9	91.4	89.6	86.0	77.0	73.4	73.0	64.9	51.1
5868	9	2	12	87.8	77.0	81.0	100.9	72.0	73.0	97.0	64.0	86.0	82.9	66.0	66.2	71.6	64.4	68.0	61.0	87.1	93.2	91.4	87.8	78.1	77.0	77.0	70.0	54.0
5869	9	2	13	89.6	77.0	82.0	102.0	73.0	73.0	99.0	66.0	84.9	84.9	66.0	68.0	73.4	66.2	69.1	59.0	89.1	93.2	91.4	89.6	80.1	78.8	79.0	73.0	57.9
5870	9	2	14	89.6	84.0	84.0	102.9	73.0	73.0	100.9	66.0	87.1	84.9	68.0	68.0	75.2	66.2	66.9	59.0	90.0	91.4	89.6	89.6	82.9	80.6	82.0	73.9	61.0
5871	9	2	15	89.6	87.1	84.9	105.1	73.9	72.0	93.9	66.0	87.1	89.1	66.9	68.0	75.2	68.0	68.0	57.9	87.1	89.6	87.8	89.6	79.0	80.6	81.0	73.9	62.1
5872	9	2	16	87.8	86.0	82.9	102.9	73.9	72.0	96.1	66.0	84.0	88.0	69.1	66.2	73.4	66.2	66.9	59.0	89.1	87.8	86.0	87.8	82.0	78.8	82.0	69.1	62.1
5873	9	2	17	84.2	84.9	80.1	102.9	73.9	70.0	96.1	64.0	82.9	88.0	68.0	64.4	71.6	64.4	66.0	57.9	84.0	84.2	82.4	84.2	82.9	75.2	82.9	59.0	62.1
5874	9	2	18	78.8	86.0	78.1	102.9	73.9	68.0	93.9	62.1	80.1	86.0	66.9	60.8	66.2	60.8	63.0	57.9	82.0	80.6	78.8	78.8	78.1	68.0	82.0	59.0	62.1
5875	9	2	19	75.2	84.9	78.1	100.0	73.0	68.0	89.1	61.0	78.1	80.1	64.0	57.2	60.8	55.4	60.1	57.9	75.0	77.0	75.2	75.2	75.9	60.8	77.0	59.0	60.1
5876	9	2	20	73.4	84.0	77.0	100.0	73.0	66.9	88.0	61.0	77.0	77.0	63.0	55.4	57.2	51.8	60.1	57.9	69.1	75.2	71.6	73.4	75.0	59.0	75.0	57.0	55.0
5877	9	2	21	71.6	82.9	77.0	98.1	72.0	66.9	86.0	61.0	75.9	73.0	62.1	53.6	57.2	51.8	55.9	57.9	64.9	73.4	69.8	71.6	75.0	59.0	66.0	55.0	52.0
5878	9	2	22	69.8	73.0	75.9	95.0	72.0	66.0	82.9	61.0	75.9	75.0	61.0	51.8	55.4	50.0	55.9	57.9	66.0	69.8	68.0	69.8	72.0	57.2	66.9	54.0	50.0
5879	9	2	23	68.0	82.9	75.0	93.0	71.1	64.9	84.9	60.1	75.9	71.1	59.0	50.0	55.4	48.2	54.0	57.0	66.0	69.8	68.0	68.0	72.0	55.4	64.0	53.1	48.0
5880	9	2	24	66.2	82.0	75.0	93.0	71.1	64.9	82.0	60.1	75.0	72.0	57.9	50.0	55.4	48.2	51.1	55.9	63.0	69.8	68.0	66.2	66.2	71.1	55.4	60.1	46.9
5881	9	3	1	64.6	82.0	75.0	91.9	71.1	64.9	81.0	60.1	75.0	71.1	57.9	50.0	53.6	48.2	51.1	55.0	62.1	68.0	66.2	64.4	70.0	55.4	60.1	52.0	45.0
5882	9	3	2	64.6	82.0	75.0	91.0	71.6	64.9	79.0	59.0	75.0	66.9	57.9	48.2	51.8	48.2	50.0	55.0	68.0	68.0	66.2	60.8	69.1	55.4	57.0	52.0	45.0
5883	9	3	3	57.2	81.0	75.0	88.0	71.1	64.9	77.0	59.0	73.9	64.9	57.9	48.2	50.0	48.2	50.0	55.0	59.0	68.0	66.2	57.2	66.9	53.6	57.9	52.0	45.0
5884	9	3	4	55.4	78.1	75.0	84.9	71.1	64.9	79.0	59.0	73.0	66.0	57.9	48.2	50.0	48.2	48.9	54.0	59.0	68.0	66.2	55.4	66.0	51.8	55.0	52.0	42.0
5885	9	3	5	55.4	78.1	75.0	84.9	71.1	64.9	77.0	57.9	73.0	64.0	57.0	48.2	50.0	48.2	48.9	53.1	61.0	68.0	66.2	55.4	66.0	50.0	54.0	54.0	44.1
5886	9	3	6	59.0	78.1	73.9	82.9	71.1	64.9	79.0	57.9	73.0	64.0	55.0	50.0	51.8	50.0	48.9	53.1	59.0	68.0	66.2	59.0	66.0	50.0	53.1	53.1	41.0
5887	9	3	7	64.4	78.1	73.9	82.9	71.1	64.9	81.0	59.0	73.9	69.1	55.9	53.6	55.4	53.6	59.0	55.9	66.0	73.4	71.6	64.4	66.9	51.8	62.1	55.0	39.0
5888	9	3	8	71.6	81.0	75.0	86.0	72.0	64.9	86.0	63.0	77.0	73.9	57.0	57.2	57.2	57.2	64.9	55.9	73.0	78.8	78.8	71.6	71.1	59.0	62.1	57.0	44.1
5889	9	3	9	78.8	84.9	75.9	88.0	73.0	68.0	93.9	64.9	80.1	78.1	59.0	60.8	60.8	59.0	68.0	59.0	78.1	84.2	84.2	78.8	75.9	68.0	66.9	60.1	46.0
5890	9	3	10	86.0	81.0	78.1	91.9	75.9	71.1	96.1	66.9	82.0	82.0	60.1	62.6	64.4	62.6	70.0	63.0	82.9	87.8	86.0	86.0	79.0	73.4	72.0	60.1	48.0
5891	9	3	11	89.6	82.9	79.0	93.9	77.0	71.1	99.0	70.0	82.9	84.0	61.0	64.4	66.2	64.4	71.1	63.0	87.1	89.6	87.8	89.6	79.0	78.8	73.9	64.0	

[illegible]

		Average		76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4		
		Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	98.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	99.0	99.0	86.0	95.0	91.0	86.0		
		Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9		
		Selected Climate Zone C25B - Spokane, WA																											
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK		
		Selected Climate Zone Dry-Bulb, deg F		Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb		
Month	Day	Hour (MST)																											
6085	9	11	13	64.4	87.1	91.9	100.9	81.0	73.0	95.0	66.0	80.1	81.0	71.1	64.4	87.8	68.0	79.0	70.0	86.0	96.8	96.8	64.4	73.0	78.8	75.9	66.9	50.0	
6086	9	11	14	64.4	82.0	93.0	102.9	82.0	73.0	97.0	66.0	81.0	82.0	73.0	66.2	89.6	69.8	80.1	71.1	88.0	96.8	95.0	64.4	73.0	78.8	80.1	68.0	53.1	
6087	9	11	15	66.2	83.0	97.5	104.9	82.0	73.0	97.0	66.0	82.9	79.0	73.9	64.4	87.8	68.0	81.0	81.0	88.0	93.2	96.2	64.4	73.0	78.8	80.1	68.0	54.0	
6088	9	11	16	66.2	79.0	93.0	104.0	86.0	72.0	96.0	64.0	78.1	82.9	73.9	62.6	86.0	66.2	81.0	70.0	88.0	93.2	91.4	64.4	73.0	77.0	82.0	66.0	57.0	
6089	9	11	17	66.2	81.0	90.0	104.0	84.9	70.0	95.0	63.0	77.0	79.0	72.0	60.8	82.4	64.4	78.1	69.1	86.0	89.6	87.8	66.2	73.0	75.2	82.0	64.0	57.9	
6090	9	11	18	64.4	81.0	88.0	102.0	80.1	66.9	91.9	61.0	75.0	73.0	70.0	57.2	73.4	59.0	73.9	66.0	79.0	82.4	80.6	64.4	70.0	68.0	81.0	61.0	57.0	
6091	9	11	19	62.6	80.1	84.0	98.1	78.1	66.0	91.0	59.0	73.0	75.0	64.9	53.6	68.0	55.4	73.9	64.0	70.0	77.0	75.2	62.6	66.9	69.8	72.0	57.9	54.0	
6092	9	11	20	59.0	77.0	81.0	95.0	75.0	64.9	87.1	59.0	70.0	73.0	64.9	50.0	64.4	51.8	68.0	63.0	69.1	75.2	73.4	59.0	63.0	59.0	69.1	57.0	51.1	
6093	9	11	21	57.2	77.0	79.0	91.9	73.0	64.9	84.0	57.9	71.1	71.1	64.0	50.0	62.6	50.0	68.0	61.0	70.0	73.4	71.6	57.2	63.0	59.0	68.0	55.9	50.0	
6094	9	11	22	55.4	77.0	78.1	89.1	73.9	64.9	81.0	57.9	70.0	69.1	63.0	48.2	60.8	50.0	66.0	61.0	70.0	71.6	69.8	55.4	60.1	57.2	66.0	57.0	48.9	
6095	9	11	23	53.6	75.9	77.0	86.0	73.0	6																				

		Average		76.1	68.6	74	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
		Max		96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	86.0		
		Min		41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
Selected Climate Zone				C25B - Spokane, WA																								
				C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
		Selected Climate Zone Dry-Bulb, deg F		Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
Month	Day	Hour (MST)																										
6475	9	27	19	60.8	75.9	82.0	93.0	73.0	66.0	84.9	61.0	66.0	70.0	53.1	53.6	48.2	57.2	75.0	68.0	60.1	73.4	71.6	60.8	64.9	51.8	46.0	48.0	37.0
6476	9	27	20	59.0	75.9	80.1	89.1	73.0	66.0	82.9	61.0	64.0	68.0	51.1	50.0	48.2	55.4	70.0	64.0	59.0	71.6	69.8	59.0	64.0	50.0	46.0	45.0	36.0
6477	9	27	21	58.0	75.9	78.9	87.9	73.0	64.9	81.0	61.0	64.0	64.9	50.0	50.0	48.2	53.6	64.9	63.1	70.1	71.6	69.8	59.0	60.1	48.2	45.0	46.0	33.1
6478	9	27	22	57.2	75.9	77.0	84.0	72.0	64.9	78.1	60.1	64.0	66.0	50.0	48.2	48.2	51.8	66.9	60.1	57.9	71.6	69.8	57.2	60.1	48.2	45.0	46.0	32.0
6479	9	27	23	55.4	75.0	75.0	82.9	72.0	64.0	75.9	60.1	64.0	66.9	50.0	46.4	46.4	50.0	64.0	57.9	59.0	69.8	69.8	55.4	59.0	48.2	45.0	46.9	30.9
6480	9	27	24	55.4	75.0	72.0	82.9	72.0	63.0	75.0	60.1	63.0	63.0	48.9	46.4	44.6	50.0	61.0	57.0	59.0	68.0	68.0	55.4	57.9	46.4	45.0	46.0	30.0
6481	9	28	1	53.6	75.0	70.0	81.0	72.0	64.0	73.0	60.1	63.0	63.0	50.0	46.4	42.8	48.2	59.0	57.0	59.0	66.2	66.2	53.6	57.0	46.4	44.1	46.0	27.0
6482	9	28	2	51.8	75.0	68.0	80.1	72.0	64.0	71.1	60.1	63.0	63.0	48.9	46.4	42.8	48.2	57.9	55.9	57.9	64.4	62.6	51.8	55.0	46.4	45.0	46.0	30.0
6483	9	28	3	51.8	75.0	66.0	78.1	72.0	64.0	71.1	60.1	62.1	62.1	46.9	48.2	41.0	46.4	57.0	57.0	55.0	62.6	60.8	51.8	55.0	46.4	45.0	45.0	30.0
6484	9	28	4	50.0	75.0	66.0	77.0	71.1	64.0	71.1	60.1	62.1	59.0	48.0	46.4	41.0	46.4	57.0	55.9	48.9	60.8	59.0	50.0	54.0	46.4	45.0	45.0	28.9
6485	9	28	5	50.0	75.0	66.0	75.0	70.0	64.0	71.1	60.1	62.1	60															

			Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4	
			Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	105.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0	
			Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9	
			Selected Climate Zone C25B - Spokane, WA																									
			Selected Climate Zone Dry-Bulb, deg F		C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK
Month	Day	Hour (MST)																										
6553	10	1	1	51.8	81.7	76.5	79.9	62.8	62.2	71.8	57.0	63.3	62.6	58.3	44.6	59.0	59.0	52.2	69.3	63.5	55.4	53.6	51.8	49.1	42.8	47.3	48.7	35.6
6554	10	1	2	50.0	81.1	77.4	77.9	63.1	61.5	70.5	57.0	63.0	62.1	58.8	44.6	59.0	59.0	53.4	71.8	62.4	53.6	53.6	50.0	46.4	42.8	48.6	47.1	37.0
6555	10	1	3	48.2	78.1	76.5	75.7	60.9	60.8	68.8	62.3	61.2	61.2	59.5	44.6	57.2	57.2	54.7	74.3	62.1	53.6	51.8	48.2	43.7	42.8	45.7	38.5	
6556	10	1	4	48.0	80.1	79.0	73.9	64.0	60.1	68.0	57.0	62.1	61.0	60.1	44.6	57.2	57.2	55.9	77.0	60.1	53.6	51.8	48.2	41.0	42.8	51.1	44.1	39.9
6557	10	1	5	46.4	80.1	77.0	73.0	64.0	60.1	68.0	57.0	62.1	59.0	60.1	42.8	57.2	57.2	52.0	77.0	57.9	53.6	51.8	46.4	39.9	42.8	51.1	42.1	41.0
6558	10	1	6	46.4	77.0	77.0	72.0	64.0	60.1	66.0	57.0	62.1	59.0	60.1	42.8	55.4	55.4	50.0	75.9	59.0	53.6	51.8	46.4	39.9	42.8	48.9	39.9	43.0
6559	10	1	7	48.2	77.0	77.0	72.0	64.0	61.0	71.1	57.0	62.1	60.1	60.1	44.6	53.6	55.4	53.1	77.0	64.9	55.4	55.4	48.2	41.0	42.8	48.9	39.0	44.1
6560	10	1	8	50.0	72.0	82.9	75.5	66.9	63.0	75.9	57.9	64.8	60.1	60.1	50.0	51.8	53.6	57.9	79.0	70.0	57.2	57.2	50.0	44.1	46.4	48.0	48.0	45.0
6561	10	1	9	53.6	75.0	86.0	81.0	66.9	66.9	81.0	57.9	67.3	64.0	61.0	51.8	51.8	53.6	61.0	78.1	75.0	60.8	59.0	53.6	46.9	53.6	48.0	55.0	48.0
6562	10	1	10	59.0	75.9	88.0	86.0	68.0	70.0	82.0	57.9	70.0	70.0	61.0	55.4	51.8	53.6	62.1	78.1	78.1	64.4	62.6	59.0	52.0	59.0	48.0	60.1	46.0
6563	10	1	11	62.6	82.9	88.0	91.0	68.0	73.0	84.9	59.0	72.7	75.0	62.1	57.2	53.6	57.2	64.9	77.0	80.1	66.2	64.4	62.6	54.0	62.6	52.0	64.0	50.0
6564	10	1	12	64.4	84.9	91.0	95.0	70.0	73.9	8																		

	Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4			
	Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	99.0	99.0	86.0	95.0	91.0	86.0			
	Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9			
	Selected Climate Zone C25B - Spokane, WA																											
		C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK			
		Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb			
Month	Day	Hour (MST)																										
7099	10	23	19	39.2	80.1	73.9	81.0	57.0	63.0	70.0	59.0	46.9	57.9	54.0	48.2	46.4	53.6	41.0	64.0	46.0	55.4	53.6	39.2	48.9	39.2	39.9	51.1	23.0
7100	10	23	20	37.4	80.1	72.0	78.1	55.9	63.0	68.0	57.9	46.2	57.0	53.1	48.2	44.6	51.8	41.0	62.1	46.0	53.6	51.8	37.4	46.9	35.6	37.9	52.0	23.0
7101	10	23	21	35.6	71.1	75.9	59.9	63.0	69.1	57.9	45.7	50.0	50.0	50.0	48.4	42.8	50.0	35.1	51.8	51.8	35.6	45.9	33.8	33.8	51.1	21.0	23.0	
7102	10	23	22	35.6	79.0	71.1	75.0	55.9	63.0	68.0	55.0	53.1	51.1	44.6	42.8	48.2	36.0	55.9	48.0	53.6	51.8	35.6	41.0	32.0	37.9	45.0	23.0	
7103	10	23	23	33.8	77.0	69.1	73.0	55.0	63.0	64.9	57.9	43.3	54.0	50.0	44.6	41.0	46.4	33.1	53.1	48.0	55.4	53.6	33.8	45.0	32.0	34.0	46.9	23.0
7104	10	23	24	33.8	75.9	68.0	72.0	54.0	62.1	62.1	57.9	41.5	54.0	46.9	44.6	41.0	44.6	34.0	51.1	46.9	55.4	53.6	33.8	45.0	32.0	34.0	46.9	23.0
7105	10	24	1	32.0	73.9	68.0	70.0	54.0	61.0	64.0	59.0	39.9	52.0	48.0	44.6	41.0	44.6	32.0	50.0	48.0	55.4	51.8	32.0	46.0	32.0	33.1	48.0	23.0
7106	10	24	2	32.0	73.0	69.1	69.1	53.1	60.1	62.1	59.0	39.0	53.1	44.1	44.6	39.2	44.6	33.1	48.9	48.0	53.6	50.0	32.0	46.0	32.0	32.0	46.9	24.1
7107	10	24	3	32.0	73.0	69.1	69.1	52.0	60.1	64.0	59.0	37.9	51.8	46.0	44.6	39.2	44.6	30.9	48.9	48.0	51.8	50.0	32.0	46.0	32.0	30.0	46.0	24.1
7108	10	24	4	32.0	75.0	69.1	66.0	52.0	57.9	61.0	57.9	37.0	52.0	43.0	44.6	39.2	44.6	33.1	48.0	48.0	51.8	50.0	32.0	46.0</				

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

Month			Day		Hour (MST)		Selected Climate Zone																				C28 - Fairbanks, AK	
							C25B - Spokane, WA										C25B - Boise, ID											
							C21A - Miami, FL	C22A - Houston, TX	C23B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN		
Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb			
7333	11	2	13	48.2	82.0	81.0	71.1	73.9	64.9	71.1	64.0	51.1	57.9	57.9	51.8	44.6	46.4	71.1	62.1	24.1	57.2	55.4	48.2	41.0	33.8	52.7	23.0	16.0
7334	11	2	14	48.2	82.9	79.0	73.0	73.9	64.9	72.0	64.9	51.1	60.1	57.9	50.0	44.6	44.6	71.1	64.0	25.0	59.0	55.4	48.2	42.1	35.6	53.1	24.1	16.0
7335	11	2	15	48.2	83.0	79.0	73.0	73.9	64.0	72.0	64.0	51.1	59.9	55.9	48.2	42.8	44.6	70.2	57.2	25.0	59.0	55.4	48.2	41.0	33.8	52.7	24.1	16.0
7336	11	2	16	44.6	82.9	73.9	73.0	72.0	64.0	72.0	66.9	51.1	62.1	55.9	46.4	42.8	42.8	68.0	64.0	27.0	53.6	51.8	46.4	39.9	32.0	51.8	23.0	16.0
7337	11	2	17	44.6	82.0	71.1	71.1	70.0	63.0	69.1	64.0	48.9	61.0	54.0	44.6	42.8	42.8	66.9	61.0	25.0	48.2	44.6	44.6	39.9	32.0	51.1	21.9	16.0
7338	11	2	18	42.8	81.0	71.1	68.0	66.9	62.1	66.0	61.0	48.9	59.0	53.1	42.8	42.8	42.8	64.9	57.9	25.0	42.8	39.2	42.8	37.9	28.4	49.1	19.9	16.0
7339	11	2	19	41.0	80.1	70.0	66.9	66.0	62.1	64.9	57.9	48.9	59.0	55.0	42.8	42.8	42.8	64.9	57.9	26.1	39.2	37.4	41.0	37.0	24.8	46.9	18.0	16.0
7340	11	2	20	39.2	80.1	70.0	64.9	64.0	62.1	64.0	57.9	48.0	55.0	55.0	41.0	41.0	42.8	64.0	57.9	26.1	39.2	37.4	39.2	37.0	24.8	45.0	17.1	15.1
7341	11	2	21	39.2	79.0	70.0	64.9	63.0	63.0	61.0	60.1	57.9	48.0	55.0	53.1	41.0	41.0	63.0	55.9	26.1	41.0	37.4	39.2	37.0	24.8	44.2	12.9	15.1
7342	11	2	22	39.2	78.1	70.0	62.1	61.0	59.0	60.1	55.9	48.0	50.0	53.1	41.0	41.0	41.0	63.0	55.0	26.1	41.0	39.2	39.2	37.0	24.8	43.7	12.0	16.0
7343	11	2	23	37.4	78.1	70.0	62.1	61.0	60.1	61.0	57.0	48.0	50.0	52.0	41.0	41.0	39.2	62.1	54.0	23.0	41.0	39.2	37.4	36.0	24.8	43.0	10.9	17.1
7344	11	2	24	37.4	77.0	71.1	60.1	59.0	60.1	60.1	57.0	48.0	50.0	52.0	39.2	41.0	39.2	63.0	53.1	21.9	41.0	39.2	37.4	36.0	24.8	41.9	10.0	17.1
7345	11	3	1	37.4	77.0	71.1	59.0	59.0	59.0	61.0	57.9	46.9	46.9	52.0	39.2	41.0	39.2	63.0	51.1	24.1	41.0	39.2	37.4	35.1	24.8	41.0	7.0	17.1
7346	11	3	2	35.6	75.9	71.1	57.0	59.0	57.9	55.9	5																	

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

[illegible]

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

			Average	76.1	68.6	74.1	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.4	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
			Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	100.2	91.0	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
			Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9
			Selected Climate ZoneC25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								
			C25B - Spokane, WA																								

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

[illegible]

				Average	76.1	68.6	74.1	62.0		62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
				Max	96.1	102.9	111.9	98.1		90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
				Min	41.0	21.0	36.0	9.0		42.1	26.1	36.0		6.1	15.1	21.9	14.0	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9
				Selected Climate Zone C25B - Spokane, WA																									
					C21A - Miami, FL	C22A - Houston, TX	C22B - Phoenix, AZ	C23A - Atlanta, GA	C23B - Los Angeles, CA	C23B - Las Vegas, NV	C23C - San Francisco, CA	C24A - Baltimore, MD	C24B - Albuquerque, NM	C24C - Seattle, WA	C24C - Olympia, WA	C24C - Portland, OR	C24C - Salem, OR	C25A - Chicago, IL	C25A - Boston, MA	C25B - Denver, CO	C25B - Grass Valley, CA	C25B - Nevada City, CA	C25B - Spokane, WA	C26A - Minneapolis, MN	C26B - McCall, ID	C26B - Helena, MT	C27 - Duluth, MN	C28 - Fairbanks, AK	
				Selected Climate Zone Dry-Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
	Month	Day	Hour (MST)																										
8425	12	18	1	23.0	64.0	53.1	46.0	26.1	54.0	39.0	51.1	19.9	35.1	37.0	30.2	32.0	33.8	12.9	39.9	28.9	39.2	24.8	23.0	27.0	-2.2	14.0	14.0	0.0	
8426	12	18	2	23.0	63.0	53.1	44.1	25.0	53.1	39.0	50.0	20.7	33.1	37.0	30.2	32.0	33.8	12.9	37.9	25.0	37.4	23.0	23.0	26.1	-2.2	12.9	13.1	0.0	
8427	12	18	3	21.2	64.0	53.1	42.1	25.0	53.1	37.0	37.0	28.0	31.0	39.0	28.4	32.0	32.0	12.0	36.0	37.0	37.4	23.0	23.0	26.1	-2.2	10.0	10.0	10.0	
8428	12	18	4	21.2	63.0	46.9	43.0	25.0	53.0	37.0	51.1	21.9	27.0	37.0	28.4	32.0	32.0	10.0	35.1	30.9	37.4	23.0	21.2	26.1	-0.4	10.0	10.0	10.0	
8429	12	18	5	21.2	63.0	48.0	42.1	23.0	51.1	37.0	51.1	23.0	28.0	37.9	28.4	32.0	32.0	9.0	34.0	30.0	37.4	23.0	21.2	26.1	1.4	10.0	10.0	10.0	
8430	12	18	6	19.4	63.0	46.0	41.0	23.0	51.1	36.0	50.0	23.9	28.9	39.0	28.4	32.0	32.0	7.0	34.0	28.0	37.4	23.0	19.4	25.0	5.0	9.0	9.0	1.9	
8431	12	18	7	19.4	64.0	48.0	41.0	23.0	52.0	37.0	51.1	25.0	23.0	37.0	28.4	32.0	32.0	7.0	34.0	26.1	37.4	23.0	19.4	25.0	5.0	9.0	8.2	1.9	
8432	12	18	8	19.4	64.9	52.0	41.0	21.9	54.0	39.0	50.0	28.0	23.0	37.0	28.4	32.0	32.0	7.0	34.0	34.0	37.4	24.8	19.4	26.1	5.0	8.1	7.7	1.0	
8433	12	18	9	21.2	66.0	60.1	44.1	28.0	57.0	46.9	52.0	30.9	28.0	37.0	30.2	32.0	32.0	9.0	36.0	41.0	39.2	28.4	21.2	26.1	5.0	7.0	7.0	-2.0	
8434	12	18	10	24.8	71.1	69.1	48.9	33.1	61.0	52.0	52.0	34.0	35.1	41.0															

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

		Selected Climate Zone		CZ5B -Spokane, WA																																													
		CZ1A - Miami, FL		CZ2A - Houston, TX		CZ2B - Phoenix, AZ		CZ3A - Atlanta, GA		CZ3B - Los Angeles, CA		CZ3B - Las Vegas, NV		CZ3C - San Francisco, CA		CZ4A - Baltimore, MD		CZ4B - Albuquerque, NM		CZ4C - Seattle, WA		CZ4C - Olympia, WA		CZ4C - Portland, OR		CZ4C - Salem, OR		CZ5A - Chicago, IL		CZ5A - Boston, MA		CZ5B - Denver, CO		CZ5B - Grass Valley, CA		CZ5B - Nevada City, CA		CZ5B - Spokane, WA		CZ6A - Minneapolis, MN		CZ6B - McCall, ID		CZ6B - Helena, MT		CZ7 - Duluth, MN		CZ8 - Fairbanks, AK	
		Selected Climate ZoneDry-Bulb, deg F		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb		Dry-Bulb	
Month	Day	Hour (MST)	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb		
8503	12	21	7	32.0	53.1	35.1	52.0	35.1	46.9	48.9	46.0	10.9	18.0	36.0	17.6	32.0	33.8	28.0	23.0	27.0	23.0	37.4	32.0	18.0	15.8	18.0	-4.7	7.0																					
8504	12	21	8	32.0	55.0	35.1	51.1	35.1	51.1	50.0	46.9	14.0	21.0	33.1	17.6	32.0	33.8	30.0	23.0	33.1	24.8	37.4	32.0	18.0	15.8	18.0	-3.3	8.1																					
8505	12	21	9	32.0	59.0	35.1	53.1	36.0	57.9	50.0	48.0	16.9	23.0	35.1	19.4	32.0	33.8	30.0	25.0	39.0	30.2	39.2	32.0	18.0	14.0	19.0	-2.0	8.1																					
8506	12	21	10	32.0	66.0	36.0	57.0	37.0	64.0	51.1	48.9	19.9	26.1	39.0	21.2	32.0	33.8	30.9	28.0	46.9	33.8	42.8	32.0	19.0	15.8	23.0	1.4	9.0																					
8507	12	21	11	33.8	68.0	37.9	59.0	39.9	66.0	51.1	51.1	21.9	28.9	40.1	21.2	32.0	35.6	30.9	30.0	54.0	35.6	46.4	33.8	21.0	19.4	21.9	4.6	8.1																					
8508	12	21	12	33.8	68.0	39.0	59.0	41.0	70.0	53.1	54.0	24.1	30.9	42.3	23.0	32.0	35.6	32.0	33.1	59.0	37.4	48.2	33.8	25.0	23.0	24.1	8.1	8.1																					
8509	12	21	13	33.8	71.1	41.0	60.1	42.1	71.1	54.0	54.0	26.1	30.0	42.1	24.8	32.0	35.6	32.0	34.0	61.0	39.2	50.0	33.8	24.1	24.8	27.0	8.8	6.1																					
8510	12	21	14	33.8	71.1	44.1	61.0	43.0	66.0	55.9	55.0	26.4	30.0	42.1	24.8	32.0	35.6	32.0	34.0	60.1	41.0	50.0	33.8	27.0	24.8	32.0	9.3	8.1																					
8511	12	21	15	32.0	70.0	45.0	63.0	44.1	68.0	57.9	55.9	26.6	28.9	41.2	24.8	32.0	33.8	32.0	34.0	60.1	39.2	48.2	32.0	25.0	24.8	33.1	10.0	6.1																					
8512	12	21	16	32.0	69.1	45.0	62.1	45.0	64.9	57.9	55.9	27.0	30.0	39.9	24.8	32.0	33.8	33.1	34.0	57.9	33.8	42.8	32.0	24.1	24.8	32.0	10.0	3.0																					
8513	12	21	17	32.0	68.0	44.1	60.1	44.1	63.0	55.0	54.0	24.3	30.0	39.0	23.0	32.0	33.8	33.1	34.0	48.9	32.0	39.2	32.0	19.9	23.0	30.9	10.0	1.9																					
8514	12	21	18	32.0	66.9	43.0	59.0	43.0	61.0	53.1	54.0	21.7	30.0	36.9	23.0	32.0	33.8	33.1	34.0	43.0	32.0	37.4	32.0	18.0	21.2	30.9	10.0	0.0																					
8515	12	21	19	32.0	64.9	42.1	57.9	42.1	60.1	50.0	53.1	19.0	30.0	35.2	21.2	32.0	33.8	33.1	33.1	39.9	30.2	37.4	32.0	19.0	19.4	28.9	10.0	-2.0																					
8516	12	21	20	32.0	66.0	42.1	57.0	42.1	57.9	50.0	52.0	18.0	27.0	36.0	19.4	32.0	33.8	33.1	34.0	39.0	30.2	37.4	32.0	19.9	17.6	28.9	10.0	-6.0																					
8517	12	21	21	32.0	64.0	42.1	57.0	42.1	57.9	48.0	52.0	17.1	30.0	34.2	19.4	32.0	33.8	33.1	35.1	37.9	38.4	35.6	32.0	19.0	15.8	25.0	10.0	-8.0																					
8518	12	21	22	32.0	63.0	42.1	52.0	42.1	57.0	48.9	51.1	16.0	28.9	32.0	19.4	32.0	33.8	33.1	35.1	36.0	26.6	35.6	32.0	19.0	14.0	26.1	10.0	-9.0																					
8519	12	21	23	32.0	66.0	41.0	48.9	42.1	57.9	44.1	51.1	14.9	28.0	33.1	17.6	32.0	33.8	32.0	35.1	36.0	26.6	35.6	32.0	17.1	12.2	21.9	10.0	-11.0																					
8520	12	21	24	32.0	66.0	41.0	48.9	42.1	55.0	44.1	50.0	14.0	28.0	33.1	17.6	32.0	33.8	32.0	35.1	37.0	26.6	33.8	32.0	16.0	10.4	24.1	10.0	-11.9																					
8521	12	22	1	32.0	64.0	41.0	50.0	42.1	55.9	44.1	50.0	12.9	27.0	30.9	17.6	32.0	32.0	32.0	35.1	36.0	26.6	33.8	32.0	12.9	8.6	19.9	10.8	-16.1																					
8522	12	22	2	32.0	64.9	41.0	48.9	41.0	53.1	46.9	50.0	12.2	24.1	33.1	17.6	32.0	32.0	32.0	35.1	35.1	26.6	33.8	32.0	12.9	6.8	21.0	11.3	-18.0																					
8523	12	22	3	32.0	64.0	41.0	46.0	39.9	53.1	41.0	48.9	11.7	24.1	32.0	17.6	32.0	32.0	32.0	35.1	36.0	26.6	33.8	32.0	10.9	6.8	14.0	12.0	-20.0																					
8524	12	22	4	30.2	66.0	41.0	44.1	39.9	51.1	44.1	48.0	10.9	21.9	32.0	15.8	32.0	32.0	32.0	34.0	36.0	26.6	33.8	30.2	10.9	6.8	19.9	12.4	-16.1																					
8525	12	22	5	30.2	64.9	41.0	43.0	39.9	54.0	43.0	48.0	10.2	24.1	33.1	15.8	32.0	32.0	32.0	35.1	34.0	26.6	32.0	30.2	14.0	5.0	14.0	12.6	-18.9																					
8526	12	22	6	28.4	64.0	39.9	43.0	41.0	52.0	41.0	48.0	9.7	21.0	33.1	15.8	32.0	32.0	32.0	35.1	30.0	26.6	32.0	28.4	15.1	5.0	17.1	12.9	-18.0																					
8527	12	22	7	28.4	64.0	39.9	42.1	41.0	54.0	37.9	48.0	9.0	21.0	33.1	15.8	30.2	32.0	32.0	35.1	30.0	28.4	32.0	28.4	17.1	5.0	16.0	14.0	-11.9																					
8528	12	22	8	28.4	66.9	42.1	42.1	41.0	53.1	39.9	48.0	13.3	21.0	32.0	15.8	28.4	32.0	32.0	37.0	32.0	32.0	33.8	28.4	18.0	5.0	12.9	14.9	-9.0																					
8529	12	22	9	30.2	72.0	43.0	46.0	41.0	55.9	44.1	48.9	17.6	21.9	33.1	17.6	26.6	32.0	30.9	37.9	39.9	33.8	37.4	30.2	19.0	6.8	18.0	16.0	-7.1																					
8530	12	22	10	32.0	73.9	44.1	48.9	43.0	63.0	48.0	48.9	21.9	26.1	35.1	23.0	26.6	32.0	32.0	42.1	45.0	39.2	42.8	32.0	19.9	12.2	21.0	16.7	-9.0																					
8531	12	22	11	32.0	75.9	46.0	54.0	44.1	66.0	51.1	50.0	24.3	30.0	37.9	26.6	26.6	32.0	32.0	45.0	50.0	41.0	48.2	32.0	21.9	17.6	24.1	17.2	-11.9																					
8532	12	22	12	33.8	77.0	48.0	55.9	46.0	69.1	53.1	52.0	26.6	33.1	39.0	28.4	26.6	33.8	32.0	46.9	52.0	42.8	50.0	33.8	21.9	21.2	25.0	18.0	-11.9																					
8533	12	22	13	33.8	77.0	46.9	60.1	48.0	71.1	54.0	53.1	28.9	36.0	39.9	30.2	26.6	33.8	33.1	48.0	54.0	42.8	50.0	33.8	23.0	23.0	28.0	18.7	-16.1																					
8534	12	22	14	33.8	77.0	48.9	59.0	48.0	64.9	54.0	54.0	28.6	37.0	41.0	30.2	26.6	33.8	33.1	50.0	54.0	42.8	48.2	33.8	24.1	24.8	28.0	19.2	-11.0																					
8535	12	22	15	32.0	75.0	50.0	62.1	50.0	61.0	53.1	55.0	28.4	39.0	41.0	30.2	26.6	32.0	33.1	48.9	54.0	41.0	46.4	32.0	24.1	24.8	27.0	19.9	-9.0																					
8536	12	22	16	30.2	75.0	50.0	62.1	50.0	61.0	53.1	55.9	28.0	39.9	39.9	28.4	24.8	32.0	33.1	48.9	52.1	39.2	41.0	30.2	25.0	21.2	23.0	19.6	-8.0																					
8537	12	22	17	28.4	73.0	50.0	61.0	52.0	59.0	50.0	53.1	27.0	37.9	38.3	26.6	23.0	32.0	33.1	46.0	46.9	35.6	37.4	28.4	24.1	15.8	23.0	19.4	-7.1																					
8538	12	22	18	28.4	73.0	50.0	59.0	50.0	60.1	48.0	52.0	26.1	37.0	41.0	26.6	21.2	30.2	33.1	45.0	37.0	35.6	35.6	28.4	24.1	10.4	19.9	19.0	-7.1																					
8539	12	22	19	28.4	73.0	48.9	57.0	50.0	57.9	48.0	50.0	25.0	36.0	39.7	24.8	19.4	28.4	33.1	43.0	35.1	33.8	35.6	28.4	24.1	6.8	19.9	19.0																						

Average	76.1	68.6	74.8	62.0	62.3	67.7	56.8	55.8	56.6	52.2	48.0	48.1	49.5	50.0	51.1	51.6	55.5	54.5	46.6	45.9	37.4	44.9	39.2	29.4
Max	96.1	102.9	111.9	98.1	90.0	111.9	91.0	95.0	102.0	89.2	91.4	98.6	95.0	95.0	99.0	104.0	102.2	100.4	95.0	99.0	86.0	95.0	91.0	86.0
Min	41.0	21.0	36.0	9.0	42.1	26.1	36.0	6.1	15.1	21.9	14.0	12.2	17.6	-9.0	-4.0	-2.9	23.0	19.4	8.6	-24.0	-9.4	-11.9	-23.1	-36.9

			Selected Climate Zone CZ5B -Spokane, WA																									
			CZ1A - Miami, FL	CZ2A - Houston, TX	CZ2B - Phoenix, AZ	CZ3A - Atlanta, GA	CZ3B - Los Angeles, CA	CZ3B - Las Vegas, NV	CZ3C - San Francisco, CA	CZ4A - Baltimore, MD	CZ4B - Albuquerque, e, NM	CZ4C - Seattle, WA	CZ4C - Olympia, WA	CZ4C - Portland, OR	CZ4C - Salem OR	CZ5A - Chicago, IL	CZ5A - Boston, MA	CZ5B - Denver, CO	CZ5B - Grass Valley, CA	CZ5B - Nevada City, CA	CZ5B - Spokane, WA	CZ6A - Minneapolis s, MN	CZ6B - McCall, ID	CZ6B - Helena, MT	CZ7 - Duluth, MN	CZ8 - Fairbanks, AK		
Month	Day	Hour (MST)	Selected Climate ZoneDry- Bulb, deg F	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	Dry-Bulb	
8737	12	31	1	19.4	70.0	36.0	55.9	45.0	55.0	37.0	51.1	28.0	28.9	41.0	42.8	35.6	39.2	32.0	41.0	19.0	28.4	39.2	19.4	30.0	14.0	26.1	28.0	12.2
8738	12	31	2	19.4	70.0	35.1	55.0	44.1	52.0	36.0	48.9	26.4	32.0	39.0	42.8	37.4	41.0	35.1	39.9	18.0	26.6	37.4	19.4	30.0	14.0	26.1	28.0	8.6
8739	12	31	3	19.4	69.1	35.1	54.0	44.1	51.1	37.0	50.0	24.6	28.9	36.0	42.8	39.2	41.0	37.0	39.9	16.0	26.6	35.6	19.4	30.0	14.0	28.9	28.0	10.4
8740	12	31	4	19.4	69.1	34.0	53.1	43.0	50.0	36.0	50.0	23.0	30.9	37.0	44.6	39.2	41.0	36.0	39.9	16.0	26.6	35.6	19.4	30.0	12.2	27.0	28.0	8.6
8741	12	31	5	17.6	70.0	34.0	52.0	43.0	48.9	35.1	48.0	22.6	30.0	36.0	44.6	39.2	41.0	37.0	39.0	15.1	26.6	35.6	17.6	30.0	12.2	25.0	28.0	8.6
8742	12	31	6	17.6	69.1	34.0	52.0	43.0	48.9	36.0	48.9	22.3	28.0	37.0	44.6	39.2	39.2	35.1	39.0	15.1	26.6	33.8	17.6	30.0	14.0	19.0	28.0	10.4
8743	12	31	7	17.6	69.1	37.0	51.1	42.1	48.9	36.0	46.9	21.9	28.0	37.0	42.8	37.4	39.2	33.1	37.9	15.1	26.6	33.8	17.6	30.0	14.0	19.9	27.7	12.2
8744	12	31	8	19.4	69.1	42.1	51.1	42.1	52.0	37.0	50.0	23.0	27.0	37.9	42.8	37.4	39.2	34.0	39.0	14.0	28.4	33.8	19.4	30.0	14.0	19.9	27.3	14.0
8745	12	31	9	21.2	73.0	48.0	53.1	42.1	53.1	42.1	50.0	23.9	30.9	39.0	42.8	37.4	39.2	34.0	39.9	16.0	32.0	37.4	21.2	30.0	15.8	18.0	27.0	12.2
8746	12	31	10	24.8	73.0	57.0	54.0	43.0	55.9	45.0	51.1	25.0	34.0	37.9	42.8	37.4	39.2	35.1	41.0	17.1	33.8	41.0	24.8	30.9	19.4	16.0	27.7	12.2
8747	12	31	11	26.6	69.1	62.1	57.0	43.0	62.1	48.0	51.1	26.2	37.9	37.0	42.8	37.4	41.0	35.1	41.0	15.1	39.2	44.6	26.6	30.9	23.0	15.1	28.2	12.2
8748	12	31	12	28.4	75.0	66.0	60.1	42.1	64.0	48.9	52.0	27.7	43.0	41.0	42.8	37.4	41.0	35.1	42.1	17.1	42.8	46.4	28.4	32.0	26.6	15.1	28.9	10.4
8749	12	31	13	28.4	73.9	69.1	61.0	42.1	64.9	51.1	53.1	28.9	46.9	43.0	42.8	37.4	41.0	35.1	43.0	17.1	44.6	48.2	28.4	32.0	30.2	15.1	28.9	10.4
8750	12	31	14	28.4	75.9	71.1	62.1	43.0	62.1	51.1	53.1	28.6	50.0	44.1	42.8	37.4	41.0	34.0	45.0	17.1	46.4	48.2	28.4	32.0	30.2	14.0	28.9	12.2
8751	12	31	15	28.4	73.0	72.0	64.0	43.0	61.0	52.0	53.1	28.4	52.0	43.0	41.0	37.4	39.2	34.0	45.0	15.1	44.6	46.4	28.4	32.0	30.2	12.0	28.9	10.4
8752	12	31	16	26.6	73.0	71.1	64.0	42.1	61.0	52.0	55.0	28.0	50.0	43.0	41.0	37.4	39.2	32.0	44.1	14.0	42.8	44.6	26.6	32.0	30.2	10.9	28.9	10.4
8753	12	31	17	26.6	70.0	69.1	64.0	42.1	57.0	50.0	53.1	28.0	48.0	45.0	42.8	33.8	42.8	32.0	41.0	12.9	37.4	35.6	26.6	32.0	28.4	8.1	28.9	10.4
8754	12	31	18	24.8	70.0	61.0	63.0	42.1	57.0	48.9	55.0	28.0	46.9	45.0	42.8	33.8	42.8	32.0	39.0	9.0	33.8	32.0	24.8	32.0	12.2	6.1	28.9	8.6
8755	12	31	19	23.0	69.1	52.0	63.0	42.1	55.9	48.0	55.0	28.0	43.0	48.0	41.0	33.8	42.8	32.0	37.9	7.0	33.8	32.0	23.0	32.0	8.6	6.1	28.0	8.6
8756	12	31	20	23.0	69.8	52.0	57.9	41.0	55.9	45.0	55.9	27.3	41.0	46.9	41.0	33.8	41.0	30.0	41.0	8.1	33.8	32.0	23.0	32.0	6.8	3.9	27.0	6.8
8757	12	31	21	23.0	69.8	48.9	55.9	41.0	55.9	43.0	54.0	26.8	42.1	46.0	41.0	33.8	41.0	25.0	39.9	5.0	33.8	32.0	23.0	32.0	8.6	5.0	26.1	6.8
8758	12	31	22	23.0	71.1	45.0	55.0	41.0	55.0	41.0	51.1	26.1	43.0	46.0	39.2	33.8	41.0	24.1	39.9	3.0	33.8	32.0	23.0	32.0	8.6	6.1	26.1	6.8
8759	12	31	23	23.0	71.6	44.1	54.0	39.9	53.1	39.9	51.1	25.3	41.0	45.0	39.2	33.8	41.0	23.0	41.0	-0.9	32.0	32.0	23.0	30.9	8.6	5.0	26.1	8.6
8760	12	31	24	24.8	71.6	44.1	52.0	39.9	53.1	37.9	52.0	24.8	42.1	45.0	39.2	33.8	39.2	21.0	41.0	-2.9	32.0	32.0	24.8	30.9	8.6	2.5	26.1	8.6
				139922.6					141368					206061.8					196921.4					127891.4				

COP of Arctic Energy 050ZA/(BE), 4 ton

Temperature (deg F)	COP
44.6	3.2
19.4	3.1
-4	1.8

Source: <https://www.arcticheatpumps.com/specifications.html>